

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102319\
 Data File : VY000394.D
 Acq On : 23 Oct 2019 20:14
 Operator : SY/MD
 Sample : K5498-06
 Misc : 7.75G/5ML/MSVOA Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 190-78-(1)

Quant Time: Oct 24 05:25:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	211044	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	356163	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	289567	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	104045	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	119540	53.70	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.40%	
35) Dibromofluoromethane	7.73	113	104324	48.56	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.12%	
50) Toluene-d8	10.19	98	407499	49.31	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.62%	
62) 4-Bromofluorobenzene	12.48	95	115606	36.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	73.64%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102319\
Data File : VY000394.D
Acq On : 23 Oct 2019 20:14
Operator : SY/MD
Sample : K5498-06
Misc : 7.75G/5ML/MSVOA Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
190-78-(1)

Quant Time: Oct 24 05:25:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000394.D

Acq: 23 Oct 2019 20:14

Instrument :

MSVOA_Y

ClientSampleId :


190-78-(1)

Tot Ion:168 Resp: 211044

Ion Ratio Lower Upper

168 100

99 56.3 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000268.D (-984) (-)

Ion 98.90 (98.60 to 99.60): VY000268.D (-984) (-)

7.80

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 53.697 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY000394.D


Acq: 23 Oct 2019 20:14

Tgt Ion: 65 Resp: 119540

Ion Ratio Lower Upper

65 100

67 54.0 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000268.D (-1042) (-)

Ion 66.90 (66.60 to 67.60): VY000268.D (-1042) (-)

8.15

60000

50000

40000


30000


20000

10000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. -0.01 min
 Lab File: VY000394.D
 Acq: 23 Oct 2019 20:14

Instrument :
 MSVOA_Y
 ClientSampleId :
 190-78-(1)

Tot Ion:114 Resp: 356163
 Ion Ratio Lower Upper
 114 100
 63 19.6 0.0 37.2
 88 15.7 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0






#35
 Dibromofluoromethane
 Concen: 48.559 ug/l
 RT: 7.73 min Scan# 983
 Delta R.T. -0.00 min
 Lab File: VY000394.D
 Acq: 23 Oct 2019 20:14

Tgt Ion:113 Resp: 104324
 Ion Ratio Lower Upper
 113 100
 111 100.7 81.6 122.4
 192 19.2 15.3 22.9



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.308 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.00 min

Lab File: VY000394.D

Acq: 23 Oct 2019 20:14

Instrument :

MSVOA_Y

ClientSampled :


190-78-(1)

Tot Ion: 98 Resp: 407499

Ion Ratio Lower Upper

98 100

100 66.6 52.8 79.2



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY

250000

200000

150000

100000

50000



0

10.10

10.20

10.30

Time-->



#62

4-Bromofluorobenzene

Concen: 36.820 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000394.D

Acq: 23 Oct 2019 20:14


Tgt Ion: 95 Resp: 115606

Ion Ratio Lower Upper

95 100

174 83.4 0.0 159.6

176 79.8 0.0 153.8



Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V

100000

80000

60000

40000

20000

0


12.40


12.45

12.50

12.55

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000394.D
Acq: 23 Oct 2019 20:14

Instrument :
MSVOA_Y
ClientSampleId :
190-78-(1)

Tot Ion	Ratio	Lower	Upper
117	100		
82	54.7	43.7	65.5
119	33.5	26.6	39.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000394.D
Acq: 23 Oct 2019 20:14

Tgt Ion	Ratio	Lower	Upper
152	100		
115	58.4	29.3	88.0
150	156.5	0.0	348.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

