

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102621\
 Data File : VY006477.D
 Acq On : 26 Oct 2021 13:38
 Operator : SY/MD
 Sample : M4332-01
 Misc : 5.43G/5ML/MSVOA_Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BB-SAMPLE-1

Quant Time: Oct 27 05:25:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	58977	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	95599	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	82496	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	31393	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	42290	58.271	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	116.540%
35) Dibromofluoromethane	7.728	113	28847	54.138	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.280%
50) Toluene-d8	10.185	98	119673	52.981	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.960%
62) 4-Bromofluorobenzene	12.483	95	31995	42.049	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	84.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102621\
Data File : VY006477.D
Acq On : 26 Oct 2021 13:38
Operator : SY/MD
Sample : M4332-01
Misc : 5.43G/5ML/MSVOA_Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BB-SAMPLE-1

Quant Time: Oct 27 05:25:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration

