

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102821\
 Data File : VY006515.D
 Acq On : 28 Oct 2021 14:59
 Operator : SY/MD
 Sample : M4375-06
 Misc : 5.07G/5ML/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Oct 29 07:04:43 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	0.000	168	0	0.000	ug/l	-7.79
34) 1,4-Difluorobenzene	0.000	114	0	0.000	ug/l	-8.70
63) Chlorobenzene-d5	0.000	117	0	0.000	ug/l	-11.49
72) 1,4-Dichlorobenzene-d4	0.000	152	0	0.000	ug/l	-13.43
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.000	65	0	0.000	ug/l	
Spiked Amount	50.000	Range	50 - 163	Recovery	=	0.000%#
35) Dibromofluoromethane	0.000	113	0	0.000	ug/l	
Spiked Amount	50.000	Range	54 - 147	Recovery	=	0.000%#
50) Toluene-d8	0.000	98	0	0.000	ug/l	
Spiked Amount	50.000	Range	49 - 140	Recovery	=	0.000%#
62) 4-Bromofluorobenzene	0.000	95	0	0.000	ug/l	
Spiked Amount	50.000	Range	25 - 144	Recovery	=	0.000%#


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102821\
Data File : VY006515.D
Acq On : 28 Oct 2021 14:59
Operator : SY/MD
Sample : M4375-06
Misc : 5.07G/5ML/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Oct 29 07:04:43 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 0.000 ug/l
Expected RT: 7.79 min

Lab File: VY006515.D
Acq: 28 Oct 2021 14:59

Tgt Ion: 168
Sig Exp Ratio
168 100
99 56.0


Instrument :
MSVOA_Y
ClientSampleId :




#33
1,2-Dichloroethane-d4
Concen: 0.000 ug/l
Expected RT: 8.15 min

Lab File: VY006515.D
Acq: 28 Oct 2021 14:59

Tgt Ion: 65
Sig Exp Ratio
65 100
67 49.1







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 8.70 min

 Lab File: VY006515.D
 Acq: 28 Oct 2021 14:59

Instrument :
 MSVOA_Y
 ClientSampleId :

Tgt Ion: 114

Sig	Exp Ratio
114	100
63	22.5
88	15.3





#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 7.72 min

 Lab File: VY006515.D
 Acq: 28 Oct 2021 14:59

Tgt Ion: 113

Sig	Exp Ratio
113	100
111	102.9
192	21.8







#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 10.18 min

Lab File: VY006515.D
Acq: 28 Oct 2021 14:59

Tgt Ion: 98
Sig Exp Ratio
98 100
100 63.6


Instrument :
MSVOA_Y
ClientSampleId :




#62
4-Bromofluorobenzene
Concen: 0.000 ug/l
Expected RT: 12.48 min

Lab File: VY006515.D
Acq: 28 Oct 2021 14:59

Tgt Ion: 95
Sig Exp Ratio
95 100
174 88.5
176 84.7







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 11.49 min

 Lab File: VY006515.D
 Acq: 28 Oct 2021 14:59

Instrument :
 MSVOA_Y
 ClientSampleId :

Tgt Ion: 117

Sig	Exp Ratio
117	100
82	57.1
119	31.9



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 13.43 min

 Lab File: VY006515.D
 Acq: 28 Oct 2021 14:59

Tgt Ion: 152

Sig	Exp Ratio
152	100
115	57.0
150	174.1

