

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102921\
 Data File : VY006541.D
 Acq On : 29 Oct 2021 15:42
 Operator : SY/MD
 Sample : M4409-01RE
 Misc : 5.03G/5ML/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ-207-ETGI-340RE

Manual Integrations
 APPROVED

Reviewed By :Vimala Arumugam 11/01/2021
 Supervised By :Mahesh Dadoda 11/03/2021

Quant Time: Oct 30 03:01:12 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	1566	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.697	114	2937	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	3148	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	950	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	1940	100.671	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 201.340%#	
35) Dibromofluoromethane	7.704	113	205m	12.523	ug/l	-0.02
Spiked Amount	50.000	Range	54 - 147	Recovery	= 25.040%#	
50) Toluene-d8	10.185	98	3841	55.350	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 110.700%	
62) 4-Bromofluorobenzene	12.483	95	1349	57.708	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 115.420%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102921\
Data File : VY006541.D
Acq On : 29 Oct 2021 15:42
Operator : SY/MD
Sample : M4409-01RE
Misc : 5.03G/5ML/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ-207-ETGI-340RE

Quant Time: Oct 30 03:01:12 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Vimala Arumugam 11/01/2021
Supervised By :Mahesh Dadoda 11/03/2021

