

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102924\
 Data File : VY020058.D
 Acq On : 29 Oct 2024 14:02
 Operator : SY/MD
 Sample : P4598-07
 Misc : 4.72g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-F11-VOC

Quant Time: Oct 30 01:24:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 16 05:44:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	178689	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.615	114	375847	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	354665	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	130104	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	135953	61.792	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	123.580%
35) Dibromofluoromethane	7.640	113	127227	51.298	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.600%
50) Toluene-d8	10.109	98	469805	51.295	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.580%
62) 4-Bromofluorobenzene	12.407	95	149081	45.048	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	90.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102924\
Data File : VY020058.D
Acq On : 29 Oct 2024 14:02
Operator : SY/MD
Sample : P4598-07
Misc : 4.72g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-F11-VOC

Quant Time: Oct 30 01:24:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 16 05:44:48 2024
Response via : Initial Calibration

