

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102924\
 Data File : VY020050.D
 Acq On : 29 Oct 2024 10:01
 Operator : SY/MD
 Sample : VY1029SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1029SBL01

Quant Time: Oct 30 01:19:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 16 05:44:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	196117	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.622	114	412090	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	365725	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	118867	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	133469	55.272	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.540%
35) Dibromofluoromethane	7.640	113	134846	49.588	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.180%
50) Toluene-d8	10.109	98	508625	50.649	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.300%
62) 4-Bromofluorobenzene	12.407	95	143274	39.485	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	78.980%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102924\
Data File : VY020050.D
Acq On : 29 Oct 2024 10:01
Operator : SY/MD
Sample : VY1029SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1029SBL01

Quant Time: Oct 30 01:19:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 16 05:44:48 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY020050.D
Acq: 29 Oct 2024 10:01




Instrument :
MSVOA_Y
ClientSampleId :
VY1029SBL01


Tgt Ion:168 Resp: 196117
Ion Ratio Lower Upper
168 100
99 63.9 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 55.272 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY020050.D
Acq: 29 Oct 2024 10:01

Tgt Ion: 65 Resp: 133469
Ion Ratio Lower Upper
65 100
67 51.5 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.622 min Scan# 1131

Delta R.T. 0.006 min

Lab File: VY020050.D

Acq: 29 Oct 2024 10:01

Instrument :

MSVOA_Y

ClientSampleId :

VY1029SBL01





Tgt Ion:114 Resp: 412090

Ion Ratio Lower Upper

114 100

63 21.9 0.0 35.0

88 15.4 0.0 27.2



#35

Dibromofluoromethane

Concen: 49.588 ug/l

RT: 7.640 min Scan# 971

Delta R.T. 0.006 min

Lab File: VY020050.D

Acq: 29 Oct 2024 10:01




Tgt Ion:113 Resp: 134846


Ion Ratio Lower Upper

113 100

111 103.4 82.2 123.4

192 16.4 15.9 23.9









#50
Toluene-d8
Concen: 50.649 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY020050.D
Acq: 29 Oct 2024 10:01




Instrument :
MSVOA_Y
ClientSampleId :
VY1029SBL01


Tgt Ion: 98 Resp: 508625
Ion Ratio Lower Upper
98 100
100 63.9 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 39.485 ug/l
RT: 12.407 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY020050.D
Acq: 29 Oct 2024 10:01

Tgt Ion: 95 Resp: 143274
Ion Ratio Lower Upper
95 100
174 75.9 0.0 175.6
176 72.4 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY020050.D

Acq: 29 Oct 2024 10:01

Instrument :

MSVOA_Y

ClientSampleId :

VY1029SBL01





Tgt Ion:117 Resp: 365725

Ion Ratio Lower Upper

117 100

82 60.5 42.4 63.6

119 32.0 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY020050.D

Acq: 29 Oct 2024 10:01

Tgt Ion:152 Resp: 118867

Ion Ratio Lower Upper

152 100

115 62.6 28.2 84.7

150 158.3 0.0 345.6

