

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110221\
 Data File : VY006578.D
 Acq On : 02 Nov 2021 15:50
 Operator : SY/MD
 Sample : M4424-07
 Misc : 5.04G/5ML/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 T3-EP03-SW

Quant Time: Nov 03 02:01:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	45525	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	72916	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	60386	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	21879	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	29369	52.425	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.840%
35) Dibromofluoromethane	7.728	113	22020	54.181	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.360%
50) Toluene-d8	10.185	98	92488	53.683	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.360%
62) 4-Bromofluorobenzene	12.483	95	24216	41.726	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	83.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110221\
Data File : VY006578.D
Acq On : 02 Nov 2021 15:50
Operator : SY/MD
Sample : M4424-07
Misc : 5.04G/5ML/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
T3-EP03-SW

Quant Time: Nov 03 02:01:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration

