

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY110320\
 Data File : VY003492.D
 Acq On : 03 Nov 2020 15:10
 Operator : SY/MD
 Sample : L4600-09
 Misc : 5.44G/5ML/MSVOA Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CRT-19

Quant Time: Nov 04 00:52:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 02 12:40:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	164255	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	289098	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	264910	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	124901	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	110844	65.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	131.64%	
35) Dibromofluoromethane	7.73	113	94865	53.92	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.84%	
50) Toluene-d8	10.18	98	361015	49.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.66%	
62) 4-Bromofluorobenzene	12.48	95	109461	45.14	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.28%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY110320\
Data File : VY003492.D
Acq On : 03 Nov 2020 15:10
Operator : SY/MD
Sample : L4600-09
Misc : 5.44G/5ML/MSVOA Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CRT-19

Quant Time: Nov 04 00:52:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 02 12:40:51 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.01 min

Lab File: VY003492.D

Acq: 03 Nov 2020 15:10

Instrument :

MSVOA_Y

ClientSampleId :


CRT-19

Tot Ion:168 Resp: 164255

Ion Ratio Lower Upper




168 100

99 50.9 39.7 59.5



Abundance Ion 167.90 (167.60 to 168.60): VY003492.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY003492.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 65.825 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY003492.D


Acq: 03 Nov 2020 15:10

Tgt Ion: 65 Resp: 110844

Ion Ratio Lower Upper



65 100


67 52.4 0.0 106.0



Abundance Ion 64.90 (64.60 to 65.60): VY003492.D (-1003) (-)

Ion 66.90 (66.60 to 67.60): VY003492.D (-1003) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.01 min

Lab File: VY003492.D

Acq: 03 Nov 2020 15:10

Instrument :

MSVOA_Y

ClientSampleId :

CRT-19


Tot Ion:114 Resp: 289098

Ion Ratio Lower Upper

114 100

63 21.1 0.0 40.6




88 15.3 0.0 29.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.924 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.00 min

Lab File: VY003492.D

Acq: 03 Nov 2020 15:10


Tgt Ion:113 Resp: 94865

Ion Ratio Lower Upper

113 100

111 102.4 81.8 122.6



192 23.7 18.8 28.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.329 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY003492.D

Acq: 03 Nov 2020 15:10

Instrument :

MSVOA_Y

ClientSampleId :





CRT-19

Tot Ion: 98 Resp: 361015

Ion Ratio Lower Upper

98 100

100 63.0 50.9 76.3



#62

4-Bromofluorobenzene

Concen: 45.141 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY003492.D

Acq: 03 Nov 2020 15:10




Tgt Ion: 95 Resp: 109461


Ion Ratio Lower Upper

95 100

174 98.5 0.0 193.0

176 95.5 0.0 187.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY003492.D
Acq: 03 Nov 2020 15:10

Instrument :
MSVOA_Y
ClientSampleId :
CRT-19

Tot Ion:117 Resp: 264910
Ion Ratio Lower Upper
117 100
82 53.7 43.4 65.2
119 31.8 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY003492.D
Acq: 03 Nov 2020 15:10

Tgt Ion:152 Resp: 124901
Ion Ratio Lower Upper
152 100
115 54.2 27.5 82.4
150 156.6 0.0 345.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

