

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY110320\
 Data File : VY003501.D
 Acq On : 03 Nov 2020 18:34
 Operator : SY/MD
 Sample : L4609-01
 Misc : 6.57G/5ML/MSVOA Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 12016

Quant Time: Nov 04 01:14:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 02 12:40:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	140322	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	255759	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	237162	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	109495	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	102188	71.03	ug/l	0.00
Spiked Amount	50.000		Recovery	=	142.06%	
35) Dibromofluoromethane	7.73	113	85013	54.62	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.24%	
50) Toluene-d8	10.18	98	318293	49.16	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.32%	
62) 4-Bromofluorobenzene	12.48	95	98456	45.90	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.80%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY110320\
Data File : VY003501.D
Acq On : 03 Nov 2020 18:34
Operator : SY/MD
Sample : L4609-01
Misc : 6.57G/5ML/MSVOA Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
12016

Quant Time: Nov 04 01:14:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 02 12:40:51 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY003501.D

Acq: 03 Nov 2020 18:34

Instrument :

MSVOA_Y

ClientSampleId :


12016

Tot Ion:168 Resp: 140322

Ion Ratio Lower Upper




168 100

99 47.1 39.7 59.5



Abundance Ion 167.90 (167.60 to 168.60): VY003464.D (-984) (-)

Ion 98.90 (98.60 to 99.60): VY003464.D (-984) (-)



#33

1,2-Dichloroethane-d4

Concen: 71.035 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY003501.D


Acq: 03 Nov 2020 18:34

Tgt Ion: 65 Resp: 102188

Ion Ratio Lower Upper



65 100


67 52.1 0.0 106.0



Abundance Ion 64.90 (64.60 to 65.60): VY003464.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY003464.D (-1041) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.01 min

Lab File: VY003501.D

Acq: 03 Nov 2020 18:34

Instrument :

MSVOA_Y

ClientSampleId :

12016


Tot Ion:114 Resp: 255759

Ion Ratio Lower Upper

114 100

63 20.5 0.0 40.6




88 15.1 0.0 29.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.623 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.00 min

Lab File: VY003501.D

Acq: 03 Nov 2020 18:34


Tgt Ion:113 Resp: 85013

Ion Ratio Lower Upper

113 100

111 102.9 81.8 122.6



192 23.9 18.8 28.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.160 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY003501.D

Acq: 03 Nov 2020 18:34

Instrument :

MSVOA_Y

ClientSampleId :





12016

Tot Ion: 98 Resp: 318293

Ion Ratio Lower Upper

98 100

100 63.4 50.9 76.3



#62

4-Bromofluorobenzene

Concen: 45.896 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY003501.D

Acq: 03 Nov 2020 18:34




Tgt Ion: 95 Resp: 98456


Ion Ratio Lower Upper

95 100

174 98.3 0.0 193.0

176 93.1 0.0 187.4







#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY003501.D
Acq: 03 Nov 2020 18:34

Instrument :
MSVOA_Y
ClientSampleId :
12016



Tot Ion:117 Resp: 237162
Ion Ratio Lower Upper
117 100
82 54.5 43.4 65.2
119 32.8 25.8 38.6



Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V




Time-->




#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY003501.D
Acq: 03 Nov 2020 18:34

Tgt Ion:152 Resp: 109495
Ion Ratio Lower Upper
152 100
115 53.8 27.5 82.4
150 155.2 0.0 345.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V



Time-->

