

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv110520\
 Data File : VY003516.D
 Acq On : 05 Nov 2020 10:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 05 23:55:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 02 12:40:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.396	0.357	9.8	99	0.00
3 P	Chloromethane	0.521	0.485	6.9	101	0.00
4 C	Vinyl Chloride	0.585	0.543	7.2#	101	0.00
5 T	Bromomethane	0.488	0.399	18.2	93	0.00
6 T	Chloroethane	0.348	0.338	2.9	102	0.00
7 T	Trichlorofluoromethane	0.742	0.710	4.3	99	0.00
8 T	Diethyl Ether	0.228	0.223	2.2	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.410	0.407	0.7	100	0.00
10 T	Methyl Iodide	0.338	0.420	-24.3	109	0.00
11 T	Tert butyl alcohol	0.058	0.044	24.1	96	0.00
12 CM	1,1-Dichloroethene	0.408	0.395	3.2#	98	0.00
13 T	Acrolein	0.043	0.029	32.6#	80	0.00
14 T	Allyl chloride	0.744	0.700	5.9	97	0.00
15 T	Acrylonitrile	0.121	0.108	10.7	92	0.00
16 T	Acetone	0.169	0.164	3.0	91	0.00
17 T	Carbon Disulfide	1.322	1.243	6.0	96	0.00
18 T	Methyl Acetate	0.320	0.281	12.2	92	0.00
19 T	Methyl tert-butyl Ether	1.011	0.992	1.9	101	0.00
20 T	Methylene Chloride	0.476	0.434	8.8	100	-0.01
21 T	trans-1,2-Dichloroethene	0.473	0.455	3.8	99	0.00
22 T	Diisopropyl ether	1.306	1.298	0.6	103	0.00
23 T	Vinyl Acetate	0.981	0.937	4.5	97	0.00
24 P	1,1-Dichloroethane	0.830	0.807	2.8	100	0.00
25 T	2-Butanone	0.211	0.195	7.6	90	-0.01
26 T	2,2-Dichloropropane	0.773	0.748	3.2	100	0.00
27 T	cis-1,2-Dichloroethene	0.512	0.503	1.8	100	0.00
28 T	Bromochloromethane	0.417	0.394	5.5	95	0.00
29 T	Tetrahydrofuran	0.111	0.097	12.6	92	0.00
30 C	Chloroform	0.815	0.808	0.9#	101	-0.01
31 T	Cyclohexane	0.768	0.705	8.2	98	0.00
32 T	1,1,1-Trichloroethane	0.760	0.745	2.0	100	0.00
33 S	1,2-Dichloroethane-d4	0.513	0.468	8.8	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.304	0.292	3.9	97	0.00
36 T	1,1-Dichloropropene	0.471	0.466	1.1	100	-0.01
37 T	Ethyl Acetate	0.293	0.256	12.6	93	0.00
38 T	Carbon Tetrachloride	0.489	0.485	0.8	100	0.00
39 T	Methylcyclohexane	0.525	0.514	2.1	97	0.00
40 TM	Benzene	1.312	1.284	2.1	99	0.00
41 T	Methacrylonitrile	0.156	0.132	15.4	92	0.00
42 TM	1,2-Dichloroethane	0.411	0.392	4.6	99	0.00
43 T	Isopropyl Acetate	0.526	0.478	9.1	94	0.00
44 TM	Trichloroethene	0.368	0.368	0.0	101	0.00
45 C	1,2-Dichloropropane	0.331	0.332	-0.3#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv110520\
 Data File : VY003516.D
 Acq On : 05 Nov 2020 10:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 05 23:55:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 02 12:40:51 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.182	0.177	2.7	99	0.00
47 T	Bromodichloromethane	0.446	0.445	0.2	101	0.00
48 T	Methyl methacrylate	0.248	0.228	8.1	94	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	88	0.00
50 S	Toluene-d8	1.266	1.200	5.2	98	0.00
51 T	4-Methyl-2-Pentanone	0.280	0.258	7.9	95	0.00
52 CM	Toluene	0.821	0.821	0.0	101	0.00
53 T	t-1,3-Dichloropropene	0.475	0.467	1.7	100	0.00
54 T	cis-1,3-Dichloropropene	0.534	0.540	-1.1	101	0.00
55 T	1,1,2-Trichloroethane	0.259	0.255	1.5	101	0.00
56 T	Ethyl methacrylate	0.347	0.344	0.9	99	0.00
57 T	1,3-Dichloropropane	0.450	0.449	0.2	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.176	0.170	3.4	105	0.00
59 T	2-Hexanone	0.208	0.198	4.8	94	0.00
60 T	Dibromochloromethane	0.318	0.323	-1.6	102	0.00
61 T	1,2-Dibromoethane	0.250	0.244	2.4	100	0.00
62 S	4-Bromofluorobenzene	0.419	0.405	3.3	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
64 T	Tetrachloroethene	0.373	0.372	0.3	102	0.00
65 PM	Chlorobenzene	0.971	0.969	0.2	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.366	0.369	-0.8	103	0.00
67 C	Ethyl Benzene	1.761	1.758	0.2#	101	0.00
68 T	m/p-Xylenes	0.667	0.674	-1.0	102	0.00
69 T	o-Xylene	0.614	0.626	-2.0	102	0.00
70 T	Styrene	1.043	1.072	-2.8	103	0.00
71 P	Bromoform	0.244	0.239	2.0	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
73 T	Isopropylbenzene	3.266	3.170	2.9	101	0.00
74 T	N-amyl acetate	0.925	0.859	7.1	99	0.00
75 P	1,1,2,2-Tetrachloroethane	0.698	0.646	7.4	100	0.00
76 T	1,2,3-Trichloropropane	0.529	0.524	0.9	105	0.00
77 T	Bromobenzene	0.830	0.807	2.8	102	0.00
78 T	n-propylbenzene	3.847	3.802	1.2	102	0.00
79 T	2-Chlorotoluene	2.149	2.094	2.6	102	0.00
80 T	1,3,5-Trimethylbenzene	2.706	2.704	0.1	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.253	0.232	8.3	99	0.00
82 T	4-Chlorotoluene	2.246	2.190	2.5	101	0.00
83 T	tert-Butylbenzene	2.400	2.330	2.9	99	0.00
84 T	1,2,4-Trimethylbenzene	2.705	2.712	-0.3	103	0.00
85 T	sec-Butylbenzene	3.250	3.274	-0.7	102	0.00
86 T	p-Isopropyltoluene	3.014	3.054	-1.3	103	0.00
87 T	1,3-Dichlorobenzene	1.546	1.557	-0.7	105	0.00
88 T	1,4-Dichlorobenzene	1.537	1.530	0.5	104	0.00
89 T	n-Butylbenzene	2.753	2.821	-2.5	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv110520\
Data File : VY003516.D
Acq On : 05 Nov 2020 10:31
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Nov 05 23:55:24 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y110220S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 02 12:40:51 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.507	0.509	-0.4	103	0.00
91 T	1,2-Dichlorobenzene	1.373	1.366	0.5	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.126	0.111	11.9	94	0.00
93 T	1,2,4-Trichlorobenzene	0.971	0.991	-2.1	103	0.00
94 T	Hexachlorobutadiene	0.625	0.629	-0.6	105	0.00
95 T	Naphthalene	1.945	1.862	4.3	97	0.00
96 T	1,2,3-Trichlorobenzene	0.874	0.883	-1.0	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5