

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110524\
 Data File : VY020171.D
 Acq On : 05 Nov 2024 16:52
 Operator : SY/MD
 Sample : P4659-03
 Misc : 4.12g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-2-VOC

Quant Time: Nov 06 00:28:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	96273	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.615	114	199839	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	188275	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	65874	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	77133	64.195	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.380%
35) Dibromofluoromethane	7.634	113	68964	54.278	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.560%
50) Toluene-d8	10.103	98	248537	49.143	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.280%
62) 4-Bromofluorobenzene	12.401	95	75046	45.684	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	91.360%
Target Compounds						
16) Acetone	3.866	43	11608	41.542	ug/l	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110524\
Data File : VY020171.D
Acq On : 05 Nov 2024 16:52
Operator : SY/MD
Sample : P4659-03
Misc : 4.12g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-2-VOC

Quant Time: Nov 06 00:28:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

