

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY110619\
 Data File : VY000548.D
 Acq On : 06 Nov 2019 14:03
 Operator : SY/MD
 Sample : K5702-02
 Misc : 4.97G/5ML/MSVOA Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Nov 07 04:56:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 30 13:30:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	202186	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	360484	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	328179	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	152376	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	119359	57.05	ug/l	0.00
Spiked Amount			Recovery	=	114.10%	
35) Dibromofluoromethane	7.73	113	106531	50.34	ug/l	0.00
Spiked Amount			Recovery	=	100.68%	
50) Toluene-d8	10.18	98	413522	51.50	ug/l	0.00
Spiked Amount			Recovery	=	103.00%	
62) 4-Bromofluorobenzene	12.48	95	146362	47.88	ug/l	0.00
Spiked Amount			Recovery	=	95.76%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
10) Methyl Iodide	4.09	142	26	3.208	ug/l #	41
11) Tert butyl alcohol	4.97	59	433	2.126	ug/l #	72
16) Acetone	3.95	43	612	1.061	ug/l #	42
20) Methylene Chloride	4.72	84	4805	1.945	ug/l #	87
25) 2-Butanone	7.01	43	1665	1.809	ug/l #	81
28) Bromochloromethane	7.30	49	26	4.106	ug/l #	14
31) Cyclohexane	7.80	56	4871	1.203	ug/l #	12
36) 1,1-Dichloropropene	7.80	75	15363	4.508	ug/l #	50
38) Carbon Tetrachloride	7.80	117	19940	6.081	ug/l #	14
76) 1,2,3-Trichloropropane	12.48	75	74872	43.154	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.48	75	74872	96.756	ug/l #	13


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY110619\
Data File : VY000548.D
Acq On : 06 Nov 2019 14:03
Operator : SY/MD
Sample : K5702-02
Misc : 4.97G/5ML/MSVOA Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Nov 07 04:56:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 30 13:30:53 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.00 min

Lab File: VY000548.D

Acq: 06 Nov 2019 14:03


Instrument :
MSVOA_Y
ClientSampled :

Tot Ion:168 Resp: 202186




Ion Ratio Lower Upper

168 100

99 55.3 45.7 68.5



Abundance Ion 167.90 (167.60 to 168.60): V
Ion 98.90 (98.60 to 99.60): VY0



#10

Methyl Iodide

Concen: 3.208 ug/l

RT: 4.09 min Scan# 386

Delta R.T. -0.01 min

Lab File: VY000548.D

Acq: 06 Nov 2019 14:03


Tgt Ion:142 Resp: 26

Ion Ratio Lower Upper



142 100

127 0.0 33.7 50.5#

141 0.0 10.9 16.3#



Abundance Ion 141.80 (141.50 to 142.50): V
Ion 126.80 (126.50 to 127.50): V
Ion 140.80 (140.50 to 141.50): V









#11

Tert butyl alcohol
 Concen: 2.126 ug/l
 RT: 4.97 min Scan# 531
 Delta R.T. 0.01 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03

Instrument :
 MSVOA_Y
 ClientSampleId :




Tot Ion: 59 Resp: 433
 Ion Ratio Lower Upper
 59 100
 57 0.0 8.6 12.8#




#16

Acetone
 Concen: 1.061 ug/l
 RT: 3.95 min Scan# 363
 Delta R.T. 0.00 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03

Tgt Ion: 43 Resp: 612
 Ion Ratio Lower Upper
 43 100
 58 0.0 25.8 38.6#









#20
Methvlene Chloride
Concen: 1.945 ug/l
RT: 4.72 min Scan# 490
Delta R.T. 0.01 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 84 Resp: 4805
Ion Ratio Lower Upper
84 100
49 141.5 100.2 150.4
51 28.1 29.6 44.4#
86 66.1 48.3 72.5



#25
2-Butanone
Concen: 1.809 ug/l
RT: 7.01 min Scan# 865
Delta R.T. 0.01 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Tgt Ion: 43 Resp: 1665
Ion Ratio Lower Upper
43 100
72 16.6 20.9 31.3#





#28

Bromochloromethane

Concen: 4.106 ug/l

RT: 7.30 min Scan# 912

Delta R.T. -0.05 min

Lab File: VY000548.D

Acq: 06 Nov 2019 14:03

Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 49 Resp: 26

Ion Ratio Lower Upper




49 100

129 0.0 0.0 3.6

130 0.0 59.4 89.0#



Abundance Ion 48.90 (48.60 to 49.60): VY0
Ion 128.80 (128.50 to 129.50): VY0
Ion 129.80 (129.50 to 130.50): VY0



#31

Cyclohexane

Concen: 1.203 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.01 min

Lab File: VY000548.D

Acq: 06 Nov 2019 14:03


Tgt Ion: 56 Resp: 4871

Ion Ratio Lower Upper



56 100


69 124.1 25.0 37.6#

84 145.0 71.4 107.2#



Abundance Ion 56.00 (55.70 to 56.70): VY0
Ion 69.00 (68.70 to 69.70): VY0
Ion 84.00 (83.70 to 84.70): VY0









#33
 1,2-Dichloroethane-d4
 Concen: 57.045 ug/l
 RT: 8.15 min Scan# 1052
 Delta R.T. 0.00 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion: 65 Resp: 119359
 Ion Ratio Lower Upper
 65 100
 67 52.4 0.0 107.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. 0.00 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03

Tgt Ion: 114 Resp: 360484
 Ion Ratio Lower Upper
 114 100
 63 20.6 0.0 38.0
 88 14.9 0.0 28.6









#35
 Dibromofluoromethane
 Concen: 50.339 ug/l
 RT: 7.73 min Scan# 983
 Delta R.T. 0.00 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion:113 Resp: 106531
 Ion Ratio Lower Upper
 113 100
 111 103.0 81.7 122.5
 192 19.8 15.0 22.4



#36
 1,1-Dichloropropene
 Concen: 4.508 ug/l
 RT: 7.80 min Scan# 995
 Delta R.T. -0.12 min
 Lab File: VY000548.D
 Acq: 06 Nov 2019 14:03

Tgt Ion: 75 Resp: 15363
 Ion Ratio Lower Upper
 75 100
 110 9.7 18.1 54.1#
 77 0.0 25.0 37.6#









#38
Carbon Tetrachloride
Concen: 6.081 ug/l
RT: 7.80 min Scan# 995
Delta R.T. -0.11 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion:117 Resp: 19940
Ion Ratio Lower Upper
117 100
119 4.2 78.0 117.0#
121 0.0 26.6 40.0#




Abundance Ion 116.80 (116.50 to 117.50): V
Ion 118.80 (118.50 to 119.50): V
Ion 120.80 (120.50 to 121.50): V






#50
Toluene-d8
Concen: 51.496 ug/l
RT: 10.18 min Scan# 1385
Delta R.T. 0.00 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Tgt Ion: 98 Resp: 413522
Ion Ratio Lower Upper
98 100
100 67.3 52.9 79.3



Abundance Ion 98.00 (97.70 to 98.70): VY0
Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 47.877 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. 0.00 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 95 Resp: 146362
Ion Ratio Lower Upper
95 100
174 80.0 0.0 161.6
176 79.3 0.0 157.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Tgt Ion: 117 Resp: 328179
Ion Ratio Lower Upper
117 100
82 54.0 40.8 61.2
119 33.0 26.2 39.2






#72




1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
115	59.3	29.1	87.4
150	156.6	0.0	348.8




Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#76


1,2,3-Trichloropropane
Concen: 43.154 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. -0.15 min
Lab File: VY000548.D
Acq: 06 Nov 2019 14:03

Tgt Ion	Ratio	Lower	Upper
75	100		
77	1.6	0.0	0.0



Abundance Ion 74.90 (74.60 to 75.60): VY0
Ion 77.00 (76.70 to 77.70): VY0





#81

trans-1,4-Dichloro-2-butene

Concen: 96.756 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.10 min

Lab File: VY000548.D

Acq: 06 Nov 2019 14:03

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion: 75 Resp: 74872

Ion Ratio Lower Upper

75 100

53 0.0 73.2 109.8#

89 0.2 35.9 53.9#



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 53.00 (52.70 to 53.70): VY0

Ion 88.90 (88.60 to 89.60): VY0

