

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_Y\DATA\VY110719\
 Data File : VY000585.D
 Acq On : 07 Nov 2019 16:56
 Operator : SY/MD
 Sample : K5723-16
 Misc : 6.21G/5ML/MSVOA_Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 4-E

Quant Time: Nov 08 04:54:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 30 13:30:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	239898	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	432966	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	388587	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	172392	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.16	65	145165	58.47	ug/l	0.00
Spiked Amount 50.000			Recovery	=	116.94%	
35) Dibromofluoromethane	7.73	113	130674	51.41	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.82%	
50) Toluene-d8	10.18	98	509436	52.82	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.64%	
62) 4-Bromofluorobenzene	12.48	95	171795	46.79	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.58%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_Y\DATA\VY110719\
Data File : VY000585.D
Acq On : 07 Nov 2019 16:56
Operator : SY/MD
Sample : K5723-16
Misc : 6.21G/5ML/MSVOA_Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
4-E

Quant Time: Nov 08 04:54:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 30 13:30:53 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.00 min

Lab File: VY000585.D

Acq: 07 Nov 2019 16:56

Instrument :

MSVOA_Y

ClientSampleId :


4-E

Tgt Ion:168 Resp: 239898

Ion Ratio Lower Upper

168 100

99 61.6 45.7 68.5



Abundance Ion 167.90 (167.60 to 168.60): VY000486.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY000486.D (-985) (-)

7.80

120000

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 58.472 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. 0.01 min

Lab File: VY000585.D


Acq: 07 Nov 2019 16:56

Tgt Ion: 65 Resp: 145165

Ion Ratio Lower Upper

65 100

67 52.9 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VY000486.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY000486.D (-1041) (-)

8.16

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. 0.00 min

Lab File: VY000585.D

Acq: 07 Nov 2019 16:56

Instrument :

MSVOA_Y

ClientSampleId :

4-E


Tgt Ion:114 Resp: 432966

Ion Ratio Lower Upper

114 100

63 20.0 0.0 38.0




88 16.3 0.0 28.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 51.410 ug/l

RT: 7.73 min Scan# 983

Delta R.T. 0.00 min

Lab File: VY000585.D

Acq: 07 Nov 2019 16:56


Tgt Ion:113 Resp: 130674

Ion Ratio Lower Upper

113 100

111 103.6 81.7 122.5



192 19.4 15.0 22.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.820 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY000585.D

Acq: 07 Nov 2019 16:56

Instrument :

MSVOA_Y

ClientSampleId :





4-E

Tgt Ion: 98 Resp: 509436

Ion Ratio Lower Upper

98 100

100 66.4 52.9 79.3



#62

4-Bromofluorobenzene

Concen: 46.789 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY000585.D

Acq: 07 Nov 2019 16:56




Tgt Ion: 95 Resp: 171795


Ion Ratio Lower Upper

95 100

174 79.3 0.0 161.6

176 75.8 0.0 157.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY000585.D
Acq: 07 Nov 2019 16:56

Instrument :
MSVOA_Y
ClientSampled :
4-E

Tgt Ion:117 Resp: 388587
Ion Ratio Lower Upper
117 100
82 55.3 40.8 61.2
119 31.3 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY000585.D
Acq: 07 Nov 2019 16:56

Tgt Ion:152 Resp: 172392
Ion Ratio Lower Upper
152 100
115 59.0 29.1 87.4
150 157.4 0.0 348.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

