

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_Y\DATA\VY110719\
 Data File : VY000588.D
 Acq On : 07 Nov 2019 18:03
 Operator : SY/MD
 Sample : K5675-06
 Misc : 6.77G/5ML/MSVOA_Y/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-04-110619

Quant Time: Nov 08 05:00:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 30 13:30:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	229728	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	412961	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	347941	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	137303	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	137787	57.96	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.92%	
35) Dibromofluoromethane	7.74	113	125113	51.61	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.22%	
50) Toluene-d8	10.18	98	479277	52.10	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.20%	
62) 4-Bromofluorobenzene	12.48	95	147560	42.14	ug/l	0.00
Spiked Amount	50.000		Recovery	=	84.28%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_Y\DATA\VY110719\
Data File : VY000588.D
Acq On : 07 Nov 2019 18:03
Operator : SY/MD
Sample : K5675-06
Misc : 6.77G/5ML/MSVOA_Y/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-04-110619

Quant Time: Nov 08 05:00:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y103019S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 30 13:30:53 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000588.D

Acq: 07 Nov 2019 18:03

Instrument :

MSVOA_Y

ClientSampleId :


TR-04-110619

Tgt Ion:168 Resp: 229728

Ion Ratio Lower Upper

168 100

99 58.9 45.7 68.5



Abundance Ion 167.90 (167.60 to 168.60): VY000486.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY000486.D (-985) (-)

7.80

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 57.957 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY000588.D


Acq: 07 Nov 2019 18:03

Tgt Ion: 65 Resp: 137787

Ion Ratio Lower Upper

65 100

67 55.4 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VY000486.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY000486.D (-1041) (-)

8.15


60000


40000

20000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. -0.00 min
 Lab File: VY000588.D
 Acq: 07 Nov 2019 18:03

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-04-110619

Tgt Ion:114 Resp: 412961
 Ion Ratio Lower Upper
 114 100
 63 20.2 0.0 38.0
 88 16.5 0.0 28.6




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0






#35
 Dibromofluoromethane
 Concen: 51.607 ug/l
 RT: 7.74 min Scan# 984
 Delta R.T. 0.01 min
 Lab File: VY000588.D
 Acq: 07 Nov 2019 18:03

Tgt Ion:113 Resp: 125113
 Ion Ratio Lower Upper
 113 100
 111 103.0 81.7 122.5
 192 18.1 15.0 22.4



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.100 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY000588.D

Acq: 07 Nov 2019 18:03

Instrument :

MSVOA_Y

ClientSampleId :





TR-04-110619

Tgt Ion: 98 Resp: 479277

Ion Ratio Lower Upper

98 100

100 65.8 52.9 79.3



#62

4-Bromofluorobenzene

Concen: 42.135 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY000588.D

Acq: 07 Nov 2019 18:03




Tgt Ion: 95 Resp: 147560


Ion Ratio Lower Upper

95 100

174 80.8 0.0 161.6

176 76.0 0.0 157.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY000588.D
Acq: 07 Nov 2019 18:03

Instrument :
MSVOA_Y
ClientSampleId :
TR-04-110619

Tgt Ion:117 Resp: 347941
Ion Ratio Lower Upper
117 100
82 55.5 40.8 61.2
119 32.0 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY000588.D
Acq: 07 Nov 2019 18:03

Tgt Ion:152 Resp: 137303
Ion Ratio Lower Upper
152 100
115 60.4 29.1 87.4
150 160.4 0.0 348.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

