

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110724\
 Data File : VY020211.D
 Acq On : 07 Nov 2024 16:54
 Operator : SY/MD
 Sample : P4722-21
 Misc : 12.07g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-3(3)

Quant Time: Nov 08 00:29:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	175489	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	372455	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	352192	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	123426	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	143034	65.306	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	130.620%
35) Dibromofluoromethane	7.634	113	128538	54.280	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.560%
50) Toluene-d8	10.103	98	466201	49.459	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.920%
62) 4-Bromofluorobenzene	12.401	95	144935	47.339	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	94.680%
Target Compounds						
64) Tetrachloroethene	10.640	164	5015	2.157	ug/l	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110724\
Data File : VY020211.D
Acq On : 07 Nov 2024 16:54
Operator : SY/MD
Sample : P4722-21
Misc : 12.07g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-3(3)

Quant Time: Nov 08 00:29:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

