

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110821\
 Data File : VY006676.D
 Acq On : 08 Nov 2021 13:34
 Operator : SY/MD
 Sample : M4500-03RE
 Misc : 5.06G/5ML/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-8-110321RE

Quant Time: Nov 08 18:13:21 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	24981	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	33387	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	23238	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	7373	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	9500	30.904	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	61.800%
35) Dibromofluoromethane	7.728	113	7841	42.136	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	84.280%
50) Toluene-d8	10.185	98	38284	48.531	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	97.060%
62) 4-Bromofluorobenzene	12.483	95	7452	28.043	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	56.080%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110821\
Data File : VY006676.D
Acq On : 08 Nov 2021 13:34
Operator : SY/MD
Sample : M4500-03RE
Misc : 5.06G/5ML/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-8-110321RE

Quant Time: Nov 08 18:13:21 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration

