

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110824\
 Data File : VY020222.D
 Acq On : 08 Nov 2024 10:40
 Operator : SY/MD
 Sample : VY1108SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1108SBL01

Quant Time: Nov 08 22:14:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	212436	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	452508	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	403401	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	137264	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	147279	55.549	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.100%
35) Dibromofluoromethane	7.640	113	145570	50.597	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.200%
50) Toluene-d8	10.109	98	552944	48.284	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.560%
62) 4-Bromofluorobenzene	12.408	95	166242	44.692	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	89.380%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110824\
Data File : VY020222.D
Acq On : 08 Nov 2024 10:40
Operator : SY/MD
Sample : VY1108SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1108SBL01

Quant Time: Nov 08 22:14:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

