

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111023\
 Data File : VY016301.D
 Acq On : 10 Nov 2023 12:24
 Operator : SY/MD
 Sample : 05345-01
 Misc : 4.56g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 NEW-PARKING-LOT-STOCKPILE-A

Quant Time: Nov 10 22:19:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110823S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 09 00:45:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	100344	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.703	114	180237	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.502	117	175385	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	82186	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	64402	70.223	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	140.440%
35) Dibromofluoromethane	7.728	113	55835	54.534	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.060%
50) Toluene-d8	10.191	98	211598	50.963	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.920%
62) 4-Bromofluorobenzene	12.489	95	76888	57.018	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	114.040%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111023\
Data File : VY016301.D
Acq On : 10 Nov 2023 12:24
Operator : SY/MD
Sample : 05345-01
Misc : 4.56g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
NEW-PARKING-LOT-STOCKPILE-A

Quant Time: Nov 10 22:19:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110823S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 09 00:45:52 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. -0.000 min
Lab File: VY016301.D
Acq: 10 Nov 2023 12:24




Instrument :
MSVOA_Y
ClientSampleId :
NEW-PARKING-LOT-STOCKPILE-A


Tgt Ion:168 Resp: 100344
Ion Ratio Lower Upper
168 100
99 56.9 43.4 65.0



#33
1,2-Dichloroethane-d4
Concen: 70.223 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. -0.000 min
Lab File: VY016301.D
Acq: 10 Nov 2023 12:24

Tgt Ion: 65 Resp: 64402
Ion Ratio Lower Upper
65 100
67 53.9 0.0 101.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.703 min Scan# 1129

Delta R.T. -0.000 min

Lab File: VY016301.D

Acq: 10 Nov 2023 12:24

Instrument :

MSVOA_Y

ClientSampleId :

NEW-PARKING-LOT-STOCKPILE-A





Tgt Ion:114 Resp: 180237

Ion Ratio Lower Upper

114 100

63 17.8 0.0 42.4

88 14.7 0.0 30.6



#35

Dibromofluoromethane

Concen: 54.534 ug/l

RT: 7.728 min Scan# 969

Delta R.T. -0.006 min

Lab File: VY016301.D

Acq: 10 Nov 2023 12:24




Tgt Ion:113 Resp: 55835


Ion Ratio Lower Upper

113 100

111 102.5 81.3 121.9

192 19.3 16.9 25.3









#50
Toluene-d8
Concen: 50.963 ug/l
RT: 10.191 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY016301.D
Acq: 10 Nov 2023 12:24




Instrument :
MSVOA_Y
ClientSampleId :
NEW-PARKING-LOT-STOCKPILE-A


Tgt Ion: 98 Resp: 211598
Ion Ratio Lower Upper
98 100
100 65.0 50.1 75.1



#62
4-Bromofluorobenzene
Concen: 57.018 ug/l
RT: 12.489 min Scan# 1750
Delta R.T. -0.000 min
Lab File: VY016301.D
Acq: 10 Nov 2023 12:24

Tgt Ion: 95 Resp: 76888
Ion Ratio Lower Upper
95 100
174 83.6 0.0 178.2
176 81.5 0.0 173.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.502 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY016301.D

Acq: 10 Nov 2023 12:24

Instrument :

MSVOA_Y

ClientSampleId :

NEW-PARKING-LOT-STOCKPILE-A





Tgt Ion:117 Resp: 175385

Ion Ratio Lower Upper

117 100

82 53.1 43.4 65.0

119 32.8 26.3 39.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.434 min Scan# 1905

Delta R.T. -0.000 min

Lab File: VY016301.D

Acq: 10 Nov 2023 12:24

Tgt Ion:152 Resp: 82186

Ion Ratio Lower Upper

152 100

115 58.3 28.8 86.5

150 158.0 0.0 348.8

