

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111323\
 Data File : VY016329.D
 Acq On : 13 Nov 2023 17:42
 Operator : SY/MD
 Sample : BLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BLK

Quant Time: Nov 14 04:38:52 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110823S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 09 00:45:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	98396	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.703	114	173772	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.502	117	170321	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.440	152	78552	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	61753	68.668	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	137.340%
35) Dibromofluoromethane	7.728	113	55373	56.095	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	112.180%
50) Toluene-d8	10.191	98	206549	51.598	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.200%
62) 4-Bromofluorobenzene	12.495	95	72584	55.828	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	111.660%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111323\
Data File : VY016329.D
Acq On : 13 Nov 2023 17:42
Operator : SY/MD
Sample : BLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BLK

Quant Time: Nov 14 04:38:52 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110823S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 09 00:45:52 2023
Response via : Initial Calibration

