

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
 Data File : VY020380.D
 Acq On : 21 Nov 2024 12:36
 Operator : SY/MD
 Sample : P4908-03
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SP-2

Quant Time: Nov 21 13:57:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 20 04:38:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	128800	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	250352	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	235551	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	93488	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	83852	56.666	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.340%
35) Dibromofluoromethane	7.634	113	79920	49.784	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.560%
50) Toluene-d8	10.109	98	309611	48.960	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.920%
62) 4-Bromofluorobenzene	12.408	95	103767	51.044	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	102.080%

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
Data File : VY020380.D
Acq On : 21 Nov 2024 12:36
Operator : SY/MD
Sample : P4908-03
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SP-2

Quant Time: Nov 21 13:57:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 20 04:38:24 2024
Response via : Initial Calibration

