

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
 Data File : VY020392.D
 Acq On : 21 Nov 2024 17:17
 Operator : SY/MD
 Sample : P4893-03
 Misc : 3.20g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-763-VOC

Quant Time: Nov 22 00:27:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 20 04:38:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	141960	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	268019	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	259791	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	108628	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	89092	54.626	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.260%
35) Dibromofluoromethane	7.634	113	85960	50.017	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.040%
50) Toluene-d8	10.103	98	333999	49.335	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.680%
62) 4-Bromofluorobenzene	12.408	95	117428	53.957	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	107.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
Data File : VY020392.D
Acq On : 21 Nov 2024 17:17
Operator : SY/MD
Sample : P4893-03
Misc : 3.20g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-763-VOC

Quant Time: Nov 22 00:27:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 20 04:38:24 2024
Response via : Initial Calibration

