

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
 Data File : VY020389.D
 Acq On : 21 Nov 2024 16:06
 Operator : SY/MD
 Sample : P4860-10
 Misc : 5.93g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PH2-BOT-005

Quant Time: Nov 22 00:26:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 20 04:38:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	140636	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	270374	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	252016	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	101642	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	85018	52.618	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.240%
35) Dibromofluoromethane	7.640	113	84394	48.678	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.360%
50) Toluene-d8	10.103	98	327171	47.906	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.820%
62) 4-Bromofluorobenzene	12.408	95	110710	50.427	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	100.860%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112124\
Data File : VY020389.D
Acq On : 21 Nov 2024 16:06
Operator : SY/MD
Sample : P4860-10
Misc : 5.93g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PH2-BOT-005

Quant Time: Nov 22 00:26:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 20 04:38:24 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 983
Delta R.T. 0.000 min
Lab File: VY020389.D
Acq: 21 Nov 2024 16:06




Instrument :
MSVOA_Y
ClientSampleId :
PH2-BOT-005


Tgt Ion:168 Resp: 140636
Ion Ratio Lower Upper
168 100
99 58.7 46.6 69.8



#33
1,2-Dichloroethane-d4
Concen: 52.618 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY020389.D
Acq: 21 Nov 2024 16:06

Tgt Ion: 65 Resp: 85018
Ion Ratio Lower Upper
65 100
67 51.6 0.0 105.8









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.616 min Scan# 1131
 Delta R.T. -0.000 min
 Lab File: VY020389.D
 Acq: 21 Nov 2024 16:06




Instrument :
 MSVOA_Y
 ClientSampleId :
 PH2-BOT-005


Tgt Ion:	114	Resp:	270374
Ion	Ratio	Lower	Upper
114	100		
63	22.6	0.0	44.8
88	17.0	0.0	32.0



#35
 Dibromofluoromethane
 Concen: 48.678 ug/l
 RT: 7.640 min Scan# 971
 Delta R.T. 0.006 min
 Lab File: VY020389.D
 Acq: 21 Nov 2024 16:06

Tgt Ion:	113	Resp:	84394
Ion	Ratio	Lower	Upper
113	100		
111	104.0	81.4	122.0
192	19.3	15.1	22.7





#50

Toluene-d8

Concen: 47.906 ug/l

RT: 10.103 min Scan# 1375

Delta R.T. -0.006 min

Lab File: VY020389.D

Acq: 21 Nov 2024 16:06

Instrument :

MSVOA_Y

ClientSampleId :





PH2-BOT-005

Tgt Ion: 98 Resp: 327171

Ion Ratio Lower Upper

98 100

100 64.5 51.3 76.9



#62

4-Bromofluorobenzene

Concen: 50.427 ug/l

RT: 12.408 min Scan# 1753

Delta R.T. 0.006 min

Lab File: VY020389.D

Acq: 21 Nov 2024 16:06




Tgt Ion: 95 Resp: 110710


Ion Ratio Lower Upper

95 100

174 78.3 0.0 156.8

176 75.3 0.0 152.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 1590

Delta R.T. -0.000 min

Lab File: VY020389.D

Acq: 21 Nov 2024 16:06

Instrument :

MSVOA_Y

ClientSampleId :

PH2-BOT-005





Tgt Ion:117 Resp: 252016

Ion Ratio Lower Upper

117 100

82 61.7 48.2 72.4

119 32.0 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY020389.D

Acq: 21 Nov 2024 16:06

Tgt Ion:152 Resp: 101642

Ion Ratio Lower Upper

152 100

115 60.6 30.0 90.0

150 155.2 0.0 348.2

