

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112222\
 Data File : VY011554.D
 Acq On : 22 Nov 2022 17:35
 Operator : KP/MD
 Sample : N5745-03
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PAT-04-112122

Quant Time: Nov 23 04:08:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	1110	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	2038	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	1963	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	609	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	1019	90.410	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	180.820%#
35) Dibromofluoromethane	7.716	113	425	33.876	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	67.760%
50) Toluene-d8	10.179	98	2410	52.862	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.720%
62) 4-Bromofluorobenzene	12.483	95	848	50.308	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	100.620%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112222\
Data File : VY011554.D
Acq On : 22 Nov 2022 17:35
Operator : KP/MD
Sample : N5745-03
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PAT-04-112122

Quant Time: Nov 23 04:08:40 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

