

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112222\
 Data File : VY011556.D
 Acq On : 22 Nov 2022 18:22
 Operator : KP/MD
 Sample : N5678-13RE
 Misc : 7.13g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 250FB-BP-BACKFILL-07RE

Quant Time: Nov 23 04:08:58 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	173230	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	341444	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	330822	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	142130	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	128382	72.987	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	145.980%
35) Dibromofluoromethane	7.722	113	110698	52.666	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.340%
50) Toluene-d8	10.179	98	425550	55.714	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	111.420%
62) 4-Bromofluorobenzene	12.483	95	134787	47.728	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	95.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112222\
Data File : VY011556.D
Acq On : 22 Nov 2022 18:22
Operator : KP/MD
Sample : N5678-13RE
Misc : 7.13g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
250FB-BP-BACKFILL-07RE

Quant Time: Nov 23 04:08:58 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

