

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112322\
 Data File : VY011569.D
 Acq On : 23 Nov 2022 12:50
 Operator : KP/MD
 Sample : N5731-02RE
 Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RIGHT-SIDERE

Quant Time: Nov 24 00:37:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	73802	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	132046	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	122725	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	46729	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	49032	65.430	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	130.860%
35) Dibromofluoromethane	7.716	113	45858	56.415	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	112.840%
50) Toluene-d8	10.179	98	160246	54.249	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	108.500%
62) 4-Bromofluorobenzene	12.483	95	45336	41.511	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	83.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112322\
Data File : VY011569.D
Acq On : 23 Nov 2022 12:50
Operator : KP/MD
Sample : N5731-02RE
Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RIGHT-SIDERE

Quant Time: Nov 24 00:37:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

