

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY112420\
 Data File : VY003613.D
 Acq On : 24 Nov 2020 18:06
 Operator : SY/MD
 Sample : L4861-04
 Misc : 5.51G/10ML/MSVOA Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 C0B26

Quant Time: Nov 25 06:53:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\SOM2YLM111920S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 25 06:01:46 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.69	114	171230	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.49	117	145843	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.42	152	50597	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.25	65	51015	27.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.12%
7) Chloroethane-d5	2.77	69	42166	24.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.32%
10) 1,1-Dichloroethene-d2	3.86	63	81011	17.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.44%
20) 2-Butanone-d5	6.91	46	34604	36.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.74%
24) Chloroform-d	7.49	84	108810	25.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.00%
26) 1,2-Dichloroethane-d4	8.14	65	61535	25.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.92%
29) Benzene-d6	8.11	84	216170	25.44	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.76%
33) 1,2-Dichloropropane-d6	9.13	67	67965	27.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	109.12%
37) Toluene-d8	10.18	98	177787	23.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.40%
38) trans-1,3-Dichloropropene-	10.44	79	28154	22.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.56%
39) 2-Hexanone-d5	10.79	63	25128	38.79	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.58%
48) 1,1,2,2-Tetrachloroethane-	12.56	84	49569	22.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.36%
61) 1,2-Dichlorobenzene-d4	13.72	152	40478	24.78	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.12%


Target Compounds					Ovalue
16) Methylene chloride	4.72	84	5306	1.807 ug/L	93




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY112420\
Data File : VY003613.D
Acq On : 24 Nov 2020 18:06
Operator : SY/MD
Sample : L4861-04
Misc : 5.51G/10ML/MSVOA Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
C0B26

Quant Time: Nov 25 06:53:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\SOM2YLM111920S.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 25 06:01:46 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.807 ug/L
RT: 4.72 min Scan# 489
Delta R.T. -0.01 min
Lab File: VY003613.D
Acq: 24 Nov 2020 18:06

Instrument :
MSVOA_Y
ClientSampleId :
C0B26

Tot Ion: 84 Resp: 5306
Ion Ratio Lower Upper
84 100
49 120.3 90.3 167.7
86 59.8 44.7 83.1

