

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY112719\
 Data File : VY000824.D
 Acq On : 27 Nov 2019 17:09
 Operator : SY/MD
 Sample : K6069-01
 Misc : 4.95G/5ML/MSVOA Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-3

Quant Time: Nov 28 23:14:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 27 12:40:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	239444	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	444721	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	403613	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	177298	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	154104	60.57	ug/l	0.00
Spiked Amount			Recovery	=	121.14%	
35) Dibromofluoromethane	7.73	113	134158	51.76	ug/l	0.00
Spiked Amount			Recovery	=	103.52%	
50) Toluene-d8	10.18	98	537129	51.84	ug/l	0.00
Spiked Amount			Recovery	=	103.68%	
62) 4-Bromofluorobenzene	12.48	95	182025	46.78	ug/l	0.00
Spiked Amount			Recovery	=	93.56%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY112719\
Data File : VY000824.D
Acq On : 27 Nov 2019 17:09
Operator : SY/MD
Sample : K6069-01
Misc : 4.95G/5ML/MSVOA Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-3

Quant Time: Nov 28 23:14:10 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 27 12:40:47 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000824.D

Acq: 27 Nov 2019 17:09


Instrument :
MSVOA_Y
ClientSampled :
SB-3

Tot Ion:168 Resp: 239444

Ion Ratio Lower Upper

168 100

99 59.0 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): VY000811.D (-984) (-)

Ion 98.90 (98.60 to 99.60): VY000811.D (-984) (-)

7.80

120000

100000

80000

60000



40000

20000

0

Time-->

7.70 7.80 7.90



#33

1,2-Dichloroethane-d4

Concen: 60.568 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY000824.D


Acq: 27 Nov 2019 17:09

Tgt Ion: 65 Resp: 154104

Ion Ratio Lower Upper

65 100

67 54.9 0.0 112.0



Abundance Ion 64.90 (64.60 to 65.60): VY000811.D (-1042) (-)

Ion 66.90 (66.60 to 67.60): VY000811.D (-1042) (-)

8.15

80000

60000


40000


20000

0

Time-->

8.10 8.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.00 min

Lab File: VY000824.D

Acq: 27 Nov 2019 17:09

Instrument :

MSVOA_Y

ClientSampleId :

SB-3


Tot Ion:114 Resp: 444721

Ion Ratio Lower Upper

114 100

63 20.0 0.0 39.8




88 15.4 0.0 33.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 51.762 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.00 min

Lab File: VY000824.D

Acq: 27 Nov 2019 17:09


Tgt Ion:113 Resp: 134158

Ion Ratio Lower Upper

113 100

111 101.7 82.4 123.6



192 17.9 14.2 21.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.836 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY000824.D

Acq: 27 Nov 2019 17:09

Instrument :

MSVOA_Y

ClientSampleId :





SB-3

Tot Ion: 98 Resp: 537129

Ion Ratio Lower Upper

98 100

100 65.7 53.1 79.7



#62

4-Bromofluorobenzene

Concen: 46.775 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY000824.D

Acq: 27 Nov 2019 17:09




Tgt Ion: 95 Resp: 182025


Ion Ratio Lower Upper

95 100

174 75.0 0.0 150.6

176 74.2 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY000824.D
Acq: 27 Nov 2019 17:09

Instrument :
MSVOA_Y
ClientSampleId :
SB-3

Tot Ion:117 Resp: 403613
Ion Ratio Lower Upper
117 100
82 55.9 43.1 64.7
119 32.9 25.3 37.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY000824.D
Acq: 27 Nov 2019 17:09

Tgt Ion:152 Resp: 177298
Ion Ratio Lower Upper
152 100
115 61.5 29.3 87.8
150 158.5 0.0 351.2

