

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120224\
 Data File : VY020490.D
 Acq On : 02 Dec 2024 17:08
 Operator : SY/MD
 Sample : P5025-04
 Misc : 6.87g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SOIL-WEST-GRAB

Quant Time: Dec 02 21:58:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120224S.M
 Quant Title : SW846 8260
 QLast Update : Mon Dec 02 14:47:59 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	181590	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	354018	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	326035	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	117513	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	103483	56.034	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.060%
35) Dibromofluoromethane	7.646	113	106262	47.679	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	95.360%
50) Toluene-d8	10.115	98	426074	50.206	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.420%
62) 4-Bromofluorobenzene	12.414	95	135363	45.605	ug/l	0.01
Spiked Amount	50.000	Range	29 - 146	Recovery	=	91.220%


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSV0A_Y\Data\VY120224\
Data File : VY020490.D
Acq On : 02 Dec 2024 17:08
Operator : SY/MD
Sample : P5025-04
Misc : 6.87g/5.0mL/MSV0A_Y/SOIL/B
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSV0A_Y
ClientSampleId :
SOIL-WEST-GRAB

Quant Time: Dec 02 21:58:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSV0A_Y\methods\82Y120224S.M
Quant Title : SW846 8260
QLast Update : Mon Dec 02 14:47:59 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.719 min Scan# 984
Delta R.T. 0.006 min
Lab File: VY020490.D
Acq: 02 Dec 2024 17:08




Instrument :
MSVOA_Y
ClientSampleId :
SOIL-WEST-GRAB


Tgt Ion:168 Resp: 181590
Ion Ratio Lower Upper
168 100
99 59.3 46.6 69.8



#33
1,2-Dichloroethane-d4
Concen: 56.034 ug/l
RT: 8.073 min Scan# 1042
Delta R.T. 0.012 min
Lab File: VY020490.D
Acq: 02 Dec 2024 17:08

Tgt Ion: 65 Resp: 103483
Ion Ratio Lower Upper
65 100
67 51.2 0.0 105.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.622 min Scan# 1132

Delta R.T. 0.006 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08

Instrument :

MSVOA_Y

ClientSampleId :

SOIL-WEST-GRAB





Tgt Ion:114 Resp: 354018

Ion Ratio Lower Upper

114 100

63 21.6 0.0 44.8

88 15.2 0.0 32.0



#35

Dibromofluoromethane

Concen: 47.679 ug/l

RT: 7.646 min Scan# 972

Delta R.T. 0.012 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08




Tgt Ion:113 Resp: 106262


Ion Ratio Lower Upper

113 100

111 102.6 81.4 122.0

192 19.4 15.1 22.7





#50

Toluene-d8

Concen: 50.206 ug/l

RT: 10.115 min Scan# 1377

Delta R.T. 0.006 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08

Instrument :

MSVOA_Y

ClientSampleId :





SOIL-WEST-GRAB

Tgt Ion: 98 Resp: 426074

Ion Ratio Lower Upper

98 100

100 64.8 51.3 76.9



#62

4-Bromofluorobenzene

Concen: 45.605 ug/l

RT: 12.414 min Scan# 1754

Delta R.T. 0.012 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08




Tgt Ion: 95 Resp: 135363


Ion Ratio Lower Upper

95 100

174 79.9 0.0 156.8

176 78.8 0.0 152.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 1591

Delta R.T. 0.006 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08

Instrument :

MSVOA_Y

ClientSampleId :

SOIL-WEST-GRAB





Tgt Ion:117 Resp: 326035

Ion Ratio Lower Upper

117 100

82 58.5 48.2 72.4

119 32.4 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.352 min Scan# 1908

Delta R.T. 0.006 min

Lab File: VY020490.D

Acq: 02 Dec 2024 17:08

Tgt Ion:152 Resp: 117513

Ion Ratio Lower Upper

152 100

115 61.6 30.0 90.0

150 157.9 0.0 348.2

