

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120421\
 Data File : VY006932.D
 Acq On : 04 Dec 2021 11:46
 Operator : SY/MD
 Sample : M4884-02
 Misc : 3.17g/10.0mL/MSVOA_Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EW9H8

Quant Time: Dec 05 06:06:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\SFAMYLEM120321SMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 04 02:26:29 2021
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.691	114	72836	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.489	117	48886	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.428	152	12259	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.253	65	24915	26.560	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 106.240%	
7) Chloroethane-d5	2.772	69	22814	31.003	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 124.000%	
11) 1,1-Dichloroethene-d2	3.851	63	36708	18.823	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	= 75.280%	
21) 2-Butanone-d5	6.887	46	39435	108.841	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 217.680%#	
24) Chloroform-d	7.478	84	56907	31.351	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 125.400%	
26) 1,2-Dichloroethane-d4	8.143	65	37485	34.404	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	= 137.600%#	
32) Benzene-d6	8.112	84	98723	38.017	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 152.080%#	
36) 1,2-Dichloropropane-d6	9.124	67	35911	44.014	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 176.040%#	
41) Toluene-d8	10.179	98	73773	30.332	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 121.320%	
43) trans-1,3-Dichloroprop...	10.441	79	13433	34.038	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 136.160%#	
47) 2-Hexanone-d5	10.788	63	20261	107.294	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 214.580%#	
56) 1,1,2,2-Tetrachloroeth...	12.562	84	28647	42.144	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 168.560%#	
66) 1,2-Dichlorobenzene-d4	13.727	152	12792	31.998	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 128.000%#	
Target Compounds						Qvalue
13) Acetone	3.942	43	2976	8.962	ug/L	97
16) Methylene chloride	4.722	84	9183	7.030	ug/L	86
27) 1,2-Dichloroethane	8.240	62	4547	3.151	ug/L #	94
42) Toluene	10.240	91	7888	2.250	ug/L	79
53) m,p-Xylene	11.697	106	1691	1.186	ug/L	82
54) o-Xylene	12.032	106	1075	0.802	ug/L	91
63) 1,2,4-Trimethylbenzene	13.123	105	1224	0.848	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120421\
Data File : VY006932.D
Acq On : 04 Dec 2021 11:46
Operator : SY/MD
Sample : M4884-02
Misc : 3.17g/10.0mL/MSVOA_Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EW9H8

Quant Time: Dec 05 06:06:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\SFAMYL120321SMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 04 02:26:29 2021
Response via : Initial Calibration





#13

Acetone

Concen: 8.962 ug/L

RT: 3.942 min Scan# 34

Delta R.T. -0.000 min

Lab File: VY006932.D

Acq: 04 Dec 2021 11:46

Instrument :

MSVOA_Y

ClientSampleId :





EW9H8

Tgt Ion: 43 Resp: 2976

Ion Ratio Lower Upper

43 100

58 32.1 0.0 60.8



#16

Methylene chloride

Concen: 7.030 ug/L

RT: 4.722 min Scan# 476

Delta R.T. 0.006 min

Lab File: VY006932.D

Acq: 04 Dec 2021 11:46




Tgt Ion: 84 Resp: 9183


Ion Ratio Lower Upper

84 100

86 47.6 43.4 80.6

49 113.5 89.1 165.5









#27
1,2-Dichloroethane
Concen: 3.151 ug/L
RT: 8.240 min Scan# 1053
Delta R.T. -0.000 min
Lab File: VY006932.D
Acq: 04 Dec 2021 11:46




Instrument :
MSVOA_Y
ClientSampleId :
EW9H8


Tgt Ion: 62 Resp: 4547
Ion Ratio Lower Upper
62 100
98 10.8 6.9 10.3#



#42
Toluene
Concen: 2.250 ug/L
RT: 10.240 min Scan# 1381
Delta R.T. -0.006 min
Lab File: VY006932.D
Acq: 04 Dec 2021 11:46

Tgt Ion: 91 Resp: 7888
Ion Ratio Lower Upper
91 100
92 41.7 39.8 74.0









#53
m,p-Xylene
Concen: 1.186 ug/L
RT: 11.697 min Scan# 1620
Delta R.T. -0.006 min
Lab File: VY006932.D
Acq: 04 Dec 2021 11:46




Instrument :
MSVOA_Y
ClientSampleId :
EW9H8


Tgt Ion:106 Resp: 1691
Ion Ratio Lower Upper
106 100
91 179.4 144.7 268.7



#54
o-Xylene
Concen: 0.802 ug/L
RT: 12.032 min Scan# 1675
Delta R.T. 0.006 min
Lab File: VY006932.D
Acq: 04 Dec 2021 11:46

Tgt Ion:106 Resp: 1075
Ion Ratio Lower Upper
106 100
91 207.3 155.5 288.7





#63
1,2,4-Trimethylbenzene
Concen: 0.848 ug/L
RT: 13.123 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY006932.D
Acq: 04 Dec 2021 11:46

Instrument :
MSVOA_Y
ClientSampleId :
EW9H8

Tgt Ion:105 Resp: 1224
Ion Ratio Lower Upper
105 100
120 40.8 36.0 54.0

