

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120421\
 Data File : VY006943.D
 Acq On : 04 Dec 2021 15:48
 Operator : SY/MD
 Sample : M4884-13
 Misc : 3.54g/10.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EW9J9

Quant Time: Dec 05 06:08:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\SFAMYLEM120321SMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 04 02:26:29 2021
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.691	114	131999	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.490	117	87371	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.422	152	29807	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.247	65	58432	34.371	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	= 137.480%		
7) Chloroethane-d5	2.766	69	41213	30.904	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	= 123.600%		
11) 1,1-Dichloroethene-d2	3.851	63	66810	18.903	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	= 75.600%		
21) 2-Butanone-d5	6.887	46	51603	78.589	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	= 157.180%#		
24) Chloroform-d	7.478	84	95510	29.034	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	= 116.120%		
26) 1,2-Dichloroethane-d4	8.143	65	60009	30.391	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	= 121.560%		
32) Benzene-d6	8.112	84	178623	38.487	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	= 153.960%#		
36) 1,2-Dichloropropane-d6	9.124	67	62987	43.195	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	= 172.760%#		
41) Toluene-d8	10.179	98	128426	29.545	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	= 118.160%		
43) trans-1,3-Dichloroprop...	10.435	79	21566	30.576	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	= 122.320%		
47) 2-Hexanone-d5	10.789	63	26987	79.963	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	= 159.920%#		
56) 1,1,2,2-Tetrachloroeth...	12.557	84	44875	36.938	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	= 147.760%#		
66) 1,2-Dichlorobenzene-d4	13.721	152	30135	31.002	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	= 124.000%#		
Target Compounds						
						Qvalue
13) Acetone	3.948	43	2456	4.081	ug/L	77
27) 1,2-Dichloroethane	8.234	62	3722	1.423	ug/L	95
34) Trichloroethene	8.941	95	908119	627.659	ug/L	94
42) Toluene	10.246	91	4281	0.683	ug/L	94
45) 1,1,2-Trichloroethane	10.642	97	16067	14.483	ug/L	90
46) Tetrachloroethene	10.715	164	2672	2.204	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120421\
Data File : VY006943.D
Acq On : 04 Dec 2021 15:48
Operator : SY/MD
Sample : M4884-13
Misc : 3.54g/10.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EW9J9

Quant Time: Dec 05 06:08:09 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\SFAMYLM120321SMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 04 02:26:29 2021
Response via : Initial Calibration









#13
Acetone
Concen: 4.081 ug/L
RT: 3.948 min Scan# 34
Delta R.T. 0.006 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48




Instrument :
MSVOA_Y
ClientSampleId :
EW9J9


Tgt Ion: 43 Resp: 2456
Ion Ratio Lower Upper
43 100
58 17.8 0.0 60.8



#27
1,2-Dichloroethane
Concen: 1.423 ug/L
RT: 8.234 min Scan# 1052
Delta R.T. -0.006 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48

Tgt Ion: 62 Resp: 3722
Ion Ratio Lower Upper
62 100
98 10.3 6.9 10.3









#34
Trichloroethene
Concen: 627.659 ug/L
RT: 8.941 min Scan# 1168
Delta R.T. 0.000 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48




Instrument :
MSVOA_Y
ClientSampleId :
EW9J9


Tgt Ion: 95 Resp: 908119
Ion Ratio Lower Upper
95 100
97 64.6 47.3 87.8
132 96.4 71.3 132.5
130 99.0 74.2 137.8



#42
Toluene
Concen: 0.683 ug/L
RT: 10.246 min Scan# 1382
Delta R.T. 0.000 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48

Tgt Ion: 91 Resp: 4281
Ion Ratio Lower Upper
91 100
92 52.4 39.8 74.0









#45
1,1,2-Trichloroethane
Concen: 14.483 ug/L
RT: 10.642 min Scan# 1447
Delta R.T. 0.000 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48

Instrument :
MSVOA_Y
ClientSampleId :
EW9J9

Tgt Ion: 97 Resp: 16067

Ion	Ratio	Lower	Upper
97	100		
99	60.5	43.0	79.8
83	96.5	58.9	109.3
85	60.9	36.3	67.3



#46
Tetrachloroethene
Concen: 2.204 ug/L
RT: 10.715 min Scan# 1459
Delta R.T. -0.006 min
Lab File: VY006943.D
Acq: 04 Dec 2021 15:48

Tgt Ion: 164 Resp: 2672

Ion	Ratio	Lower	Upper
164	100		
129	76.1	62.1	115.3
131	82.9	61.0	113.2
166	115.4	90.4	168.0

