

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY121322\  
 Data File : VY011810.D  
 Acq On : 13 Dec 2022 22:36  
 Operator : KP/MD  
 Sample : VY1213SBL02  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 35 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VY1213SBL02

Quant Time: Dec 13 22:56:33 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y120922S.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Dec 10 04:19:59 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.789  | 168  | 201457   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.691  | 114  | 335922   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.489 | 117  | 293171   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.428 | 152  | 131974   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.142  | 65    | 73038    | 53.462   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 106.920% |
| 35) Dibromofluoromethane    | 7.715  | 113   | 76599    | 51.435   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 102.860% |
| 50) Toluene-d8              | 10.178 | 98    | 225929   | 45.585   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 91.180%  |
| 62) 4-Bromofluorobenzene    | 12.483 | 95    | 86953    | 44.108   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 88.220%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY121322\  
Data File : VY011810.D  
Acq On : 13 Dec 2022 22:36  
Operator : KP/MD  
Sample : VY1213SBL02  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 35 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1213SBL02

Quant Time: Dec 13 22:56:33 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y120922S.M  
Quant Title : SW846 8260  
QLast Update : Sat Dec 10 04:19:59 2022  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.789 min Scan# 91  
Delta R.T. -0.000 min  
Lab File: VY011810.D  
Acq: 13 Dec 2022 22:36




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1213SBL02


Tgt Ion:168 Resp: 201457  
Ion Ratio Lower Upper  
168 100  
99 56.6 44.0 66.0



#33  
1,2-Dichloroethane-d4  
Concen: 53.462 ug/l  
RT: 8.142 min Scan# 1037  
Delta R.T. -0.001 min  
Lab File: VY011810.D  
Acq: 13 Dec 2022 22:36

Tgt Ion: 65 Resp: 73038  
Ion Ratio Lower Upper  
65 100  
67 52.3 0.0 103.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. -0.000 min

Lab File: VY011810.D

Acq: 13 Dec 2022 22:36

Instrument :

MSVOA\_Y

ClientSampleId :

VY1213SBL02





Tgt Ion:114 Resp: 335922

Ion Ratio Lower Upper

114 100

63 19.6 0.0 39.6

88 15.9 0.0 32.2



#35

Dibromofluoromethane

Concen: 51.435 ug/l

RT: 7.715 min Scan# 967

Delta R.T. -0.001 min

Lab File: VY011810.D

Acq: 13 Dec 2022 22:36




Tgt Ion:113 Resp: 76599


Ion Ratio Lower Upper

113 100

111 102.7 83.0 124.4

192 19.9 16.0 24.0









#50  
Toluene-d8  
Concen: 45.585 ug/l  
RT: 10.178 min Scan# 11  
Delta R.T. -0.001 min  
Lab File: VY011810.D  
Acq: 13 Dec 2022 22:36




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1213SBL02


Tgt Ion: 98 Resp: 225929  
Ion Ratio Lower Upper  
98 100  
100 64.0 51.9 77.9



#62  
4-Bromofluorobenzene  
Concen: 44.108 ug/l  
RT: 12.483 min Scan# 1749  
Delta R.T. -0.000 min  
Lab File: VY011810.D  
Acq: 13 Dec 2022 22:36

Tgt Ion: 95 Resp: 86953  
Ion Ratio Lower Upper  
95 100  
174 87.2 0.0 172.0  
176 83.9 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.489 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY011810.D

Acq: 13 Dec 2022 22:36

Instrument :

MSVOA\_Y

ClientSampleId :

VY1213SBL02





Tgt Ion:117 Resp: 293171

Ion Ratio Lower Upper

117 100

82 56.5 44.8 67.2

119 32.2 25.4 38.2



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. -0.000 min

Lab File: VY011810.D

Acq: 13 Dec 2022 22:36

Tgt Ion:152 Resp: 131974

Ion Ratio Lower Upper

152 100

115 56.7 29.1 87.3

150 156.6 0.0 342.6

