

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY121322\  
 Data File : VY011822.D  
 Acq On : 14 Dec 2022 03:30  
 Operator : KP/MD  
 Sample : N6037-16  
 Misc : 6.48g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 48 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 RB-25-(1-3)

Quant Time: Dec 14 05:38:21 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y120922S.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Dec 10 04:19:59 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.795  | 168  | 206928   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.691  | 114  | 338255   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.490 | 117  | 226571   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.428 | 152  | 55725    | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.143  | 65    | 75922    | 54.167   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 108.340% |
| 35) Dibromofluoromethane    | 7.716  | 113   | 77839    | 51.946   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 103.900% |
| 50) Toluene-d8              | 10.179 | 98    | 192787   | 37.462   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 74.920%  |
| 62) 4-Bromofluorobenzene    | 12.483 | 95    | 48794    | 22.355   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 44.720%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY121322\  
Data File : VY011822.D  
Acq On : 14 Dec 2022 03:30  
Operator : KP/MD  
Sample : N6037-16  
Misc : 6.48g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 48 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
RB-25-(1-3)

Quant Time: Dec 14 05:38:21 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y120922S.M  
Quant Title : SW846 8260  
QLast Update : Sat Dec 10 04:19:59 2022  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.795 min Scan# 91  
Delta R.T. 0.006 min  
Lab File: VY011822.D  
Acq: 14 Dec 2022 03:30




Instrument :  
MSVOA\_Y  
ClientSampleId :  
RB-25-(1-3)


Tgt Ion:168 Resp: 206928  
Ion Ratio Lower Upper  
168 100  
99 53.6 44.0 66.0



#33  
1,2-Dichloroethane-d4  
Concen: 54.167 ug/l  
RT: 8.143 min Scan# 1037  
Delta R.T. -0.000 min  
Lab File: VY011822.D  
Acq: 14 Dec 2022 03:30

Tgt Ion: 65 Resp: 75922  
Ion Ratio Lower Upper  
65 100  
67 52.0 0.0 103.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY011822.D

Acq: 14 Dec 2022 03:30

Instrument :

MSVOA\_Y

ClientSampleId :

RB-25-(1-3)





Tgt Ion:114 Resp: 338255

Ion Ratio Lower Upper

114 100

63 19.6 0.0 39.6

88 15.2 0.0 32.2



#35

Dibromofluoromethane

Concen: 51.946 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY011822.D

Acq: 14 Dec 2022 03:30




Tgt Ion:113 Resp: 77839


Ion Ratio Lower Upper

113 100

111 102.6 83.0 124.4

192 20.5 16.0 24.0









#50  
Toluene-d8  
Concen: 37.462 ug/l  
RT: 10.179 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: VY011822.D  
Acq: 14 Dec 2022 03:30




Instrument :  
MSVOA\_Y  
ClientSampleId :  
RB-25-(1-3)


Tgt Ion: 98 Resp: 192787  
Ion Ratio Lower Upper  
98 100  
100 63.5 51.9 77.9



#62  
4-Bromofluorobenzene  
Concen: 22.355 ug/l  
RT: 12.483 min Scan# 1749  
Delta R.T. 0.000 min  
Lab File: VY011822.D  
Acq: 14 Dec 2022 03:30

Tgt Ion: 95 Resp: 48794  
Ion Ratio Lower Upper  
95 100  
174 87.0 0.0 172.0  
176 84.2 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.490 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY011822.D

Acq: 14 Dec 2022 03:30

Instrument :

MSVOA\_Y

ClientSampleId :

RB-25-(1-3)





Tgt Ion:117 Resp: 226571

Ion Ratio Lower Upper

117 100

82 55.3 44.8 67.2

119 31.6 25.4 38.2



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VY011822.D

Acq: 14 Dec 2022 03:30

Tgt Ion:152 Resp: 55725

Ion Ratio Lower Upper

152 100

115 57.9 29.1 87.3

150 156.9 0.0 342.6

