

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121422\
 Data File : VY011851.D
 Acq On : 14 Dec 2022 17:27
 Operator : KP/MD
 Sample : N6038-04
 Misc : 4.76g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RB-30-(6-8)

Quant Time: Dec 15 01:22:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120922S.M
 Quant Title : SW846 8260
 QLast Update : Sat Dec 10 04:19:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	265018	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	445434	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	393484	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	183132	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	91315	50.546	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 101.100%	
35) Dibromofluoromethane	7.716	113	94809	47.730	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 95.460%	
50) Toluene-d8	10.179	98	275587	41.321	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 82.640%	
62) 4-Bromofluorobenzene	12.483	95	108914	41.387	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 82.780%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121422\
Data File : VY011851.D
Acq On : 14 Dec 2022 17:27
Operator : KP/MD
Sample : N6038-04
Misc : 4.76g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RB-30-(6-8)

Quant Time: Dec 15 01:22:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120922S.M
Quant Title : SW846 8260
QLast Update : Sat Dec 10 04:19:59 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27




Instrument :
MSVOA_Y
ClientSampleId :
RB-30-(6-8)


Tgt Ion:168 Resp: 265018
Ion Ratio Lower Upper
168 100
99 55.8 44.0 66.0



#33
1,2-Dichloroethane-d4
Concen: 50.546 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. -0.001 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27

Tgt Ion: 65 Resp: 91315
Ion Ratio Lower Upper
65 100
67 52.0 0.0 103.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY011851.D

Acq: 14 Dec 2022 17:27

Instrument :

MSVOA_Y

ClientSampleId :

RB-30-(6-8)





Tgt Ion:114 Resp: 445434

Ion Ratio Lower Upper

114 100

63 19.7 0.0 39.6

88 15.7 0.0 32.2



#35

Dibromofluoromethane

Concen: 47.730 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY011851.D

Acq: 14 Dec 2022 17:27




Tgt Ion:113 Resp: 94809


Ion Ratio Lower Upper

113 100

111 102.5 83.0 124.4

192 20.3 16.0 24.0









#50
Toluene-d8
Concen: 41.321 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27




Instrument :
MSVOA_Y
ClientSampleId :
RB-30-(6-8)


Tgt Ion: 98 Resp: 275587
Ion Ratio Lower Upper
98 100
100 63.7 51.9 77.9



#62
4-Bromofluorobenzene
Concen: 41.387 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27

Tgt Ion: 95 Resp: 108914
Ion Ratio Lower Upper
95 100
174 88.2 0.0 172.0
176 84.0 0.0 167.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27

Instrument :
MSVOA_Y
ClientSampleId :
RB-30-(6-8)

Tgt Ion:117 Resp: 393484
Ion Ratio Lower Upper
117 100
82 55.0 44.8 67.2
119 32.5 25.4 38.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY011851.D
Acq: 14 Dec 2022 17:27

Tgt Ion:152 Resp: 183132
Ion Ratio Lower Upper
152 100
115 57.0 29.1 87.3
150 156.6 0.0 342.6

