

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY121819\
 Data File : VY001004.D
 Acq On : 18 Dec 2019 18:18
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Dec 19 04:44:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 27 12:40:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	260762	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	463449	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	416467	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	196760	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	133926	48.33	ug/l	0.00
Spiked Amount			Recovery	=	96.66%	
35) Dibromofluoromethane	7.72	113	133502	49.43	ug/l	0.00
Spiked Amount			Recovery	=	98.86%	
50) Toluene-d8	10.18	98	533922	49.44	ug/l	0.00
Spiked Amount			Recovery	=	98.88%	
62) 4-Bromofluorobenzene	12.47	95	185621	45.77	ug/l	0.00
Spiked Amount			Recovery	=	91.54%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Dichlorodifluoromethane	1.90	85	105389	37.54	ug/l	97
3) Chloromethane	2.12	50	141953	41.03	ug/l	98
4) Vinyl Chloride	2.25	62	146792	43.05	ug/l	97
5) Bromomethane	2.65	94	94697	45.67	ug/l	99
6) Chloroethane	2.79	64	97348	46.56	ug/l	97
7) Trichlorofluoromethane	3.13	101	213548	45.69	ug/l	91
8) Diethyl Ether	3.53	74	91381	51.95	ug/l	97
9) 1,1,2-Trichlorotrifluoroet	3.90	101	140643	48.73	ug/l	98
10) Methyl Iodide	4.10	142	178159	49.03	ug/l	98
11) Tert butyl alcohol	4.97	59	78240	280.67	ug/l	99
12) 1,1-Dichloroethene	3.88	96	139179	48.68	ug/l	99
13) Acrolein	3.74	56	67957	247.47	ug/l	99
14) Allyl chloride	4.48	41	241033	49.17	ug/l	97
15) Acrylonitrile	5.18	53	256286	282.16	ug/l	97
16) Acetone	3.96	43	166500	261.95	ug/l	98
17) Carbon Disulfide	4.19	76	396707	42.90	ug/l	97
18) Methyl Acetate	4.48	43	149673	56.32	ug/l	99
19) Methyl tert-butyl Ether	5.23	73	406766	53.27	ug/l	99
20) Methylene Chloride	4.72	84	175423	52.36	ug/l	97
21) trans-1,2-Dichloroethene	5.22	96	160182	49.29	ug/l	99
22) Diisopropyl ether	6.13	45	526231	52.23	ug/l	99
23) Vinyl Acetate	6.07	43	1612780	263.29	ug/l	100
24) 1,1-Dichloroethane	6.03	63	283538	51.06	ug/l	98
25) 2-Butanone	7.00	43	307095	261.54	ug/l	100
26) 2,2-Dichloropropane	6.99	77	221855	47.47	ug/l	100
27) cis-1,2-Dichloroethene	7.00	96	187820	53.47	ug/l	95
28) Bromochloromethane	7.35	49	119791	58.48	ug/l	97
29) Tetrahydrofuran	7.35	42	217210	279.17	ug/l	99
30) Chloroform	7.52	83	277000	49.72	ug/l	97
31) Cyclohexane	7.79	56	268236	45.59	ug/l	98
32) 1,1,1-Trichloroethane	7.71	97	226501	49.24	ug/l	100
36) 1,1-Dichloropropene	7.93	75	219758	47.69	ug/l	99
37) Ethyl Acetate	7.08	43	134702	50.63	ug/l	99
38) Carbon Tetrachloride	7.91	117	194245	47.33	ug/l	98

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY121819\
 Data File : VY001004.D
 Acq On : 18 Dec 2019 18:18
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Dec 19 04:44:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 27 12:40:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)

39) Methylcyclohexane	9.18	83	287082	47.02	ug/l	98
40) Benzene	8.17	78	674977	50.29	ug/l	98
41) Methacrylonitrile	7.35	41	186086	132.69	ug/l #	32
42) 1,2-Dichloroethane	8.25	62	173266	49.08	ug/l	100
43) Isopropyl Acetate	8.28	43	254923	50.84	ug/l	98
44) Trichloroethene	8.94	130	174955	50.72	ug/l	96
45) 1,2-Dichloropropane	9.22	63	176567	52.37	ug/l	97
46) Dibromomethane	9.31	93	90696	51.49	ug/l	99
47) Bromodichloromethane	9.50	83	214542	51.84	ug/l	99
48) Methyl methacrylate	9.30	41	113621	51.53	ug/l	94
49) 1,4-Dioxane	9.30	88	26487	1061.16	ug/l	92
51) 4-Methyl-2-Pentanone	10.07	43	696445	268.83	ug/l	99
52) Toluene	10.24	92	417952	50.29	ug/l	100
53) t-1,3-Dichloropropene	10.47	75	232029	52.19	ug/l	98
54) cis-1,3-Dichloropropene	9.93	75	271534	51.67	ug/l	96
55) 1,1,2-Trichloroethane	10.64	97	141392	54.33	ug/l	99
56) Ethyl methacrylate	10.51	69	203828	54.75	ug/l	99
57) 1,3-Dichloropropane	10.79	76	242852	53.54	ug/l	99
58) 2-Chloroethyl Vinyl ether	9.78	63	383124	255.21	ug/l	100
59) 2-Hexanone	10.83	43	479829	254.18	ug/l	98
60) Dibromochloromethane	10.99	129	148014	52.83	ug/l	100
61) 1,2-Dibromoethane	11.09	107	129823	52.93	ug/l	99
64) Tetrachloroethene	10.72	164	183699	50.77	ug/l	97
65) Chlorobenzene	11.51	112	438628	50.67	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.59	131	152678	52.33	ug/l	99
67) Ethyl Benzene	11.59	91	798646	49.54	ug/l	97
68) m/p-Xylenes	11.70	106	607007	100.31	ug/l	97
69) o-Xylene	12.02	106	291140	51.60	ug/l	96
70) Styrene	12.04	104	499702	51.72	ug/l	98
71) Bromoform	12.20	173	87529	53.20	ug/l #	97
73) Isopropylbenzene	12.33	105	761432	48.60	ug/l	100
74) N-amyl acetate	12.14	43	213519	48.97	ug/l	98
75) 1,1,2,2-Tetrachloroethane	12.58	83	158933	51.49	ug/l	100
76) 1,2,3-Trichloropropane	12.63	75	218119	97.84	ug/l #	100
77) Bromobenzene	12.60	156	170909	50.33	ug/l	99
78) n-propylbenzene	12.67	91	932296	48.74	ug/l	100
79) 2-Chlorotoluene	12.75	91	509802	48.24	ug/l	100
80) 1,3,5-Trimethylbenzene	12.81	105	626644	48.31	ug/l	99
81) trans-1,4-Dichloro-2-buten	12.38	75	58903	51.90	ug/l	96
82) 4-Chlorotoluene	12.85	91	532397	48.90	ug/l	99
83) tert-Butylbenzene	13.07	119	531381	48.72	ug/l	99
84) 1,2,4-Trimethylbenzene	13.11	105	629069	48.47	ug/l	99
85) sec-Butylbenzene	13.25	105	772277	48.69	ug/l	100
86) p-Isopropyltoluene	13.36	119	666746	48.33	ug/l	99
87) 1,3-Dichlorobenzene	13.36	146	330399	49.60	ug/l	98
88) 1,4-Dichlorobenzene	13.44	146	325158	49.29	ug/l	99
89) n-Butylbenzene	13.69	91	679630	48.73	ug/l	99
90) Hexachloroethane	13.95	117	126120	49.63	ug/l	98
91) 1,2-Dichlorobenzene	13.74	146	304092	50.75	ug/l	99
92) 1,2-Dibromo-3-Chloropropan	14.35	75	25353	49.06	ug/l	95

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY121819\
Data File : VY001004.D
Acq On : 18 Dec 2019 18:18
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Dec 19 04:44:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 27 12:40:47 2019
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
93) 1,2,4-Trichlorobenzene	15.00	180	199654	49.24	ug/l	99
94) Hexachlorobutadiene	15.11	225	95653	47.58	ug/l	98
95) Naphthalene	15.23	128	473031	50.24	ug/l	99
96) 1,2,3-Trichlorobenzene	15.42	180	176670	48.78	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY121819\
Data File : VY001004.D
Acq On : 18 Dec 2019 18:18
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Dec 19 04:44:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y112719S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 27 12:40:47 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion:168 Resp: 260762

Ion Ratio Lower Upper




168 100

99 54.3 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): VY001004.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY001004.D (-946) (-)



#2

Dichlorodifluoromethane

Concen: 37.54 ug/l

RT: 1.90 min Scan# 27

Delta R.T. -0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 85 Resp: 105389

Ion Ratio Lower Upper



85 100

87 31.6 16.8 50.3



Abundance Ion 84.90 (84.60 to 85.60): VY001004.D (-1) (-)

Ion 86.90 (86.60 to 87.60): VY001004.D (-1) (-)





#3

Chloromethane

Concen: 41.03 ug/l

RT: 2.12 min Scan# 62

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion: 50 Resp: 141953

Ion Ratio Lower Upper




50 100

52 31.3 26.0 39.0



Abundance Ion 49.90 (49.60 to 50.60): VY0

Ion 51.90 (51.60 to 52.60): VY0



#4

Vinyl Chloride

Concen: 43.05 ug/l

RT: 2.25 min Scan# 84

Delta R.T. -0.01 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 62 Resp: 146792

Ion Ratio Lower Upper



62 100


64 30.0 25.1 37.7



Abundance Ion 61.90 (61.60 to 62.60): VY0

Ion 63.90 (63.60 to 64.60): VY0





#5

Bromomethane

Concen: 45.67 ug/l

RT: 2.65 min Scan# 149

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18





Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion: 94 Resp: 94697

Ion Ratio Lower Upper

94 100

96 92.9 75.2 112.8



#6

Chloroethane

Concen: 46.56 ug/l

RT: 2.79 min Scan# 173

Delta R.T. -0.00 min

Lab File: VY001004.D




Acq: 18 Dec 2019 18:18


Tgt Ion: 64 Resp: 97348

Ion Ratio Lower Upper

64 100

66 29.6 25.0 37.4






#7




Trichlorofluoromethane
 Concen: 45.69 ug/l
 RT: 3.13 min Scan# 228
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Instrument :
 MSVOA_Y
 ClientSampleId :

Tot Ion:101 Resp: 213548
 Ion Ratio Lower Upper
 101 100
 103 60.7 54.2 81.2




Abundance Ion 100.90 (100.60 to 101.60): V
 Ion 102.80 (102.50 to 103.50): V





#8


Diethyl Ether
 Concen: 51.95 ug/l
 RT: 3.53 min Scan# 294
 Delta R.T. -0.01 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 74 Resp: 91381
 Ion Ratio Lower Upper
 74 100
 45 95.5 49.0 147.0



Abundance Ion 74.00 (73.70 to 74.70): VY0
 Ion 45.00 (44.70 to 45.70): VY0





#9

1,1,2-Trichlorotrifluoroethane

Concen: 48.73 ug/l

RT: 3.90 min Scan# 355

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:101 Resp: 140643

Ion Ratio Lower Upper

101 100

85 44.0 36.0 54.0




151 75.0 58.2 87.2



Abundance Ion 100.90 (100.60 to 101.60): V

Ion 84.90 (84.60 to 85.60): VY0

Ion 150.80 (150.50 to 151.50): V



#10

Methyl Iodide

Concen: 49.03 ug/l

RT: 4.10 min Scan# 387

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion:142 Resp: 178159

Ion Ratio Lower Upper

142 100

127 40.4 33.8 50.8



141 13.4 10.9 16.3




Abundance Ion 141.80 (141.50 to 142.50): V

Ion 126.80 (126.50 to 127.50): V

Ion 140.80 (140.50 to 141.50): V









#11

Tert butyl alcohol
Concen: 280.67 ug/l
RT: 4.97 min Scan# 530
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampleId :




Tot Ion: 59 Resp: 78240
Ion Ratio Lower Upper
59 100
57 9.9 7.8 11.6




#12

1,1-Dichloroethene
Concen: 48.68 ug/l
RT: 3.88 min Scan# 351
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 96 Resp: 139179
Ion Ratio Lower Upper
96 100
61 162.6 129.4 194.2
98 68.2 53.4 80.0





#13

Acrolein

Concen: 247.47 ug/l

RT: 3.74 min Scan# 328

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion: 56 Resp: 67957

Ion Ratio Lower Upper

56 100

55 70.6 55.7 83.5





Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 55.00 (54.70 to 55.70): VY0

3.74

Time--> 3.60 3.70 3.80



#14

Allyl chloride

Concen: 49.17 ug/l

RT: 4.48 min Scan# 450

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 41 Resp: 241033

Ion Ratio Lower Upper

41 100

39 58.8 49.2 73.8

76 37.9 29.2 43.8




Abundance Ion 41.00 (40.70 to 41.70): VY0


Ion 39.00 (38.70 to 39.70): VY0

Ion 75.90 (75.60 to 76.60): VY0

4.48

Time--> 4.30 4.40 4.50 4.60 4.70





#15

Acrylonitrile

Concen: 282.16 ug/l

RT: 5.18 min Scan# 564

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampled :


Tot Ion: 53 Resp: 256286

Ion Ratio Lower Upper




53 100

52 78.9 65.1 97.7

51 33.6 29.0 43.4



Abundance Ion 53.00 (52.70 to 53.70): VY0
Ion 52.00 (51.70 to 52.70): VY0
Ion 51.00 (50.70 to 51.70): VY0



#16

Acetone

Concen: 261.95 ug/l

RT: 3.96 min Scan# 364

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 43 Resp: 166500



Ion Ratio Lower Upper

43 100

58 36.2 28.0 42.0



Abundance Ion 43.00 (42.70 to 43.70): VY0
Ion 58.00 (57.70 to 58.70): VY0









#17
Carbon Disulfide
Concen: 42.90 ug/l
RT: 4.19 min Scan# 403
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 76 Resp: 396707
Ion Ratio Lower Upper
76 100
78 7.8 7.3 10.9



#18
Methyl Acetate
Concen: 56.32 ug/l
RT: 4.48 min Scan# 450
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 43 Resp: 149673
Ion Ratio Lower Upper
43 100
74 23.5 18.5 27.7









#19

Methyl tert-butyl Ether
 Concen: 53.27 ug/l
 RT: 5.23 min Scan# 573
 Delta R.T. -0.01 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Instrument :
 MSVOA_Y
 ClientSampled :




Tot Ion: 73 Resp: 406766
 Ion Ratio Lower Upper
 73 100
 57 22.1 18.2 27.4




#20

Methylene Chloride
 Concen: 52.36 ug/l
 RT: 4.72 min Scan# 490
 Delta R.T. -0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 84 Resp: 175423
 Ion Ratio Lower Upper
 84 100
 49 122.5 101.3 151.9
 51 36.6 30.6 45.8
 86 63.4 51.3 76.9





#21

trans-1,2-Dichloroethene

Concen: 49.29 ug/l

RT: 5.22 min Scan# 572

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampled :


Tot Ion: 96 Resp: 160182

Ion Ratio Lower Upper




96 100

61 133.4 105.9 158.9

98 63.7 49.4 74.2



Abundance Ion 95.90 (95.60 to 96.60): VY0
Ion 60.90 (60.60 to 61.60): VY0
Ion 97.90 (97.60 to 98.60): VY0



#22

Diisopropyl ether

Concen: 52.23 ug/l

RT: 6.13 min Scan# 720

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Tgt Ion: 45 Resp: 526231


Ion Ratio Lower Upper

45 100



43 54.0 42.7 64.1


87 26.8 22.0 33.0

59 11.9 8.9 13.3



Abundance Ion 45.00 (44.70 to 45.70): VY0
Ion 43.00 (42.70 to 43.70): VY0
Ion 87.00 (86.70 to 87.70): VY0
Ion 59.00 (58.70 to 59.70): VY0









#23
 Vinyl Acetate
 Concen: 263.29 ug/l
 RT: 6.07 min Scan# 711
 Delta R.T. -0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion: 43 Resp: 1612780
 Ion Ratio Lower Upper
 43 100
 86 10.5 8.3 12.5



#24
 1,1-Dichloroethane
 Concen: 51.06 ug/l
 RT: 6.03 min Scan# 704
 Delta R.T. -0.01 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 63 Resp: 283538
 Ion Ratio Lower Upper
 63 100
 98 7.5 3.3 9.8
 100 4.6 2.2 6.6





#25

2-Butanone

Concen: 261.54 ug/l

RT: 7.00 min Scan# 863

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Instrument :
MSVOA_Y
ClientSampled :

Tot Ion: 43 Resp: 307095




Ion Ratio Lower Upper

43 100

72 26.4 21.0 31.4



Abundance Ion 43.00 (42.70 to 43.70): VY0
Ion 72.00 (71.70 to 72.70): VY0



#26

2,2-Dichloropropane

Concen: 47.47 ug/l

RT: 6.99 min Scan# 861

Delta R.T. -0.01 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 77 Resp: 221855



Ion Ratio Lower Upper


77 100

97 23.9 11.9 35.9



Abundance Ion 76.90 (76.60 to 77.60): VY0
Ion 96.90 (96.60 to 97.60): VY0









#27
 cis-1,2-Dichloroethene
 Concen: 53.47 ug/l
 RT: 7.00 min Scan# 863
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampled :


Tot Ion: 96 Resp: 187820
 Ion Ratio Lower Upper
 96 100
 61 134.8 0.0 285.0
 98 62.7 0.0 128.0



#28
 Bromochloromethane
 Concen: 58.48 ug/l
 RT: 7.35 min Scan# 920
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 49 Resp: 119791
 Ion Ratio Lower Upper
 49 100
 129 1.8 0.0 3.8
 130 71.0 58.7 88.1









#29
Tetrahydrofuran
Concen: 279.17 ug/l
RT: 7.35 min Scan# 921
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampled :


Tot Ion: 42 Resp: 217210
Ion Ratio Lower Upper
42 100
72 43.3 35.1 52.7
71 41.8 32.8 49.2



#30
Chloroform
Concen: 49.72 ug/l
RT: 7.52 min Scan# 948
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 83 Resp: 277000
Ion Ratio Lower Upper
83 100
85 65.0 50.4 75.6





#31

Cyclohexane

Concen: 45.59 ug/l

RT: 7.79 min Scan# 993

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 56 Resp: 268236

Ion Ratio Lower Upper




56 100

69 33.0 25.9 38.9

84 88.0 68.6 102.8



Abundance Ion 56.00 (55.70 to 56.70): VY0
Ion 69.00 (68.70 to 69.70): VY0
Ion 84.00 (83.70 to 84.70): VY0



#32

1,1,1-Trichloroethane

Concen: 49.24 ug/l

RT: 7.71 min Scan# 980

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 97 Resp: 226501

Ion Ratio Lower Upper



97 100


99 64.8 51.7 77.5

61 43.3 35.0 52.6



Abundance Ion 96.90 (96.60 to 97.60): VY0
Ion 98.90 (98.60 to 99.60): VY0
Ion 60.90 (60.60 to 61.60): VY0





#33

1,2-Dichloroethane-d4

Concen: 48.33 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion: 65 Resp: 133926

Ion Ratio Lower Upper




65 100

67 56.9 0.0 112.0



Abundance Ion 64.90 (64.60 to 65.60): VY0

Ion 66.90 (66.60 to 67.60): VY0



#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 114 Resp: 463449

Ion Ratio Lower Upper

114 100

63 19.2 0.0 39.8



88 15.1 0.0 33.2




Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0





#35

Dibromofluoromethane

Concen: 49.43 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:113 Resp: 133502

Ion Ratio Lower Upper




113 100

111 101.3 82.4 123.6

192 17.4 14.2 21.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 47.69 ug/l

RT: 7.93 min Scan# 1015

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 75 Resp: 219758

Ion Ratio Lower Upper



75 100


110 35.8 17.9 53.7

77 30.3 24.7 37.1



Abundance Ion 74.90 (74.60 to 75.60): VY0
Ion 109.90 (109.60 to 110.60): V
Ion 76.90 (76.60 to 77.60): VY0









#37
Ethyl Acetate
Concen: 50.63 ug/l
RT: 7.08 min Scan# 877
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampled :


Tot Ion: 43 Resp: 134702
Ion Ratio Lower Upper
43 100
61 14.7 11.8 17.8
70 10.6 8.7 13.1



#38
Carbon Tetrachloride
Concen: 47.33 ug/l
RT: 7.91 min Scan# 1012
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 117 Resp: 194245
Ion Ratio Lower Upper
117 100
119 96.4 79.3 118.9
121 31.8 25.5 38.3









#39
Methvlcvclohexane
Concen: 47.02 ug/l
RT: 9.18 min Scan# 1221
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion: 83 Resp: 287082
Ion Ratio Lower Upper
83 100
55 73.2 57.8 86.6
98 46.9 38.6 58.0




Abundance Ion 83.00 (82.70 to 83.70): VY0
Ion 55.00 (54.70 to 55.70): VY0
Ion 98.00 (97.70 to 98.70): VY0






#40
Benzene
Concen: 50.29 ug/l
RT: 8.17 min Scan# 1055
Delta R.T. -0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 78 Resp: 674977
Ion Ratio Lower Upper
78 100
77 23.0 19.2 28.8



Abundance Ion 78.00 (77.70 to 78.70): VY0
Ion 77.00 (76.70 to 77.70): VY0





#41

Methacrylonitrile

Concen: 132.69 ug/l

RT: 7.35 min Scan# 921

Delta R.T. 0.02 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :

Tot Ion: 41 Resp: 186086


Ion Ratio Lower Upper

41 100

39 44.2 95.7 143.5#

67 0.0 0.0 0.0

52 0.0 0.0 0.0






Abundance Ion 41.00 (40.70 to 41.70): VY0

Ion 39.00 (38.70 to 39.70): VY0

Ion 67.00 (66.70 to 67.70): VY0

Ion 52.00 (51.70 to 52.70): VY0



#42

1,2-Dichloroethane

Concen: 49.08 ug/l

RT: 8.25 min Scan# 1068

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 62 Resp: 173266

Ion Ratio Lower Upper



62 100


98 10.8 0.0 21.4



Abundance Ion 61.90 (61.60 to 62.60): VY0

Ion 97.90 (97.60 to 98.60): VY0





#43

Isopropyl Acetate

Concen: 50.84 ug/l

RT: 8.28 min Scan# 1073

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :





Tot Ion: 43 Resp: 254923

Ion Ratio Lower Upper

43 100

61 30.3 23.7 35.5

87 14.4 10.6 15.8



#44

Trichloroethene

Concen: 50.72 ug/l

RT: 8.94 min Scan# 1182

Delta R.T. -0.00 min

Lab File: VY001004.D




Acq: 18 Dec 2019 18:18


Tgt Ion:130 Resp: 174955

Ion Ratio Lower Upper

130 100

95 100.2 0.0 207.8









#45
 1,2-Dichloropropane
 Concen: 52.37 ug/l
 RT: 9.22 min Scan# 1228
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion: 63 Resp: 176567
 Ion Ratio Lower Upper
 63 100
 65 30.5 23.2 34.8



#46
 Dibromomethane
 Concen: 51.49 ug/l
 RT: 9.31 min Scan# 1242
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 93 Resp: 90696
 Ion Ratio Lower Upper
 93 100
 95 82.7 66.4 99.6
 174 90.3 73.0 109.6





#47

Bromodichloromethane

Concen: 51.84 ug/l

RT: 9.50 min Scan# 1273

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampled :


Tot Ion: 83 Resp: 214542

Ion Ratio Lower Upper




83 100

85 64.4 50.8 76.2

127 7.8 6.6 10.0



Abundance Ion 82.90 (82.60 to 83.60): VY0
Ion 84.90 (84.60 to 85.60): VY0
Ion 126.80 (126.50 to 127.50): VY0



#48

Methyl methacrylate

Concen: 51.53 ug/l

RT: 9.30 min Scan# 1240

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 41 Resp: 113621

Ion Ratio Lower Upper



41 100


69 95.3 70.4 105.6

39 53.3 40.9 61.3



Abundance Ion 41.00 (40.70 to 41.70): VY0
Ion 69.00 (68.70 to 69.70): VY0
Ion 39.00 (38.70 to 39.70): VY0





#49

1,4-Dioxane

Concen: 1061.16 ug/l

RT: 9.30 min Scan# 1241

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 88 Resp: 26487

Ion Ratio Lower Upper




88 100

43 28.3 21.1 31.7

58 71.4 50.7 76.1



Abundance Ion 88.00 (87.70 to 88.70): VY0
Ion 43.00 (42.70 to 43.70): VY0
Ion 58.00 (57.70 to 58.70): VY0



#50

Toluene-d8

Concen: 49.44 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 98 Resp: 533922



Ion Ratio Lower Upper


98 100

100 65.7 53.1 79.7



Abundance Ion 98.00 (97.70 to 98.70): VY0
Ion 100.00 (99.70 to 100.70): VY0





#51

4-Methyl-2-Pentanone

Concen: 268.83 ug/l

RT: 10.07 min Scan# 1367

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y





ClientSampleId :

Tot Ion: 43 Resp: 696445

Ion Ratio Lower Upper

43 100

58 41.8 33.1 49.7



#52

Toluene

Concen: 50.29 ug/l

RT: 10.24 min Scan# 1395

Delta R.T. -0.01 min

Lab File: VY001004.D




Acq: 18 Dec 2019 18:18


Tgt Ion: 92 Resp: 417952

Ion Ratio Lower Upper

92 100

91 170.9 136.6 204.8









#53
 t-1,3-Dichloropropene
 Concen: 52.19 ug/l
 RT: 10.47 min Scan# 1432
 Delta R.T. -0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion: 75 Resp: 232029
 Ion Ratio Lower Upper
 75 100
 77 30.5 25.1 37.7



#54
 cis-1,3-Dichloropropene
 Concen: 51.67 ug/l
 RT: 9.93 min Scan# 1344
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 75 Resp: 271534
 Ion Ratio Lower Upper
 75 100
 77 30.1 24.7 37.1
 39 39.5 34.5 51.7









#55
1,1,2-Trichloroethane
Concen: 54.33 ug/l
RT: 10.64 min Scan# 1461
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 97 Resp: 141392
Ion Ratio Lower Upper
97 100
83 84.4 67.5 101.3
85 55.7 44.5 66.7
99 62.6 47.7 71.5



#56
Ethyl methacrylate
Concen: 54.75 ug/l
RT: 10.51 min Scan# 1439
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 69 Resp: 203828
Ion Ratio Lower Upper
69 100
41 60.2 49.0 73.6
39 28.7 23.1 34.7





#57

1,3-Dichloropropane

Concen: 53.54 ug/l

RT: 10.79 min Scan# 1485

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion: 76 Resp: 242852

Ion Ratio Lower Upper




76 100

78 32.4 26.4 39.6



Abundance Ion 75.90 (75.60 to 76.60): VY0

Ion 77.90 (77.60 to 78.60): VY0



#58

2-Chloroethyl Vinyl ether

Concen: 255.21 ug/l

RT: 9.78 min Scan# 1320

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 63 Resp: 383124

Ion Ratio Lower Upper



63 100


106 27.0 21.5 32.3



Abundance Ion 62.90 (62.60 to 63.60): VY0

Ion 105.90 (105.60 to 106.60): V









#59
2-Hexanone
Concen: 254.18 ug/l
RT: 10.83 min Scan# 1492
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion: 43 Resp: 479829
Ion Ratio Lower Upper
43 100
58 59.4 29.0 87.1



#60
Dibromochloromethane
Concen: 52.83 ug/l
RT: 10.99 min Scan# 1517
Delta R.T. -0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 129 Resp: 148014
Ion Ratio Lower Upper
129 100
127 78.2 39.1 117.2









#61
 1,2-Dibromoethane
 Concen: 52.93 ug/l
 RT: 11.09 min Scan# 1534
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion: 107 Resp: 129823
 Ion Ratio Lower Upper
 107 100
 109 93.6 75.9 113.9



#62
 4-Bromofluorobenzene
 Concen: 45.77 ug/l
 RT: 12.47 min Scan# 1761
 Delta R.T. -0.01 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion: 95 Resp: 185621
 Ion Ratio Lower Upper
 95 100
 174 78.7 0.0 150.6
 176 75.7 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.49 min Scan# 1599
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampleId :


Tot Ion:117 Resp: 416467
Ion Ratio Lower Upper
117 100
82 55.3 43.1 64.7
119 31.6 25.3 37.9



#64
Tetrachloroethene
Concen: 50.77 ug/l
RT: 10.72 min Scan# 1473
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion:164 Resp: 183699
Ion Ratio Lower Upper
164 100
166 127.5 101.8 152.8
129 95.4 79.3 118.9
131 90.7 76.4 114.6





#65

Chlorobenzene

Concen: 50.67 ug/l

RT: 11.51 min Scan# 1603

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion:112 Resp: 438628

Ion Ratio Lower Upper




112 100

114 30.9 25.1 37.7



Abundance Ion 111.90 (111.60 to 112.60): V

Ion 113.90 (113.60 to 114.60): V



#66

1,1,1,2-Tetrachloroethane

Concen: 52.33 ug/l

RT: 11.59 min Scan# 1616

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion:131 Resp: 152678

Ion Ratio Lower Upper

131 100

133 94.6 47.4 142.2



119 69.2 33.8 101.3



Abundance Ion 130.80 (130.50 to 131.50): V

Ion 132.80 (132.50 to 133.50): V

Ion 118.80 (118.50 to 119.50): V





#67

Ethyl Benzene

Concen: 49.54 ug/l

RT: 11.59 min Scan# 1616

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y





ClientSampled :

Tot Ion: 91 Resp: 798646

Ion Ratio Lower Upper

91 100

106 32.2 24.4 36.6



#68

m/p-Xylenes

Concen: 100.31 ug/l

RT: 11.70 min Scan# 1634

Delta R.T. 0.00 min

Lab File: VY001004.D




Acq: 18 Dec 2019 18:18


Tgt Ion: 106 Resp: 607007

Ion Ratio Lower Upper

106 100

91 195.6 159.6 239.4









#69
o-Xylene
Concen: 51.60 ug/l
RT: 12.02 min Scan# 1687
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Instrument :
MSVOA_Y
ClientSampled :

Tot Ion:106 Resp: 291140
Ion Ratio Lower Upper
106 100
91 205.4 106.1 318.1




Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VY0






#70
Styrene
Concen: 51.72 ug/l
RT: 12.04 min Scan# 1690
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion:104 Resp: 499702
Ion Ratio Lower Upper
104 100
78 46.0 38.2 57.4
103 53.0 43.4 65.0



Abundance Ion 104.00 (103.70 to 104.70): V
Ion 78.00 (77.70 to 78.70): VY0
Ion 103.00 (102.70 to 103.70): V





#71

Bromoform

Concen: 53.20 ug/l

RT: 12.20 min Scan# 1717

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:173 Resp: 87529

Ion Ratio Lower Upper




173 100

175 47.2 24.5 73.5

254 0.1 0.0 0.0#



Abundance Ion 172.70 (172.40 to 173.40): V
Ion 174.70 (174.40 to 175.40): V
Ion 254.40 (254.10 to 255.10): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 13.42 min Scan# 1916

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion:152 Resp: 196760

Ion Ratio Lower Upper



152 100


115 57.9 29.3 87.8

150 174.0 0.0 351.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#73

Isopropylbenzene

Concen: 48.60 ug/l

RT: 12.33 min Scan# 1737

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y





ClientSampled :

Tot Ion: 105 Resp: 761432

Ion Ratio Lower Upper

105 100

120 26.8 13.4 40.2



#74

N-ethyl acetate

Concen: 48.97 ug/l

RT: 12.14 min Scan# 1706

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Tgt Ion: 43 Resp: 213519




Ion Ratio Lower Upper


43 100

70 46.7 36.6 54.8

55 24.8 18.8 28.2

61 26.8 21.0 31.6





#75

1,1,2,2-Tetrachloroethane

Concen: 51.49 ug/l

RT: 12.58 min Scan# 1778

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampled :


Tot Ion: 83 Resp: 158933

Ion Ratio Lower Upper

83 100

131 9.2 4.3 13.1




85 64.8 32.4 97.0



Abundance Ion 82.90 (82.60 to 83.60): VY0

Ion 130.80 (130.50 to 131.50): VY0

Ion 84.90 (84.60 to 85.60): VY0



#76

1,2,3-Trichloropropane

Concen: 97.84 ug/l

RT: 12.63 min Scan# 1787

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 75 Resp: 218119

Ion Ratio Lower Upper



75 100

77 0.0 0.0 0.0



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 77.00 (76.70 to 77.70): VY0





#77

Bromobenzene

Concen: 50.33 ug/l

RT: 12.60 min Scan# 1782

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:156 Resp: 170909

Ion Ratio Lower Upper

156 100

77 203.6 102.6 307.7




158 97.1 47.6 142.8



Abundance Ion 155.80 (155.50 to 156.50): V

Ion 77.00 (76.70 to 77.70): VY0

Ion 157.80 (157.50 to 158.50): V



#78

n-propylbenzene

Concen: 48.74 ug/l

RT: 12.67 min Scan# 1793

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 91 Resp: 932296

Ion Ratio Lower Upper



91 100


120 22.4 11.2 33.5



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 120.00 (119.70 to 120.70): V





#79

2-Chlorotoluene

Concen: 48.24 ug/l

RT: 12.75 min Scan# 1807

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y


ClientSampleId :

Tot Ion: 91 Resp: 509802




Ion Ratio Lower Upper

91 100

126 34.1 17.0 51.0



Abundance Ion 91.00 (90.70 to 91.70): VY001004.D (-1758) (-)



#80

1,3,5-Trimethylbenzene

Concen: 48.31 ug/l

RT: 12.81 min Scan# 1816

Delta R.T. 0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 105 Resp: 626644



Ion Ratio Lower Upper


105 100

120 50.2 24.6 74.0



Abundance Ion 105.00 (104.70 to 105.70): VY001004.D (-1767) (-)





#81

trans-1,4-Dichloro-2-butene

Concen: 51.90 ug/l

RT: 12.38 min Scan# 1745

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion: 75 Resp: 58903

Ion Ratio Lower Upper

75 100

53 79.0 64.6 96.8




89 46.6 33.6 50.4



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 53.00 (52.70 to 53.70): VY0

Ion 88.90 (88.60 to 89.60): VY0



#82

4-Chlorotoluene

Concen: 48.90 ug/l

RT: 12.85 min Scan# 1823

Delta R.T. -0.00 min

Lab File: VY001004.D


Acq: 18 Dec 2019 18:18

Tgt Ion: 91 Resp: 532397

Ion Ratio Lower Upper



91 100


126 35.0 17.3 51.9



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 125.90 (125.60 to 126.60): V









#83
tert-Butylbenzene
Concen: 48.72 ug/l
RT: 13.07 min Scan# 1859
Delta R.T. 0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampleId :

Tot Ion:119 Resp: 531381
Ion Ratio Lower Upper
119 100
91 63.6 32.3 96.8
134 26.2 12.9 38.7



#84
1,2,4-Trimethylbenzene
Concen: 48.47 ug/l
RT: 13.11 min Scan# 1866
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion:105 Resp: 629069
Ion Ratio Lower Upper
105 100
120 46.1 22.6 67.8





#85

sec-Butylbenzene

Concen: 48.69 ug/l

RT: 13.25 min Scan# 1888

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y





ClientSampled :

Tot Ion:105 Resp: 772277

Ion Ratio Lower Upper

105 100

134 20.1 10.1 30.1



#86

p-Isopropyltoluene

Concen: 48.33 ug/l

RT: 13.36 min Scan# 1907

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18




Tgt Ion:119 Resp: 666746


Ion Ratio Lower Upper

119 100

134 27.5 13.5 40.4

91 22.8 11.5 34.5









#87
 1,3-Dichlorobenzene
 Concen: 49.60 ug/l
 RT: 13.36 min Scan# 1907
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18




Instrument :
 MSVOA_Y
 ClientSampleId :


Tot Ion:146 Resp: 330399
 Ion Ratio Lower Upper
 146 100
 111 39.6 20.0 60.0
 148 61.5 32.1 96.5



#88
 1,4-Dichlorobenzene
 Concen: 49.29 ug/l
 RT: 13.44 min Scan# 1920
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion:146 Resp: 325158
 Ion Ratio Lower Upper
 146 100
 111 38.6 20.0 59.9
 148 64.0 31.7 95.1









#89
n-Butylbenzene
Concen: 48.73 ug/l
RT: 13.69 min Scan# 1961
Delta R.T. -0.00 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18




Instrument :
MSVOA_Y
ClientSampled :


Tot Ion: 91 Resp: 679630
Ion Ratio Lower Upper
91 100
92 53.2 26.9 80.7
134 25.3 12.6 37.6



#90
Hexachloroethane
Concen: 49.63 ug/l
RT: 13.95 min Scan# 2004
Delta R.T. -0.01 min
Lab File: VY001004.D
Acq: 18 Dec 2019 18:18

Tgt Ion: 117 Resp: 126120
Ion Ratio Lower Upper
117 100
201 69.5 34.0 102.0





#91

1,2-Dichlorobenzene

Concen: 50.75 ug/l

RT: 13.74 min Scan# 1968

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:146 Resp: 304092

Ion Ratio Lower Upper

146 100

111 41.1 20.9 62.7




148 63.2 32.1 96.3



Abundance Ion 145.90 (145.60 to 146.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 147.90 (147.60 to 148.60): V



#92

1,2-Dibromo-3-Chloropropane

Concen: 49.06 ug/l

RT: 14.35 min Scan# 2069

Delta R.T. -0.01 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion: 75 Resp: 25353

Ion Ratio Lower Upper

75 100

155 91.9 44.3 132.9



157 118.7 56.3 168.9



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 154.80 (154.50 to 155.50): V

Ion 156.80 (156.50 to 157.50): V









#93
 1,2,4-Trichlorobenzene
 Concen: 49.24 ug/l
 RT: 15.00 min Scan# 2176
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Instrument :
 MSVOA_Y
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
180	100		
182	94.4	47.3	141.9
145	30.6	16.0	47.9




Abundance Ion 179.80 (179.50 to 180.50): V
 Ion 181.80 (181.50 to 182.50): V
 Ion 144.80 (144.50 to 145.50): V






#94
 Hexachlorobutadiene
 Concen: 47.58 ug/l
 RT: 15.11 min Scan# 2193
 Delta R.T. 0.00 min
 Lab File: VY001004.D
 Acq: 18 Dec 2019 18:18

Tgt Ion	Ratio	Lower	Upper
225	100		
223	63.4	31.4	94.3
227	65.9	31.8	95.3



Abundance Ion 224.70 (224.40 to 225.40): V
 Ion 222.70 (222.40 to 223.40): V
 Ion 226.70 (226.40 to 227.40): V





#95

Naphthalene

Concen: 50.24 ug/l

RT: 15.23 min Scan# 2213

Delta R.T. 0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18

Instrument :

MSVOA_Y

ClientSampleId :


Tot Ion:128 Resp: 473031

Ion Ratio Lower Upper




128 100

127 12.2 10.1 15.1

129 11.2 8.8 13.2



Abundance Ion 128.00 (127.70 to 128.70): V
Ion 127.00 (126.70 to 127.70): V
Ion 129.00 (128.70 to 129.70): V



#96

1,2,3-Trichlorobenzene

Concen: 48.78 ug/l

RT: 15.42 min Scan# 2244

Delta R.T. -0.00 min

Lab File: VY001004.D

Acq: 18 Dec 2019 18:18


Tgt Ion:180 Resp: 176670

Ion Ratio Lower Upper

180 100

182 93.0 48.0 144.0

145 33.9 16.9 50.6



Abundance Ion 179.80 (179.50 to 180.50): V
Ion 181.80 (181.50 to 182.50): V
Ion 144.90 (144.60 to 145.60): V

