

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY121920\
 Data File : VY003826.D
 Acq On : 19 Dec 2020 12:10
 Operator : SY/MD
 Sample : L5151-09
 Misc : 5.05G/10ML/MSVOA Y/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VHBLK02

Quant Time: Dec 21 02:42:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\SOM2YLM121420S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 21 02:32:44 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.70	114	246590	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.49	117	227515	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.42	152	113414	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.25	65	86105	25.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.36%
7) Chloroethane-d5	2.77	69	66237	26.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.60%
10) 1,1-Dichloroethene-d2	3.86	63	120431	17.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.12%
20) 2-Butanone-d5	6.91	46	55200	37.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.28%
24) Chloroform-d	7.48	84	142645	22.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.08%
26) 1,2-Dichloroethane-d4	8.15	65	80100	22.12	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.48%
29) Benzene-d6	8.12	84	319076	24.23	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.92%
33) 1,2-Dichloropropane-d6	9.12	67	89346	21.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.16%
37) Toluene-d8	10.18	98	293604	24.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.52%
38) trans-1,3-Dichloropropene-	10.44	79	43770	21.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.60%
39) 2-Hexanone-d5	10.79	63	46239	40.89	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.78%
48) 1,1,2,2-Tetrachloroethane-	12.56	84	79606	22.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.84%
61) 1,2-Dichlorobenzene-d4	13.72	152	105375	25.87	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.48%


Target Compounds					Ovalue
16) Methylene chloride	4.73	84	5900	1.333 ug/L	# 69




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY121920\
Data File : VY003826.D
Acq On : 19 Dec 2020 12:10
Operator : SY/MD
Sample : L5151-09
Misc : 5.05G/10ML/MSVOA Y/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VHBLK02

Quant Time: Dec 21 02:42:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\SOM2YLM121420S.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 21 02:32:44 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.333 ug/L

RT: 4.73 min Scan# 478

Delta R.T. 0.00 min

Lab File: VY003826.D

Acq: 19 Dec 2020 12:10

Instrument :

MSVOA_Y

ClientSampleId :

VHBLK02

Tot Ion: 84 Resp: 5900

Ion Ratio Lower Upper

84 100

49 81.0 88.2 163.8#

86 50.2 43.0 79.8

