

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121924\
 Data File : VY020661.D
 Acq On : 19 Dec 2024 17:33
 Operator : SY/MD
 Sample : VIBLK
 Misc : 4.18g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ281

Quant Time: Dec 20 00:58:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121724S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 18 05:27:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.713	168	177964	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	322282	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	272710	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	108310	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	101728	52.193	ug/l	0.00
Spiked Amount	50.000	Range 50 - 163	Recovery	= 104.380%		
35) Dibromofluoromethane	7.634	113	102125	44.962	ug/l	0.00
Spiked Amount	50.000	Range 54 - 147	Recovery	= 89.920%		
50) Toluene-d8	10.103	98	385127	48.443	ug/l	0.00
Spiked Amount	50.000	Range 58 - 134	Recovery	= 96.880%		
62) 4-Bromofluorobenzene	12.408	95	116648	37.509	ug/l	0.00
Spiked Amount	50.000	Range 29 - 146	Recovery	= 75.020%		
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	4.818	59	514	Below Cal	#	75
16) Acetone	3.879	43	880	Below Cal		100
25) 2-Butanone	6.896	43	2037	2.812	ug/l #	78
30) Chloroform	7.421	83	8459	Below Cal		83
36) 1,1-Dichloropropene	7.707	75	14111	3.407	ug/l #	52
38) Carbon Tetrachloride	7.713	117	18837	4.111	ug/l #	14
43) Isopropyl Acetate	8.036	43	3814	1.034	ug/l #	1
76) 1,2,3-Trichloropropane	12.408	75	63242	56.209	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.408	75	63242	117.984	ug/l #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121924\
Data File : VY020661.D
Acq On : 19 Dec 2024 17:33
Operator : SY/MD
Sample : VIBLK
Misc : 4.18g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ281

Quant Time: Dec 20 00:58:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121724S.M
Quant Title : SW846 8260
QLast Update : Wed Dec 18 05:27:13 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33




Instrument :
MSVOA_Y
ClientSampleId :
VNJ281


Tgt Ion:168 Resp: 177964
Ion Ratio Lower Upper
168 100
99 54.6 47.0 70.6



#16
Acetone
Concen: Below Cal
RT: 3.879 min Scan# 354
Delta R.T. 0.013 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33

Tgt Ion: 43 Resp: 880
Ion Ratio Lower Upper
43 100
58 31.5 25.0 37.6









#25
2-Butanone
Concen: 2.812 ug/l
RT: 6.896 min Scan# 849
Delta R.T. 0.000 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33




Instrument :
MSVOA_Y
ClientSampleId :
VNJ281


Tgt Ion: 43 Resp: 2037
Ion Ratio Lower Upper
43 100
72 14.6 20.6 31.0#



#30
Chloroform
Concen: Below Cal
RT: 7.421 min Scan# 935
Delta R.T. 0.001 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33

Tgt Ion: 83 Resp: 8459
Ion Ratio Lower Upper
83 100
85 52.7 52.7 79.1





#33

1,2-Dichloroethane-d4

Concen: 52.193 ug/l

RT: 8.061 min Scan# 1

Delta R.T. 0.000 min

Lab File: VY020661.D

Acq: 19 Dec 2024 17:33

Instrument :

MSVOA_Y

ClientSampleId :





VNJ281

Tgt Ion: 65 Resp: 101728

Ion Ratio Lower Upper

65 100

67 54.1 0.0 108.0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.616 min Scan# 1131

Delta R.T. 0.000 min

Lab File: VY020661.D

Acq: 19 Dec 2024 17:33




Tgt Ion: 114 Resp: 322282


Ion Ratio Lower Upper

114 100

63 20.8 0.0 44.0

88 16.2 0.0 32.8









#35
Dibromofluoromethane
Concen: 44.962 ug/l
RT: 7.634 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33




Instrument :
MSVOA_Y
ClientSampleId :
VNJ281


Tgt Ion:113 Resp: 102125
Ion Ratio Lower Upper
113 100
111 102.1 82.9 124.3
192 19.9 15.7 23.5



#36
1,1-Dichloropropene
Concen: 3.407 ug/l
RT: 7.707 min Scan# 982
Delta R.T. -0.128 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33

Tgt Ion: 75 Resp: 14111
Ion Ratio Lower Upper
75 100
110 10.4 16.8 50.4#
77 0.0 25.0 37.6#









#38
Carbon Tetrachloride
Concen: 4.111 ug/l
RT: 7.713 min Scan# 91
Delta R.T. -0.103 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33




Instrument :
MSVOA_Y
ClientSampleId :
VNJ281


Tgt Ion:117 Resp: 18837
Ion Ratio Lower Upper
117 100
119 3.8 78.3 117.5#
121 0.0 25.1 37.7#



#43
Isopropyl Acetate
Concen: 1.034 ug/l
RT: 8.036 min Scan# 1036
Delta R.T. -0.158 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33

Tgt Ion: 43 Resp: 3814
Ion Ratio Lower Upper
43 100
61 73.7 23.8 35.6#
87 87.2 10.2 15.4#









#50
Toluene-d8
Concen: 48.443 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33




Instrument :
MSVOA_Y
ClientSampleId :
VNJ281


Tgt Ion: 98 Resp: 385127
Ion Ratio Lower Upper
98 100
100 64.5 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 37.509 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY020661.D
Acq: 19 Dec 2024 17:33

Tgt Ion: 95 Resp: 116648
Ion Ratio Lower Upper
95 100
174 82.9 0.0 161.8
176 79.9 0.0 156.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY020661.D

Acq: 19 Dec 2024 17:33

Instrument :

MSVOA_Y

ClientSampleId :

VNJ281





Tgt Ion:117 Resp: 272710

Ion Ratio Lower Upper

117 100

82 57.0 45.8 68.6

119 32.7 25.3 37.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY020661.D

Acq: 19 Dec 2024 17:33




Tgt Ion:152 Resp: 108310


Ion Ratio Lower Upper

152 100

115 59.3 30.2 90.6

150 157.9 0.0 355.4









#76
 1,2,3-Trichloropropane
 Concen: 56.209 ug/l
 RT: 12.408 min Scan# 1753
 Delta R.T. -0.146 min
 Lab File: VY020661.D
 Acq: 19 Dec 2024 17:33

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ281

Tgt Ion: 75 Resp: 63242
 Ion Ratio Lower Upper
 75 100
 77 1.5 0.0 0.0#



#81
 trans-1,4-Dichloro-2-butene
 Concen: 117.984 ug/l
 RT: 12.408 min Scan# 1753
 Delta R.T. 0.104 min
 Lab File: VY020661.D
 Acq: 19 Dec 2024 17:33

Tgt Ion: 75 Resp: 63242
 Ion Ratio Lower Upper
 75 100
 53 0.0 75.4 113.2#
 89 0.0 37.0 55.4#

