

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121924\
 Data File : VY020661.D
 Acq On : 19 Dec 2024 17:33
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ281

Quant Time: Dec 20 00:58:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121724S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 18 05:27:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	177964	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	322282	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	272710	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	108310	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	101728	52.193	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.380%
35) Dibromofluoromethane	7.634	113	102125	44.962	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	89.920%
50) Toluene-d8	10.103	98	385127	48.443	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.880%
62) 4-Bromofluorobenzene	12.408	95	116648	37.509	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	75.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121924\
Data File : VY020661.D
Acq On : 19 Dec 2024 17:33
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ281

Quant Time: Dec 20 00:58:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121724S.M
Quant Title : SW846 8260
QLast Update : Wed Dec 18 05:27:13 2024
Response via : Initial Calibration

