

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY122619\
 Data File : VY001084.D
 Acq On : 26 Dec 2019 19:39
 Operator : SY/MD
 Sample : K6438-08
 Misc : 5.33G/5ML/MSVOA Y/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 DUNR-BF005-01

Quant Time: Jan 02 04:53:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y122319S.M
 Quant Title : SW846 8260
 QLast Update : Mon Dec 23 12:07:44 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	239496	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	452584	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	405099	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	181513	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	129761	54.93	ug/l	0.00
Spiked Amount 50.000			Recovery	=	109.86%	
35) Dibromofluoromethane	7.73	113	131546	49.36	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.72%	
50) Toluene-d8	10.18	98	536241	51.49	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.98%	
62) 4-Bromofluorobenzene	12.48	95	174994	45.96	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.92%	
Target Compounds						
16) Acetone	3.96	43	7204	13.239	ug/l	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY122619\
Data File : VY001084.D
Acq On : 26 Dec 2019 19:39
Operator : SY/MD
Sample : K6438-08
Misc : 5.33G/5ML/MSVOA Y/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
DUNR-BF005-01

Quant Time: Jan 02 04:53:21 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y122319S.M
Quant Title : SW846 8260
QLast Update : Mon Dec 23 12:07:44 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.01 min

Lab File: VY001084.D

Acq: 26 Dec 2019 19:39

Instrument :

MSVOA_Y

ClientSampleId :


DUNR-BF005-01

Tot Ion:168 Resp: 239496

Ion Ratio Lower Upper

168 100

99 53.2 44.0 66.0



Abundance Ion 167.90 (167.60 to 168.60): VY001019.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY001019.D (-983) (-)

7.80

120000

100000

80000



60000

40000

20000

0

Time-->



#16

Acetone

Concen: 13.239 ug/l

RT: 3.96 min Scan# 365

Delta R.T. 0.01 min

Lab File: VY001084.D


Acq: 26 Dec 2019 19:39

Tgt Ion: 43 Resp: 7204

Ion Ratio Lower Upper

43 100

58 41.1 32.1 48.1



Abundance Ion 43.00 (42.70 to 43.70): VY001019.D (-347) (-)

Ion 58.00 (57.70 to 58.70): VY001019.D (-347) (-)

3.96

3000

2500

2000


1500


1000

500

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 54.935 ug/l
 RT: 8.15 min Scan# 1052
 Delta R.T. 0.00 min
 Lab File: VY001084.D
 Acq: 26 Dec 2019 19:39




Instrument :
 MSVOA_Y
 ClientSampleId :
 DUNR-BF005-01


Tot Ion: 65 Resp: 129761
 Ion Ratio Lower Upper
 65 100
 67 57.4 0.0 112.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. 0.01 min
 Lab File: VY001084.D
 Acq: 26 Dec 2019 19:39

Tgt Ion: 114 Resp: 452584
 Ion Ratio Lower Upper
 114 100
 63 18.1 0.0 37.0
 88 14.5 0.0 32.0





#35

Dibromofluoromethane

Concen: 49.359 ug/l

RT: 7.73 min Scan# 983

Delta R.T. 0.01 min

Lab File: VY001084.D

Acq: 26 Dec 2019 19:39

Instrument :

MSVOA_Y

ClientSampleId :

DUNR-BF005-01


Tot Ion:113 Resp: 131546

Ion Ratio Lower Upper

113 100

111 101.1 83.0 124.4




192 17.7 14.6 21.8



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 51.487 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY001084.D


Acq: 26 Dec 2019 19:39

Tgt Ion: 98 Resp: 536241

Ion Ratio Lower Upper



98 100


100 65.7 53.0 79.4



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 45.955 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. 0.00 min
Lab File: VY001084.D
Acq: 26 Dec 2019 19:39




Instrument :
MSVOA_Y
ClientSampleId :
DUNR-BF005-01


Tot Ion	Ratio	Lower	Upper
95	100		
174	79.7	0.0	156.4
176	75.8	0.0	155.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.01 min
Lab File: VY001084.D
Acq: 26 Dec 2019 19:39

Tgt Ion	Ratio	Lower	Upper
117	100		
82	51.6	43.8	65.8
119	32.2	25.8	38.6






#72

1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.01 min
Lab File: VY001084.D
Acq: 26 Dec 2019 19:39

Instrument :
MSVOA_Y
ClientSampleId :
DUNR-BF005-01

Tot Ion	Ratio	Lower	Upper
152	100		
115	59.9	29.8	89.3
150	159.8	0.0	352.6



Abundance

Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

