

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122724\
 Data File : VY020737.D
 Acq On : 27 Dec 2024 14:24
 Operator : SY/MD
 Sample : P5318-01RE
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Dec 28 03:03:00 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122624S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 26 16:12:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	0.000	168	0	0.000	ug/l	-7.72
34) 1,4-Difluorobenzene	0.000	114	0	0.000	ug/l	-8.63
63) Chlorobenzene-d5	0.000	117	0	0.000	ug/l	-11.43
72) 1,4-Dichlorobenzene-d4	0.000	152	0	0.000	ug/l	-13.35

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.000	65	0	0.000	ug/l	
Spiked Amount	50.000	Range	50 - 163	Recovery	=	0.000%#
35) Dibromofluoromethane	0.000	113	0	0.000	ug/l	
Spiked Amount	50.000	Range	54 - 147	Recovery	=	0.000%#
50) Toluene-d8	0.000	98	0	0.000	ug/l	
Spiked Amount	50.000	Range	58 - 134	Recovery	=	0.000%#
62) 4-Bromofluorobenzene	0.000	95	0	0.000	ug/l	
Spiked Amount	50.000	Range	29 - 146	Recovery	=	0.000%#


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122724\
Data File : VY020737.D
Acq On : 27 Dec 2024 14:24
Operator : SY/MD
Sample : P5318-01RE
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Dec 28 03:03:00 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122624S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 26 16:12:28 2024
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 0.000 ug/l
Expected RT: 7.72 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 168
Sig Exp Ratio
168 100
99 54.7




#33
1,2-Dichloroethane-d4
Concen: 0.000 ug/l
Expected RT: 8.07 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Tgt Ion: 65
Sig Exp Ratio
65 100
67 49.0







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 8.63 min
 Lab File: VY020737.D
 Acq: 27 Dec 2024 14:24

Instrument :
 MSVOA_Y
 ClientSampleId :

Tgt Ion: 114


Sig	Exp Ratio
114	100
63	19.2
88	15.2




#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 7.65 min
 Lab File: VY020737.D
 Acq: 27 Dec 2024 14:24

Tgt Ion: 113

Sig	Exp Ratio
113	100
111	99.8
192	21.3







#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 10.12 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Instrument :
MSVOA_Y
ClientSampleId :


Tgt Ion: 98
Sig Exp Ratio
98 100
100 65.3




#62
4-Bromofluorobenzene
Concen: 0.000 ug/l
Expected RT: 12.41 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Tgt Ion: 95
Sig Exp Ratio
95 100
174 89.6
176 89.9







#63
Chlorobenzene-d5
Concen: 0.000 ug/l
Expected RT: 11.43 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Instrument :
MSVOA_Y
ClientSampleId :

Tgt Ion: 117
Sig Exp Ratio
117 100
82 54.3
119 33.2



#72
1,4-Dichlorobenzene-d4
Concen: 0.000 ug/l
Expected RT: 13.35 min

Lab File: VY020737.D
Acq: 27 Dec 2024 14:24

Tgt Ion: 152
Sig Exp Ratio
152 100
115 60.6
150 174.5

