

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122724\
 Data File : VY020745.D
 Acq On : 27 Dec 2024 17:31
 Operator : SY/MD
 Sample : P5387-01
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-05-122624

Quant Time: Dec 28 03:05:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122624S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 26 16:12:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	126652	50.000	ug/l	-0.02
34) 1,4-Difluorobenzene	8.616	114	205343	50.000	ug/l	-0.01
63) Chlorobenzene-d5	11.420	117	178509	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	75112	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	64747	62.413	ug/l	-0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.820%
35) Dibromofluoromethane	7.640	113	64378	56.918	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	113.840%
50) Toluene-d8	10.109	98	240124	53.270	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	106.540%
62) 4-Bromofluorobenzene	12.408	95	75072	49.944	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	99.880%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122724\
Data File : VY020745.D
Acq On : 27 Dec 2024 17:31
Operator : SY/MD
Sample : P5387-01
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-05-122624

Quant Time: Dec 28 03:05:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122624S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 26 16:12:28 2024
Response via : Initial Calibration

