

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
 Data File : VY012550.D
 Acq On : 08 Feb 2023 18:09
 Operator : KP/MD
 Sample : 01481-09
 Misc : 7.04g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-46-020723

Quant Time: Feb 09 07:15:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 08 01:09:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	146763	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	244408	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	233614	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	102425	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	88358	47.345	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.680%
35) Dibromofluoromethane	7.716	113	72195	40.561	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	81.120%
50) Toluene-d8	10.179	98	288678	38.965	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	77.940%
62) 4-Bromofluorobenzene	12.483	95	91887	35.558	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	71.120%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
Data File : VY012550.D
Acq On : 08 Feb 2023 18:09
Operator : KP/MD
Sample : 01481-09
Misc : 7.04g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-46-020723

Quant Time: Feb 09 07:15:46 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 08 01:09:03 2023
Response via : Initial Calibration

