

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
 Data File : VY012551.D
 Acq On : 08 Feb 2023 18:33
 Operator : KP/MD
 Sample : 01481-13
 Misc : 4.96g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-48-020723

Quant Time: Feb 09 07:15:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 08 01:09:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	138969	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	232135	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	226879	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	106003	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	85552	48.412	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	96.820%
35) Dibromofluoromethane	7.716	113	69590	41.164	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	82.320%
50) Toluene-d8	10.179	98	273849	38.918	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	77.840%
62) 4-Bromofluorobenzene	12.483	95	90142	36.727	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	73.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
Data File : VY012551.D
Acq On : 08 Feb 2023 18:33
Operator : KP/MD
Sample : 01481-13
Misc : 4.96g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-48-020723

Quant Time: Feb 09 07:15:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 08 01:09:03 2023
Response via : Initial Calibration

