

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
 Data File : VY012531.D
 Acq On : 08 Feb 2023 10:09
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 09 07:11:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 08 01:09:03 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	0.403	0.326	19.1	92	0.00
3 P	Chloromethane	0.390	0.336	13.8	93	0.00
4 C	Vinyl Chloride	0.485	0.425	12.4#	91	0.00
5 T	Bromomethane	0.400	0.361	9.8	99	0.00
6 T	Chloroethane	0.338	0.317	6.2	98	0.00
7 T	Trichlorofluoromethane	0.998	0.930	6.8	95	0.00
8 T	Diethyl Ether	0.296	0.293	1.0	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.486	3.6	96	0.00
10 T	Methyl Iodide	0.653	0.625	4.3	89	0.00
11 T	Tert butyl alcohol	0.072	0.055	23.6	103	0.00
12 CM	1,1-Dichloroethene	0.498	0.469	5.8#	96	0.00
13 T	Acrolein	0.075	0.072	4.0	104	0.00
14 T	Allyl chloride	0.607	0.580	4.4	95	0.00
15 T	Acrylonitrile	0.136	0.143	-5.1	109	0.00
16 T	Acetone	0.153	0.175	-14.4	113	0.00
17 T	Carbon Disulfide	1.291	1.150	10.9	94	0.00
18 T	Methyl Acetate	0.368	0.358	2.7	109	0.00
19 T	Methyl tert-butyl Ether	1.457	1.506	-3.4	104	0.00
20 T	Methylene Chloride	0.677	0.546	19.4	92	0.00
21 T	trans-1,2-Dichloroethene	0.543	0.532	2.0	99	0.00
22 T	Diisopropyl ether	1.234	1.247	-1.1	98	0.00
23 T	Vinyl Acetate	0.744	0.784	-5.4	103	0.00
24 P	1,1-Dichloroethane	0.882	0.857	2.8	97	0.00
25 T	2-Butanone	0.170	0.180	-5.9	111	0.00
26 T	2,2-Dichloropropane	0.969	0.953	1.7	98	0.00
27 T	cis-1,2-Dichloroethene	0.630	0.626	0.6	98	0.00
28 T	Bromochloromethane	0.321	0.344	-7.2	100	0.00
29 T	Tetrahydrofuran	0.092	0.096	-4.3	110	0.00
30 C	Chloroform	1.064	1.043	2.0#	98	0.00
31 T	Cyclohexane	0.735	0.659	10.3	93	0.00
32 T	1,1,1-Trichloroethane	1.032	1.025	0.7	97	0.00
33 S	1,2-Dichloroethane-d4	0.636	0.641	-0.8	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.364	0.380	-4.4	97	0.00
36 T	1,1-Dichloropropene	0.493	0.480	2.6	95	0.00
37 T	Ethyl Acetate	0.222	0.231	-4.1	108	0.00
38 T	Carbon Tetrachloride	0.662	0.660	0.3	98	0.00
39 T	Methylcyclohexane	0.593	0.576	2.9	94	0.00
40 TM	Benzene	1.456	1.445	0.8	97	0.00
41 T	Methacrylonitrile	0.122	0.147	-20.5	109	0.00
42 TM	1,2-Dichloroethane	0.472	0.490	-3.8	103	0.00
43 T	Isopropyl Acetate	0.412	0.438	-6.3	107	0.00
44 TM	Trichloroethene	0.443	0.447	-0.9	100	0.00
45 C	1,2-Dichloropropane	0.316	0.316	0.0	97	0.00
46 T	Dibromomethane	0.209	0.212	-1.4	102	0.00
47 T	Bromodichloromethane	0.542	0.556	-2.6	99	0.00
48 T	Methyl methacrylate	0.188	0.199	-5.9	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
 Data File : VY012531.D
 Acq On : 08 Feb 2023 10:09
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 09 07:11:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 08 01:09:03 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	114	0.00
50 S	Toluene-d8	1.516	1.550	-2.2	95	0.00
51 T	4-Methyl-2-Pentanone	0.222	0.245	-10.4	112	0.00
52 CM	Toluene	0.987	0.991	-0.4#	97	0.00
53 T	t-1,3-Dichloropropene	0.546	0.566	-3.7	100	0.00
54 T	cis-1,3-Dichloropropene	0.591	0.601	-1.7	98	0.00
55 T	1,1,2-Trichloroethane	0.305	0.322	-5.6	104	0.00
56 T	Ethyl methacrylate	0.384	0.425	-10.7	108	0.00
57 T	1,3-Dichloropropane	0.493	0.516	-4.7	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.172	0.183	-6.4	104	0.00
59 T	2-Hexanone	0.168	0.191	-13.7	113	0.00
60 T	Dibromochloromethane	0.407	0.428	-5.2	102	0.00
61 T	1,2-Dibromoethane	0.286	0.297	-3.8	103	0.00
62 S	4-Bromofluorobenzene	0.529	0.540	-2.1	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.522	0.544	-4.2	98	0.00
65 PM	Chlorobenzene	1.186	1.193	-0.6	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.465	0.478	-2.8	101	0.00
67 C	Ethyl Benzene	2.082	2.107	-1.2#	98	0.00
68 T	m/p-Xylenes	0.831	0.847	-1.9	98	0.00
69 T	o-Xylene	0.791	0.803	-1.5	96	0.00
70 T	Styrene	1.342	1.387	-3.4	99	0.00
71 P	Bromoform	0.294	0.315	-7.1	106	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	4.045	4.111	-1.6	97	0.00
74 T	N-amyl acetate	0.732	0.783	-7.0	107	0.00
75 P	1,1,2,2-Tetrachloroethane	0.654	0.680	-4.0	109	0.00
76 T	1,2,3-Trichloropropane	0.559	0.483	13.6	91	0.00
77 T	Bromobenzene	0.980	0.990	-1.0	101	0.00
78 T	n-propylbenzene	4.656	4.693	-0.8	97	0.00
79 T	2-Chlorotoluene	2.643	2.677	-1.3	99	0.00
80 T	1,3,5-Trimethylbenzene	3.482	3.549	-1.9	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.248	0.254	-2.4	104	0.00
82 T	4-Chlorotoluene	2.773	2.780	-0.3	97	0.00
83 T	tert-Butylbenzene	3.054	3.176	-4.0	101	0.00
84 T	1,2,4-Trimethylbenzene	3.426	3.525	-2.9	98	0.00
85 T	sec-Butylbenzene	4.369	4.454	-1.9	98	0.00
86 T	p-Isopropyltoluene	3.790	3.874	-2.2	97	0.00
87 T	1,3-Dichlorobenzene	1.951	1.976	-1.3	100	0.00
88 T	1,4-Dichlorobenzene	1.954	1.963	-0.5	99	0.00
89 T	n-Butylbenzene	3.239	3.317	-2.4	97	0.00
90 T	Hexachloroethane	0.696	0.698	-0.3	98	0.00
91 T	1,2-Dichlorobenzene	1.755	1.781	-1.5	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.130	0.138	-6.2	113	0.00
93 T	1,2,4-Trichlorobenzene	1.087	1.121	-3.1	101	0.00
94 T	Hexachlorobutadiene	0.676	0.670	0.9	98	0.00
95 T	Naphthalene	2.087	2.277	-9.1	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020823\
Data File : VY012531.D
Acq On : 08 Feb 2023 10:09
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Feb 09 07:11:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 08 01:09:03 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.941	0.973	-3.4	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5