

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021423\
 Data File : VY012586.D
 Acq On : 14 Feb 2023 14:11
 Operator : KP/MD
 Sample : 01538-06
 Misc : 5.55g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TOT-VOC-GRAB-28

Quant Time: Feb 15 01:27:39 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 08 01:09:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	144824	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	242904	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	241448	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	119584	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	89890	48.810	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.620%
35) Dibromofluoromethane	7.716	113	71615	40.484	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	80.960%
50) Toluene-d8	10.179	98	289357	39.299	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	78.600%
62) 4-Bromofluorobenzene	12.477	95	99740	38.836	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	77.680%
Target Compounds						
					Qvalue	
16) Acetone	3.942	43	17247	38.910	ug/l	97
29) Tetrahydrofuran	7.356	42	1428	5.371	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021423\
Data File : VY012586.D
Acq On : 14 Feb 2023 14:11
Operator : KP/MD
Sample : 01538-06
Misc : 5.55g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TOT-VOC-GRAB-28

Quant Time: Feb 15 01:27:39 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020723S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 08 01:09:03 2023
Response via : Initial Calibration

