

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042823\
 Data File : VY013513.D
 Acq On : 28 Apr 2023 09:40
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 28 15:18:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	119	0.00
2 T	Dichlorodifluoromethane	0.475	0.528	-11.2	128	0.00
3 P	Chloromethane	0.637	0.592	7.1	113	0.00
4 C	Vinyl Chloride	0.634	0.590	6.9#	113	0.00
5 T	Bromomethane	0.506	0.426	15.8	107	0.00
6 T	Chloroethane	0.438	0.374	14.6	107	0.00
7 T	Trichlorofluoromethane	0.961	0.985	-2.5	123	0.00
8 T	Diethyl Ether	0.327	0.318	2.8	114	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.539	0.541	-0.4	123	0.00
10 T	Methyl Iodide	0.677	0.671	0.9	108	0.00
11 T	Tert butyl alcohol	0.066	0.055	16.7	114	0.00
12 CM	1,1-Dichloroethene	0.520	0.509	2.1#	115	0.01
13 T	Acrolein	0.054	0.036	33.3#	94	0.01
14 T	Allyl chloride	0.964	0.930	3.5	112	0.00
15 T	Acrylonitrile	0.183	0.185	-1.1	116	0.01
16 T	Acetone	0.216	0.237	-9.7	119	0.01
17 T	Carbon Disulfide	1.688	1.635	3.1	113	0.00
18 T	Methyl Acetate	0.713	0.681	4.5	112	0.00
19 T	Methyl tert-butyl Ether	1.500	1.510	-0.7	116	0.00
20 T	Methylene Chloride	0.924	0.655	29.1#	117	0.00
21 T	trans-1,2-Dichloroethene	0.568	0.585	-3.0	120	0.00
22 T	Diisopropyl ether	1.885	1.979	-5.0	123	0.00
23 T	Vinyl Acetate	1.067	1.224	-14.7	130	0.00
24 P	1,1-Dichloroethane	1.050	1.073	-2.2	121	0.00
25 T	2-Butanone	0.274	0.283	-3.3	117	0.00
26 T	2,2-Dichloropropane	0.905	0.947	-4.6	124	0.00
27 T	cis-1,2-Dichloroethene	0.628	0.655	-4.3	123	0.00
28 T	Bromochloromethane	0.373	0.382	-2.4	123	0.00
29 T	Tetrahydrofuran	0.170	0.169	0.6	113	0.01
30 C	Chloroform	1.044	1.125	-7.8#	129	0.00
31 T	Cyclohexane	0.981	0.940	4.2	119	0.00
32 T	1,1,1-Trichloroethane	0.932	0.999	-7.2	127	0.00
33 S	1,2-Dichloroethane-d4	0.548	0.561	-2.4	128	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	116	0.00
35 S	Dibromofluoromethane	0.314	0.332	-5.7	130	0.00
36 T	1,1-Dichloropropene	0.522	0.559	-7.1	124	0.00
37 T	Ethyl Acetate	0.393	0.394	-0.3	111	0.00
38 T	Carbon Tetrachloride	0.547	0.615	-12.4	129	0.00
39 T	Methylcyclohexane	0.615	0.647	-5.2	119	0.00
40 TM	Benzene	1.470	1.609	-9.5	125	0.00
41 T	Methacrylonitrile	0.183	0.201	-9.8	123	0.00
42 TM	1,2-Dichloroethane	0.481	0.538	-11.9	127	0.00
43 T	Isopropyl Acetate	0.663	0.671	-1.2	113	0.00
44 TM	Trichloroethene	0.391	0.418	-6.9	123	0.00
45 C	1,2-Dichloropropane	0.384	0.420	-9.4#	126	0.00
46 T	Dibromomethane	0.230	0.248	-7.8	123	0.00
47 T	Bromodichloromethane	0.515	0.583	-13.2	129	0.00
48 T	Methyl methacrylate	0.304	0.319	-4.9	113	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042823\
 Data File : VY013513.D
 Acq On : 28 Apr 2023 09:40
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 28 15:18:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	117	0.01
50 S	Toluene-d8	1.119	1.166	-4.2	129	0.00
51 T	4-Methyl-2-Pentanone	0.369	0.398	-7.9	118	0.00
52 CM	Toluene	0.885	0.981	-10.8#	126	0.00
53 T	t-1,3-Dichloropropene	0.545	0.608	-11.6	125	0.00
54 T	cis-1,3-Dichloropropene	0.613	0.664	-8.3	123	0.00
55 T	1,1,2-Trichloroethane	0.305	0.338	-10.8	127	0.00
56 T	Ethyl methacrylate	0.423	0.475	-12.3	121	0.00
57 T	1,3-Dichloropropane	0.516	0.571	-10.7	127	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.161	-1.9	125	0.00
59 T	2-Hexanone	0.269	0.307	-14.1	122	0.00
60 T	Dibromochloromethane	0.370	0.413	-11.6	125	0.00
61 T	1,2-Dibromoethane	0.299	0.321	-7.4	121	0.00
62 S	4-Bromofluorobenzene	0.377	0.408	-8.2	134	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	121	0.00
64 T	Tetrachloroethene	0.380	0.396	-4.2	125	0.00
65 PM	Chlorobenzene	1.089	1.159	-6.4	128	0.00
66 T	1,1,1,2-Tetrachloroethane	0.407	0.451	-10.8	134	0.00
67 C	Ethyl Benzene	1.913	2.098	-9.7#	130	0.00
68 T	m/p-Xylenes	0.727	0.797	-9.6	130	0.00
69 T	o-Xylene	0.688	0.753	-9.4	127	0.00
70 T	Styrene	1.150	1.292	-12.3	132	0.00
71 P	Bromoform	0.285	0.310	-8.8	129	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	126	0.00
73 T	Isopropylbenzene	3.782	3.968	-4.9	128	0.00
74 T	N-amyl acetate	1.346	1.374	-2.1	119	0.00
75 P	1,1,2,2-Tetrachloroethane	0.924	0.949	-2.7	125	0.00
76 T	1,2,3-Trichloropropane	0.674	0.758	-12.5	135	0.00
77 T	Bromobenzene	0.916	1.004	-9.6	134	0.00
78 T	n-propylbenzene	4.658	4.963	-6.5	130	0.00
79 T	2-Chlorotoluene	2.601	2.753	-5.8	130	0.00
80 T	1,3,5-Trimethylbenzene	3.087	3.335	-8.0	131	0.00
81 T	trans-1,4-Dichloro-2-butene	0.330	0.335	-1.5	119	0.00
82 T	4-Chlorotoluene	2.711	2.885	-6.4	130	0.00
83 T	tert-Butylbenzene	2.674	2.809	-5.0	127	0.00
84 T	1,2,4-Trimethylbenzene	3.001	3.348	-11.6	134	0.00
85 T	sec-Butylbenzene	4.014	4.249	-5.9	129	0.00
86 T	p-Isopropyltoluene	3.228	3.543	-9.8	134	0.00
87 T	1,3-Dichlorobenzene	1.746	1.903	-9.0	135	0.00
88 T	1,4-Dichlorobenzene	1.764	1.889	-7.1	134	0.00
89 T	n-Butylbenzene	3.150	3.399	-7.9	132	0.00
90 T	Hexachloroethane	0.679	0.705	-3.8	131	0.00
91 T	1,2-Dichlorobenzene	1.577	1.733	-9.9	135	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.163	0.169	-3.7	130	0.00
93 T	1,2,4-Trichlorobenzene	0.940	1.103	-17.3	146	0.00
94 T	Hexachlorobutadiene	0.547	0.639	-16.8	150	0.00
95 T	Naphthalene	2.039	2.346	-15.1	137	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY042823\
Data File : VY013513.D
Acq On : 28 Apr 2023 09:40
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Apr 28 15:18:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 25 02:39:58 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.838	1.008	-20.3	147	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6