

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050922\
 Data File : VY008666.D
 Acq On : 09 May 2022 17:28
 Operator : KP/MD
 Sample : N2619-14
 Misc : 4.69g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB06-12-14-FT

Quant Time: May 10 03:24:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050922S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 09 19:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	247402	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	385664	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	324249	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	141506	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	106434	50.208	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	100.420%
35) Dibromofluoromethane	7.716	113	114385	48.129	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.260%
50) Toluene-d8	10.179	98	436939	52.171	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	104.340%
62) 4-Bromofluorobenzene	12.483	95	128513	42.651	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	85.300%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050922\
Data File : VY008666.D
Acq On : 09 May 2022 17:28
Operator : KP/MD
Sample : N2619-14
Misc : 4.69g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB06-12-14-FT

Quant Time: May 10 03:24:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050922S.M
Quant Title : SW846 8260
QLast Update : Mon May 09 19:21:20 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28




Instrument :
MSVOA_Y
ClientSampleId :
SB06-12-14-FT


Tgt Ion:168 Resp: 247402
Ion Ratio Lower Upper
168 100
99 48.1 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 50.208 ug/l
RT: 8.143 min Scan# 1037
Delta R.T. 0.007 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28

Tgt Ion: 65 Resp: 106434
Ion Ratio Lower Upper
65 100
67 56.2 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY008666.D

Acq: 09 May 2022 17:28

Instrument :

MSVOA_Y

ClientSampleId :

SB06-12-14-FT





Tgt Ion:114 Resp: 385664

Ion Ratio Lower Upper

114 100

63 15.7 0.0 43.2

88 14.3 0.0 31.8



#35

Dibromofluoromethane

Concen: 48.129 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.000 min

Lab File: VY008666.D

Acq: 09 May 2022 17:28




Tgt Ion:113 Resp: 114385


Ion Ratio Lower Upper

113 100

111 101.2 82.6 124.0

192 21.0 17.6 26.4









#50
Toluene-d8
Concen: 52.171 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28




Instrument :
MSVOA_Y
ClientSampleId :
SB06-12-14-FT


Tgt Ion: 98 Resp: 436939
Ion Ratio Lower Upper
98 100
100 65.5 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 42.651 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28

Tgt Ion: 95 Resp: 128513
Ion Ratio Lower Upper
95 100
174 93.4 0.0 177.0
176 89.9 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28

Instrument :
MSVOA_Y
ClientSampleId :
SB06-12-14-FT

Tgt Ion:117 Resp: 324249
Ion Ratio Lower Upper
117 100
82 51.4 43.0 64.4
119 32.2 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY008666.D
Acq: 09 May 2022 17:28

Tgt Ion:152 Resp: 141506
Ion Ratio Lower Upper
152 100
115 54.4 28.2 84.7
150 157.3 0.0 347.6

