

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050923\
 Data File : VY013663.D
 Acq On : 09 May 2023 13:14
 Operator : KP/MD
 Sample : 02659-04RE
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 DGA-CRUSHED-STONERE

Quant Time: May 10 05:36:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.789	168	195906	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	335275	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	325982	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	148869	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	135007	62.865	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 125.740%	
35) Dibromofluoromethane	7.716	113	115075	54.571	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 109.140%	
50) Toluene-d8	10.179	98	408252	54.422	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 108.840%	
62) 4-Bromofluorobenzene	12.483	95	132543	52.410	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 104.820%	
Target Compounds						
					Qvalue	
13) Acrolein	3.729	56	21	Below Cal	#	16
16) Acetone	3.960	43	2432	2.876	ug/l	95
20) Methylene Chloride	4.716	84	15723	Below Cal		97
31) Cyclohexane	7.789	56	4730	1.230	ug/l #	39
36) 1,1-Dichloropropene	7.789	75	14698	4.200	ug/l #	49
38) Carbon Tetrachloride	7.789	117	18407	5.018	ug/l #	15
76) 1,2,3-Trichloropropane	12.483	75	72624	36.173	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.483	75	72624	73.994	ug/l #	13


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY050923\
Data File : VY013663.D
Acq On : 09 May 2023 13:14
Operator : KP/MD
Sample : 02659-04RE
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE

Quant Time: May 10 05:36:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 25 02:39:58 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14




Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE


Tgt Ion:168 Resp: 195906
Ion Ratio Lower Upper
168 100
99 51.1 41.8 62.6



#13
Acrolein
Concen: Below Cal
RT: 3.729 min Scan# 313
Delta R.T. -0.000 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14

Tgt Ion: 56 Resp: 21
Ion Ratio Lower Upper
56 100
55 0.0 54.1 81.1#





#16

Acetone

Concen: 2.876 ug/l

RT: 3.960 min Scan# 3

Delta R.T. 0.012 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14

Instrument :

MSVOA_Y

ClientSampleId :





DGA-CRUSHED-STONERE

Tgt Ion: 43 Resp: 2432

Ion Ratio Lower Upper

43 100

58 28.7 25.4 38.0



#20

Methylene Chloride

Concen: Below Cal

RT: 4.716 min Scan# 475

Delta R.T. 0.000 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14

Tgt Ion: 84 Resp: 15723




Ion Ratio Lower Upper


84 100

49 108.2 88.0 132.0

51 37.9 27.4 41.0

86 60.2 50.4 75.6









#31
Cyclohexane
Concen: 1.230 ug/l
RT: 7.789 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14




Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE


Tgt Ion: 56 Resp: 4730
Ion Ratio Lower Upper
56 100
69 146.0 29.2 43.8#
84 102.1 73.0 109.6



#33
1,2-Dichloroethane-d4
Concen: 62.865 ug/l
RT: 8.143 min Scan# 1037
Delta R.T. 0.007 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14

Tgt Ion: 65 Resp: 135007
Ion Ratio Lower Upper
65 100
67 51.3 0.0 103.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.691 min Scan# 1127
Delta R.T. 0.000 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14




Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE


Tgt Ion:114 Resp: 335275
Ion Ratio Lower Upper
114 100
63 20.1 0.0 36.6
88 15.1 0.0 28.8



#35
Dibromofluoromethane
Concen: 54.571 ug/l
RT: 7.716 min Scan# 967
Delta R.T. -0.000 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14

Tgt Ion:113 Resp: 115075
Ion Ratio Lower Upper
113 100
111 102.6 82.2 123.2
192 20.9 16.7 25.1









#36
1,1-Dichloropropene
Concen: 4.200 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.128 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14




Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE


Tgt Ion: 75 Resp: 14698
Ion Ratio Lower Upper
75 100
110 10.0 18.7 56.1#
77 0.0 24.6 37.0#



#38
Carbon Tetrachloride
Concen: 5.018 ug/l
RT: 7.789 min Scan# 979
Delta R.T. -0.110 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14

Tgt Ion: 117 Resp: 18407
Ion Ratio Lower Upper
117 100
119 5.6 79.0 118.6#
121 0.0 26.6 40.0#









#50
Toluene-d8
Concen: 54.422 ug/l
RT: 10.179 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14




Instrument :
MSVOA_Y
ClientSampleId :
DGA-CRUSHED-STONERE


Tgt Ion: 98 Resp: 408252
Ion Ratio Lower Upper
98 100
100 63.0 50.5 75.7



#62
4-Bromofluorobenzene
Concen: 52.410 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.006 min
Lab File: VY013663.D
Acq: 09 May 2023 13:14

Tgt Ion: 95 Resp: 132543
Ion Ratio Lower Upper
95 100
174 92.7 0.0 182.0
176 88.8 0.0 175.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.490 min Scan# 11

Delta R.T. 0.001 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14

Instrument :

MSVOA_Y

ClientSampleId :

DGA-CRUSHED-STONERE





Tgt Ion:117 Resp: 325982

Ion Ratio Lower Upper

117 100

82 53.9 43.0 64.6

119 32.3 25.5 38.3



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.006 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14




Tgt Ion:152 Resp: 148869


Ion Ratio Lower Upper

152 100

115 56.2 28.1 84.2

150 159.1 0.0 352.0





#76

1,2,3-Trichloropropane

Concen: 36.173 ug/l

RT: 12.483 min Scan# 1749

Delta R.T. -0.146 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14

Instrument :

MSVOA_Y

ClientSampleId :





DGA-CRUSHED-STONERE

Tgt Ion: 75 Resp: 72624

Ion Ratio Lower Upper

75 100

77 1.4 0.0 0.0#



#81

trans-1,4-Dichloro-2-butene

Concen: 73.994 ug/l

RT: 12.483 min Scan# 1749

Delta R.T. 0.104 min

Lab File: VY013663.D

Acq: 09 May 2023 13:14

Tgt Ion: 75 Resp: 72624

Ion Ratio Lower Upper

75 100

53 0.4 73.2 109.8#

89 0.1 38.0 57.0#

