

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052022\
 Data File : VY008935.D
 Acq On : 21 May 2022 04:22
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 21 04:54:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 20 23:50:52 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	82	0.00
2 T	Dichlorodifluoromethane	0.457	0.282	38.3#	48#	0.00
3 P	Chloromethane	0.655	0.506	22.7	60	0.00
4 C	Vinyl Chloride	0.971	0.720	25.8#	59	0.00
5 T	Bromomethane	0.951	0.732	23.0	73	0.00
6 T	Chloroethane	0.688	0.553	19.6	67	0.00
7 T	Trichlorofluoromethane	0.824	0.665	19.3	65	0.00
8 T	Diethyl Ether	0.258	0.233	9.7	75	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.507	0.419	17.4	66	0.00
10 T	Methyl Iodide	0.523	0.343	34.4#	46#	0.00
11 T	Tert butyl alcohol	0.052	0.042	19.2	68	0.00
12 CM	1,1-Dichloroethene	0.470	0.385	18.1#	66	0.00
13 T	Acrolein	0.017	0.009	47.1#	78	0.00
14 T	Allyl chloride	0.709	0.587	17.2	65	0.00
15 T	Acrylonitrile	0.144	0.131	9.0	75	0.00
16 T	Acetone	0.107	0.093	13.1	73	0.00
17 T	Carbon Disulfide	1.536	1.022	33.5#	53	0.00
18 T	Methyl Acetate	0.334	0.309	7.5	75	0.00
19 T	Methyl tert-butyl Ether	1.412	1.310	7.2	75	0.00
20 T	Methylene Chloride	0.788	0.566	28.2#	75	0.00
21 T	trans-1,2-Dichloroethene	0.604	0.494	18.2	68	0.00
22 T	Diisopropyl ether	1.703	1.595	6.3	75	0.00
23 T	Vinyl Acetate	1.126	1.035	8.1	71	0.00
24 P	1,1-Dichloroethane	1.018	0.933	8.3	74	0.00
25 T	2-Butanone	0.191	0.171	10.5	71	0.00
26 T	2,2-Dichloropropane	0.938	0.750	20.0	65	0.00
27 T	cis-1,2-Dichloroethene	0.680	0.622	8.5	73	0.00
28 T	Bromochloromethane	0.350	0.377	-7.7	91	0.00
29 T	Tetrahydrofuran	0.130	0.117	10.0	70	0.00
30 C	Chloroform	1.099	1.032	6.1#	76	0.00
31 T	Cyclohexane	1.007	0.752	25.3#	61	0.00
32 T	1,1,1-Trichloroethane	0.997	0.899	9.8	71	0.00
33 S	1,2-Dichloroethane-d4	0.515	0.603	-17.1	124	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.311	0.326	-4.8	108	0.00
36 T	1,1-Dichloropropene	0.529	0.412	22.1	65	0.00
37 T	Ethyl Acetate	0.274	0.223	18.6	69	0.00
38 T	Carbon Tetrachloride	0.554	0.452	18.4	68	0.00
39 T	Methylcyclohexane	0.683	0.515	24.6	61	0.00
40 TM	Benzene	1.526	1.286	15.7	70	0.00
41 T	Methacrylonitrile	0.142	0.122	14.1	70	0.00
42 TM	1,2-Dichloroethane	0.448	0.397	11.4	74	0.00
43 T	Isopropyl Acetate	0.510	0.461	9.6	74	0.00
44 TM	Trichloroethene	0.404	0.334	17.3	69	0.00
45 C	1,2-Dichloropropane	0.366	0.334	8.7#	74	0.00
46 T	Dibromomethane	0.233	0.203	12.9	72	0.00
47 T	Bromodichloromethane	0.532	0.490	7.9	77	0.00
48 T	Methyl methacrylate	0.228	0.202	11.4	70	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052022\
 Data File : VY008935.D
 Acq On : 21 May 2022 04:22
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 21 04:54:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 20 23:50:52 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	69	0.00
50 S	Toluene-d8	1.147	1.368	-19.3	134	0.00
51 T	4-Methyl-2-Pentanone	0.282	0.256	9.2	72	0.00
52 CM	Toluene	1.066	0.944	11.4#	70	0.00
53 T	t-1,3-Dichloropropene	0.565	0.503	11.0	71	0.00
54 T	cis-1,3-Dichloropropene	0.608	0.532	12.5	72	0.00
55 T	1,1,2-Trichloroethane	0.326	0.303	7.1	76	0.00
56 T	Ethyl methacrylate	0.417	0.391	6.2	73	0.00
57 T	1,3-Dichloropropane	0.532	0.491	7.7	75	0.00
58 T	2-Chloroethyl Vinyl ether	0.180	0.181	-0.6	80	0.00
59 T	2-Hexanone	0.193	0.180	6.7	72	0.00
60 T	Dibromochloromethane	0.395	0.368	6.8	75	0.00
61 T	1,2-Dibromoethane	0.323	0.284	12.1	71	0.00
62 S	4-Bromofluorobenzene	0.463	0.513	-10.8	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	85	0.00
64 T	Tetrachloroethene	0.364	0.289	20.6	66	0.00
65 PM	Chlorobenzene	1.148	1.011	11.9	73	0.00
66 T	1,1,1,2-Tetrachloroethane	0.420	0.389	7.4	74	0.00
67 C	Ethyl Benzene	2.068	1.837	11.2#	70	0.00
68 T	m/p-Xylenes	0.840	0.760	9.5	68	0.00
69 T	o-Xylene	0.780	0.733	6.0	71	0.00
70 T	Styrene	1.341	1.274	5.0	69	0.00
71 P	Bromoform	0.279	0.260	6.8	72	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	83	0.00
73 T	Isopropylbenzene	3.739	3.116	16.7	69	0.00
74 T	N-amyl acetate	0.863	0.762	11.7	72	0.00
75 P	1,1,2,2-Tetrachloroethane	0.770	0.654	15.1	73	0.00
76 T	1,2,3-Trichloropropane	0.537	0.475	11.5	72	0.00
77 T	Bromobenzene	0.867	0.723	16.6	71	0.00
78 T	n-propylbenzene	4.320	3.849	10.9	109	0.00
79 T	2-Chlorotoluene	2.492	2.153	13.6	70	0.00
80 T	1,3,5-Trimethylbenzene	3.134	2.752	12.2	69	0.00
81 T	trans-1,4-Dichloro-2-butene	0.262	0.200	23.7	64	0.00
82 T	4-Chlorotoluene	2.665	2.392	10.2	70	0.00
83 T	tert-Butylbenzene	2.780	2.466	11.3	71	0.00
84 T	1,2,4-Trimethylbenzene	3.111	2.778	10.7	69	0.00
85 T	sec-Butylbenzene	4.254	3.827	10.0	70	0.00
86 T	p-Isopropyltoluene	3.547	3.115	12.2	67	0.00
87 T	1,3-Dichlorobenzene	1.849	1.609	13.0	69	0.00
88 T	1,4-Dichlorobenzene	1.857	1.642	11.6	71	0.00
89 T	n-Butylbenzene	3.245	2.818	13.2	68	0.00
90 T	Hexachloroethane	0.665	0.601	9.6	74	0.00
91 T	1,2-Dichlorobenzene	1.632	1.487	8.9	74	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.120	0.098	18.3	68	0.00
93 T	1,2,4-Trichlorobenzene	0.896	0.731	18.4	70	0.00
94 T	Hexachlorobutadiene	0.488	0.407	16.6	72	0.00
95 T	Naphthalene	1.799	1.563	13.1	72	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052022\
Data File : VY008935.D
Acq On : 21 May 2022 04:22
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 21 04:54:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
Quant Title : SW846 8260
QLast Update : Fri May 20 23:50:52 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.778	0.647	16.8	72	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6