

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052623\
 Data File : VY013903.D
 Acq On : 26 May 2023 19:07
 Operator : KP/MD
 Sample : 02955-04
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB25

Quant Time: May 29 04:36:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052323S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 24 05:25:47 2023
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	90953	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	147168	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	149365	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	65325	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	64213	61.025	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.060%
35) Dibromofluoromethane	7.716	113	54021	56.839	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	113.680%
50) Toluene-d8	10.179	98	181608	50.276	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.560%
62) 4-Bromofluorobenzene	12.483	95	56142	46.757	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.520%
Target Compounds						Qvalue
16) Acetone	3.948	43	1547	4.954	ug/l #	74
20) Methylene Chloride	4.716	84	9970	6.810	ug/l	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052623\
Data File : VY013903.D
Acq On : 26 May 2023 19:07
Operator : KP/MD
Sample : 02955-04
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB25

Quant Time: May 29 04:36:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052323S.M
Quant Title : SW846 8260
QLast Update : Wed May 24 05:25:47 2023
Response via : Initial Calibration

