

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_Y\DATA\VY060420\
 Data File : VY002838.D
 Acq On : 04 Jun 2020 13:29
 Operator : SY/MD
 Sample : VY0604SBSD01
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01

Quant Time: Jun 04 16:22:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	336179	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	499289	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	460223	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	246659	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	144092	49.36	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.72%	
35) Dibromofluoromethane	7.72	113	150052	51.28	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.56%	
50) Toluene-d8	10.18	98	577570	48.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.64%	
62) 4-Bromofluorobenzene	12.48	95	203956	50.44	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.88%	

Target Compounds				Qvalue		
2) Dichlorodifluoromethane	1.90	85	44927	19.42	ug/l	100
3) Chloromethane	2.12	50	51963	20.31	ug/l	97
4) Vinyl Chloride	2.26	62	56879	21.03	ug/l	97
5) Bromomethane	2.65	94	42351	20.90	ug/l	98
6) Chloroethane	2.79	64	37607	21.45	ug/l	98
7) Trichlorofluoromethane	3.13	101	101863	21.27	ug/l	96
8) Diethyl Ether	3.53	74	38181	20.42	ug/l	97
9) 1,1,2-Trichlorotrifluoroet	3.90	101	63985	22.50	ug/l	99
10) Methyl Iodide	4.10	142	81858	20.57	ug/l	99
11) Tert butyl alcohol	4.97	59	39315	118.60	ug/l	99
12) 1,1-Dichloroethene	3.88	96	61701	21.57	ug/l	94
13) Acrolein	3.74	56	31642	92.50	ug/l	99
14) Allyl chloride	4.49	41	92977	22.67	ug/l	98
15) Acrylonitrile	5.18	53	94845	112.41	ug/l	100
16) Acetone	3.96	43	72178	105.45	ug/l	100
17) Carbon Disulfide	4.20	76	181106	20.96	ug/l	99
18) Methyl Acetate	4.49	43	44433	25.39	ug/l	98
19) Methyl tert-butyl Ether	5.23	73	170581	21.61	ug/l	100
20) Methylene Chloride	4.72	84	77670	23.22	ug/l	97
21) trans-1,2-Dichloroethene	5.22	96	70067	21.79	ug/l	99
22) Diisopropyl ether	6.13	45	193954	22.75	ug/l	97
23) Vinyl Acetate	6.07	43	632851	112.46	ug/l	98
24) 1,1-Dichloroethane	6.03	63	111082	22.28	ug/l	98
25) 2-Butanone	7.00	43	119317	111.89	ug/l	98
26) 2,2-Dichloropropane	6.99	77	100016	20.91	ug/l	99
27) cis-1,2-Dichloroethene	6.99	96	77992	21.66	ug/l	99
28) Bromochloromethane	7.34	49	47146	23.03	ug/l	95
29) Tetrahydrofuran	7.36	42	78988	113.87	ug/l	99
30) Chloroform	7.51	83	114132	21.57	ug/l	96
31) Cyclohexane	7.78	56	106929	21.60	ug/l	97
32) 1,1,1-Trichloroethane	7.71	97	102047	20.70	ug/l	99
36) 1,1-Dichloropropene	7.92	75	90123	21.43	ug/l	99
37) Ethyl Acetate	7.08	43	52448	22.92	ug/l	99
38) Carbon Tetrachloride	7.90	117	96272	20.60	ug/l	97

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_Y\DATA\VY060420\
 Data File : VY002838.D
 Acq On : 04 Jun 2020 13:29
 Operator : SY/MD
 Sample : VY0604SBSD01
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01

Quant Time: Jun 04 16:22:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
39) Methylcyclohexane	9.19	83	116767	21.06	ug/l	98
40) Benzene	8.16	78	265680	21.38	ug/l	98
41) Methacrylonitrile	7.35	41	71987	58.56	ug/l #	1
42) 1,2-Dichloroethane	8.24	62	73550	21.12	ug/l	99
43) Isopropyl Acetate	8.28	43	97208	22.42	ug/l	99
44) Trichloroethene	8.94	130	83171	21.19	ug/l	98
45) 1,2-Dichloropropane	9.22	63	64815	21.75	ug/l	98
46) Dibromomethane	9.31	93	38265	21.62	ug/l	98
47) Bromodichloromethane	9.50	83	89945	21.56	ug/l	100
48) Methyl methacrylate	9.30	41	42453	21.69	ug/l	99
49) 1,4-Dioxane	9.30	88	11731	431.66	ug/l	95
51) 4-Methyl-2-Pentanone	10.07	43	257617	112.19	ug/l	99
52) Toluene	10.24	92	170541	20.98	ug/l	99
53) t-1,3-Dichloropropene	10.47	75	97604	21.42	ug/l	98
54) cis-1,3-Dichloropropene	9.93	75	110607	21.42	ug/l	98
55) 1,1,2-Trichloroethane	10.64	97	58174	21.47	ug/l	94
56) Ethyl methacrylate	10.51	69	78726	21.69	ug/l	99
57) 1,3-Dichloropropane	10.79	76	96504	21.65	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.78	63	189102	106.63	ug/l	99
59) 2-Hexanone	10.83	43	181979	111.70	ug/l	100
60) Dibromochloromethane	10.99	129	71928	20.94	ug/l	100
61) 1,2-Dibromoethane	11.09	107	58182	21.77	ug/l	99
64) Tetrachloroethene	10.72	164	84647	20.24	ug/l	98
65) Chlorobenzene	11.52	112	194198	21.35	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.59	131	73100	21.34	ug/l	99
67) Ethyl Benzene	11.59	91	334440	21.21	ug/l	98
68) m/p-Xylenes	11.70	106	258466	42.27	ug/l	99
69) o-Xylene	12.03	106	123818	21.45	ug/l	99
70) Styrene	12.04	104	213297	21.32	ug/l	99
71) Bromoform	12.20	173	49644	21.66	ug/l #	99
73) Isopropylbenzene	12.33	105	332899	21.06	ug/l	100
74) N-amyl acetate	12.14	43	89667	22.11	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.58	83	63787	23.00	ug/l	99
76) 1,2,3-Trichloropropane	12.63	75	90950	40.92	ug/l #	100
77) Bromobenzene	12.61	156	85503	20.77	ug/l	97
78) n-propylbenzene	12.67	91	392412	21.49	ug/l	99
79) 2-Chlorotoluene	12.75	91	218732	21.36	ug/l	98
80) 1,3,5-Trimethylbenzene	12.81	105	281295	21.31	ug/l	100
81) trans-1,4-Dichloro-2-buten	12.38	75	25699	21.78	ug/l	98
82) 4-Chlorotoluene	12.85	91	229789	21.41	ug/l	99
83) tert-Butylbenzene	13.07	119	249907	21.23	ug/l	100
84) 1,2,4-Trimethylbenzene	13.12	105	284603	21.45	ug/l	100
85) sec-Butylbenzene	13.25	105	345868	21.49	ug/l	100
86) p-Isopropyltoluene	13.37	119	321571	21.47	ug/l	100
87) 1,3-Dichlorobenzene	13.36	146	166892	21.41	ug/l	99
88) 1,4-Dichlorobenzene	13.44	146	164392	21.08	ug/l	99
89) n-Butylbenzene	13.70	91	296104	21.77	ug/l	99
90) Hexachloroethane	13.96	117	59266	21.14	ug/l	100
91) 1,2-Dichlorobenzene	13.74	146	150901	21.34	ug/l	99
92) 1,2-Dibromo-3-Chloropropan	14.36	75	12076	22.63	ug/l	94


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_Y\DATA\VY060420\
Data File : VY002838.D
Acq On : 04 Jun 2020 13:29
Operator : SY/MD
Sample : VY0604SBSD01
Misc : 5.00G/5ML/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01

Quant Time: Jun 04 16:22:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
93) 1,2,4-Trichlorobenzene	15.01	180	115139	21.60	ug/l	99
94) Hexachlorobutadiene	15.11	225	65631	21.71	ug/l	98
95) Naphthalene	15.23	128	230482	21.57	ug/l	99
96) 1,2,3-Trichlorobenzene	15.42	180	102616	21.56	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion:168 Resp: 336179

Ion Ratio Lower Upper

168 100

99 47.6 39.0 58.4



Abundance Ion 167.90 (167.60 to 168.60): VY002838.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY002838.D (-945) (-)

7.80

150000



100000

50000

0

7.70 7.80 7.90

Time-->



#2

Dichlorodifluoromethane

Concen: 19.42 ug/l

RT: 1.90 min Scan# 27

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 85 Resp: 44927

Ion Ratio Lower Upper

85 100

87 31.0 15.5 46.5



Abundance Ion 84.90 (84.60 to 85.60): VY002838.D (-1) (-)

Ion 86.90 (86.60 to 87.60): VY002838.D (-1) (-)

1.90

30000


20000


10000

0

1.85 1.90 1.95 2.00

Time-->





#3

Chloromethane

Concen: 20.31 ug/l

RT: 2.12 min Scan# 62

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :





VY0604SBSD01

Tgt Ion: 50 Resp: 51963

Ion Ratio Lower Upper

50 100

52 30.4 25.8 38.6



#4

Vinyl Chloride

Concen: 21.03 ug/l

RT: 2.26 min Scan# 85

Delta R.T. -0.00 min

Lab File: VY002838.D




Acq: 04 Jun 2020 13:29


Tgt Ion: 62 Resp: 56879

Ion Ratio Lower Upper

62 100

64 31.1 26.1 39.1





#5

Bromomethane

Concen: 20.90 ug/l

RT: 2.65 min Scan# 149

Delta R.T. -0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion: 94 Resp: 42351

Ion Ratio Lower Upper

94 100

96 93.9 73.7 110.5



Abundance Ion 93.90 (93.60 to 94.60): VY0

Ion 95.90 (95.60 to 96.60): VY0

2.65

20000

15000



10000

5000

0

Time-->

2.60 2.70 2.80



#6

Chloroethane

Concen: 21.45 ug/l

RT: 2.79 min Scan# 173

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 64 Resp: 37607

Ion Ratio Lower Upper

64 100

66 34.0 26.4 39.6



Abundance Ion 63.90 (63.60 to 64.60): VY0

Ion 65.90 (65.60 to 66.60): VY0

2.79

20000

15000


10000


5000

0

Time-->

2.70 2.80 2.90









#7

Trichlorofluoromethane
 Concen: 21.27 ug/l
 RT: 3.13 min Scan# 228
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBS01




Tgt Ion:101 Resp: 101863
 Ion Ratio Lower Upper
 101 100
 103 66.6 50.6 76.0




#8

Diethyl Ether
 Concen: 20.42 ug/l
 RT: 3.53 min Scan# 294
 Delta R.T. -0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 74 Resp: 38181
 Ion Ratio Lower Upper
 74 100
 45 90.5 44.0 131.8





#9

1,1,2-Trichlorotrifluoroethane

Concen: 22.50 ug/l

RT: 3.90 min Scan# 355

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion:101 Resp: 63985

Ion Ratio Lower Upper

101 100

85 42.0 32.7 49.1




151 85.9 68.0 102.0



Abundance Ion 100.90 (100.60 to 101.60): V

Ion 84.90 (84.60 to 85.60): VY0

Ion 150.80 (150.50 to 151.50): V



#10

Methyl Iodide

Concen: 20.57 ug/l

RT: 4.10 min Scan# 387

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion:142 Resp: 81858

Ion Ratio Lower Upper

142 100

127 40.6 33.3 49.9



141 14.1 11.5 17.3




Abundance Ion 141.80 (141.50 to 142.50): V

Ion 126.80 (126.50 to 127.50): V

Ion 140.80 (140.50 to 141.50): V









#11

Tert butyl alcohol
 Concen: 118.60 ug/l
 RT: 4.97 min Scan# 531
 Delta R.T. 0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01




Tgt Ion: 59 Resp: 39315
 Ion Ratio Lower Upper
 59 100
 57 9.1 7.7 11.5




#12

1,1-Dichloroethene
 Concen: 21.57 ug/l
 RT: 3.88 min Scan# 351
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 96 Resp: 61701
 Ion Ratio Lower Upper
 96 100
 61 148.1 112.6 168.8
 98 67.6 50.0 75.0





#13

Acrolein

Concen: 92.50 ug/l

RT: 3.74 min Scan# 328

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion: 56 Resp: 31642

Ion Ratio Lower Upper

56 100

55 70.9 56.0 84.0



Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 55.00 (54.70 to 55.70): VY0



3.74

10000

5000

0

Time--> 3.60 3.70 3.80 3.90



#14

Allyl chloride

Concen: 22.67 ug/l

RT: 4.49 min Scan# 451

Delta R.T. 0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion: 41 Resp: 92977

Ion Ratio Lower Upper

41 100

39 60.7 49.9 74.9

76 40.7 33.2 49.8



Abundance Ion 41.00 (40.70 to 41.70): VY0

Ion 39.00 (38.70 to 39.70): VY0

Ion 75.90 (75.60 to 76.60): VY0

4.49

60000

50000

40000


30000


20000

10000

0

Time--> 4.40 4.60





#15

Acrylonitrile

Concen: 112.41 ug/l

RT: 5.18 min Scan# 564

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 53 Resp: 94845

Ion Ratio Lower Upper




53 100

52 81.9 65.3 97.9

51 35.0 28.0 42.0



Abundance Ion 53.00 (52.70 to 53.70): VY0
Ion 52.00 (51.70 to 52.70): VY0
Ion 51.00 (50.70 to 51.70): VY0



#16

Acetone

Concen: 105.45 ug/l

RT: 3.96 min Scan# 364

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 43 Resp: 72178



Ion Ratio Lower Upper


43 100

58 34.8 27.7 41.5



Abundance Ion 43.00 (42.70 to 43.70): VY0
Ion 58.00 (57.70 to 58.70): VY0





#17

Carbon Disulfide

Concen: 20.96 ug/l

RT: 4.20 min Scan# 404

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBS01

Tgt Ion: 76 Resp: 181106

Ion Ratio Lower Upper




76 100

78 8.9 6.9 10.3



Abundance Ion 75.90 (75.60 to 76.60): VY0

Ion 77.90 (77.60 to 78.60): VY0



#18

Methyl Acetate

Concen: 25.39 ug/l

RT: 4.49 min Scan# 451

Delta R.T. 0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 43 Resp: 44433

Ion Ratio Lower Upper



43 100


74 25.8 21.4 32.0



Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 74.00 (73.70 to 74.70): VY0









#19
Methyl tert-butyl Ether
Concen: 21.61 ug/l
RT: 5.23 min Scan# 573
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBS01


Tgt Ion: 73 Resp: 170581
Ion Ratio Lower Upper
73 100
57 21.0 17.0 25.4



#20
Methylene Chloride
Concen: 23.22 ug/l
RT: 4.72 min Scan# 490
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion: 84 Resp: 77670
Ion Ratio Lower Upper
84 100
49 114.9 88.5 132.7
51 33.9 26.8 40.2
86 65.4 50.6 75.8





#21

trans-1,2-Dichloroethene

Concen: 21.79 ug/l

RT: 5.22 min Scan# 572

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 96 Resp: 70067

Ion Ratio Lower Upper

96 100

61 119.3 96.8 145.2




98 61.0 49.4 74.0



Abundance Ion 95.90 (95.60 to 96.60): VY0

Ion 60.90 (60.60 to 61.60): VY0

Ion 97.90 (97.60 to 98.60): VY0



#22

Diisopropyl ether

Concen: 22.75 ug/l

RT: 6.13 min Scan# 720

Delta R.T. -0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Tgt Ion: 45 Resp: 193954


Ion Ratio Lower Upper

45 100

43 55.7 41.7 62.5

87 29.5 24.2 36.2

59 12.5 9.8 14.8






Abundance Ion 45.00 (44.70 to 45.70): VY0

Ion 43.00 (42.70 to 43.70): VY0

Ion 87.00 (86.70 to 87.70): VY0

Ion 59.00 (58.70 to 59.70): VY0





#23

Vinyl Acetate

Concen: 112.46 ug/l

RT: 6.07 min Scan# 711

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBS01

Tgt Ion: 43 Resp: 632851

Ion Ratio Lower Upper




43 100

86 12.0 10.2 15.2



Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 86.00 (85.70 to 86.70): VY0



#24

1,1-Dichloroethane

Concen: 22.28 ug/l

RT: 6.03 min Scan# 704

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion: 63 Resp: 111082

Ion Ratio Lower Upper

63 100

98 7.3 4.0 12.2



100 4.8 2.4 7.1




Abundance Ion 62.90 (62.60 to 63.60): VY0

Ion 97.90 (97.60 to 98.60): VY0

Ion 99.90 (99.60 to 100.60): VY0





#25

2-Butanone

Concen: 111.89 ug/l

RT: 7.00 min Scan# 863

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :





VY0604SBS01

Tgt Ion: 43 Resp: 119317

Ion Ratio Lower Upper

43 100

72 31.0 23.9 35.9



#26

2,2-Dichloropropane

Concen: 20.91 ug/l

RT: 6.99 min Scan# 861

Delta R.T. -0.01 min

Lab File: VY002838.D




Acq: 04 Jun 2020 13:29


Tgt Ion: 77 Resp: 100016

Ion Ratio Lower Upper

77 100

97 24.1 12.2 36.6






#27




cis-1,2-Dichloroethene
 Concen: 21.66 ug/l
 RT: 6.99 min Scan# 862
 Delta R.T. -0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01

Tgt Ion: 96 Resp: 77992
 Ion Ratio Lower Upper
 96 100
 61 130.9 0.0 260.2
 98 64.0 0.0 128.2




Abundance Ion 95.90 (95.60 to 96.60): VY0
 Ion 60.90 (60.60 to 61.60): VY0
 Ion 97.90 (97.60 to 98.60): VY0





#28


Bromochloromethane
 Concen: 23.03 ug/l
 RT: 7.34 min Scan# 919
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 49 Resp: 47146
 Ion Ratio Lower Upper
 49 100
 129 2.2 0.0 5.2
 130 91.2 77.1 115.7



Abundance Ion 48.90 (48.60 to 49.60): VY0
 Ion 128.80 (128.50 to 129.50): VY0
 Ion 129.80 (129.50 to 130.50): VY0





#29

Tetrahydrofuran

Concen: 113.87 ug/l

RT: 7.36 min Scan# 922

Delta R.T. 0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 42 Resp: 78988

Ion Ratio Lower Upper

42 100

72 47.8 38.6 58.0




71 43.7 35.8 53.8



Abundance Ion 42.00 (41.70 to 42.70): VY0

Ion 72.00 (71.70 to 72.70): VY0

Ion 71.00 (70.70 to 71.70): VY0



#30

Chloroform

Concen: 21.57 ug/l

RT: 7.51 min Scan# 947

Delta R.T. -0.01 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 83 Resp: 114132

Ion Ratio Lower Upper



83 100


85 64.1 53.8 80.8



Abundance Ion 82.90 (82.60 to 83.60): VY0

Ion 84.90 (84.60 to 85.60): VY0





#31

Cyclohexane

Concen: 21.60 ug/l

RT: 7.78 min Scan# 992

Delta R.T. -0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 56 Resp: 106929

Ion Ratio Lower Upper

56 100

69 35.0 28.0 42.0




84 93.5 77.7 116.5



Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 69.00 (68.70 to 69.70): VY0

Ion 84.00 (83.70 to 84.70): VY0



#32

1,1,1-Trichloroethane

Concen: 20.70 ug/l

RT: 7.71 min Scan# 979

Delta R.T. -0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion: 97 Resp: 102047

Ion Ratio Lower Upper

97 100

99 64.7 51.4 77.0



61 38.6 30.1 45.1




Abundance Ion 96.90 (96.60 to 97.60): VY0

Ion 98.90 (98.60 to 99.60): VY0

Ion 60.90 (60.60 to 61.60): VY0









#33
 1,2-Dichloroethane-d4
 Concen: 49.36 ug/l
 RT: 8.14 min Scan# 1051
 Delta R.T. -0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion: 65 Resp: 144092
 Ion Ratio Lower Upper
 65 100
 67 55.4 0.0 111.0



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 114 Resp: 499289
 Ion Ratio Lower Upper
 114 100
 63 17.4 0.0 35.2
 88 14.6 0.0 29.2









#35
 Dibromofluoromethane
 Concen: 51.28 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. -0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion	Ratio	Lower	Upper
113	100		
111	103.1	82.0	123.0
192	23.0	18.9	28.3



#36
 1,1-Dichloropropene
 Concen: 21.43 ug/l
 RT: 7.92 min Scan# 1015
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion	Ratio	Lower	Upper
75	100		
110	38.9	19.3	57.9
77	31.6	24.8	37.2









#37
Ethyl Acetate
 Concen: 22.92 ug/l
 RT: 7.08 min Scan# 877
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion: 43 Resp: 52448
 Ion Ratio Lower Upper
 43 100
 61 15.3 11.9 17.9
 70 11.5 9.1 13.7



#38
Carbon Tetrachloride
 Concen: 20.60 ug/l
 RT: 7.90 min Scan# 1011
 Delta R.T. -0.01 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 117 Resp: 96272
 Ion Ratio Lower Upper
 117 100
 119 92.2 76.8 115.2
 121 31.2 24.8 37.2









#39
Methylcyclohexane
Concen: 21.06 ug/l
RT: 9.19 min Scan# 1222
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01


Tgt Ion: 83 Resp: 116767
Ion Ratio Lower Upper
83 100
55 66.6 53.3 79.9
98 48.8 41.1 61.7



#40
Benzene
Concen: 21.38 ug/l
RT: 8.16 min Scan# 1054
Delta R.T. -0.01 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion: 78 Resp: 265680
Ion Ratio Lower Upper
78 100
77 24.7 18.8 28.2









#41
Methacrylonitrile
Concen: 58.56 ug/l
RT: 7.35 min Scan# 921
Delta R.T. 0.02 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01

Tgt Ion:	41	Resp:	71987
Ion	Ratio	Lower	Upper
41	100		
39	0.0	97.6	146.4#
67	0.0	0.0	0.0
52	0.0	0.0	0.0




Abundance Ion 41.00 (40.70 to 41.70): VY0
Ion 39.00 (38.70 to 39.70): VY0
Ion 67.00 (66.70 to 67.70): VY0
Ion 52.00 (51.70 to 52.70): VY0






#42
1,2-Dichloroethane
Concen: 21.12 ug/l
RT: 8.24 min Scan# 1067
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion:	62	Resp:	73550
Ion	Ratio	Lower	Upper
62	100		
98	11.9	0.0	22.6



Abundance Ion 61.90 (61.60 to 62.60): VY0
Ion 97.90 (97.60 to 98.60): VY0





#43

Isopropyl Acetate

Concen: 22.42 ug/l

RT: 8.28 min Scan# 1073

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBS01


Tgt Ion: 43 Resp: 97208

Ion Ratio Lower Upper




43 100

61 30.8 24.8 37.2

87 14.9 12.4 18.6



Abundance Ion 43.00 (42.70 to 43.70): VY002838.D (-1024) (-)



#44

Trichloroethene

Concen: 21.19 ug/l

RT: 8.94 min Scan# 1182

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 130 Resp: 83171



Ion Ratio Lower Upper


130 100

95 87.3 0.0 178.8



Abundance Ion 129.80 (129.50 to 130.50): VY002838.D (-1133) (-)









#45
 1,2-Dichloropropane
 Concen: 21.75 ug/l
 RT: 9.22 min Scan# 1227
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion: 63 Resp: 64815
 Ion Ratio Lower Upper
 63 100
 65 32.1 24.8 37.2



#46
 Dibromomethane
 Concen: 21.62 ug/l
 RT: 9.31 min Scan# 1242
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 93 Resp: 38265
 Ion Ratio Lower Upper
 93 100
 95 83.9 66.9 100.3
 174 119.2 97.7 146.5





#47

Bromodichloromethane

Concen: 21.56 ug/l

RT: 9.50 min Scan# 1273

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 83 Resp: 89945

Ion Ratio Lower Upper




83 100

85 64.9 51.9 77.9

127 8.5 7.1 10.7



Abundance Ion 82.90 (82.60 to 83.60): VY0
Ion 84.90 (84.60 to 85.60): VY0
Ion 126.80 (126.50 to 127.50): VY0



#48

Methyl methacrylate

Concen: 21.69 ug/l

RT: 9.30 min Scan# 1240

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion: 41 Resp: 42453

Ion Ratio Lower Upper



41 100


69 97.7 79.7 119.5

39 53.7 43.3 64.9



Abundance Ion 41.00 (40.70 to 41.70): VY0
Ion 69.00 (68.70 to 69.70): VY0
Ion 39.00 (38.70 to 39.70): VY0









#49
1,4-Dioxane
Concen: 431.66 ug/l
RT: 9.30 min Scan# 1241
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01


Tgt Ion: 88 Resp: 11731
Ion Ratio Lower Upper
88 100
43 28.7 21.3 31.9
58 69.1 52.2 78.2



#50
Toluene-d8
Concen: 48.82 ug/l
RT: 10.18 min Scan# 1385
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion: 98 Resp: 577570
Ion Ratio Lower Upper
98 100
100 65.5 52.2 78.2









#51
 4-Methyl-2-Pentanone
 Concen: 112.19 ug/l
 RT: 10.07 min Scan# 1367
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBS01


Tgt Ion: 43 Resp: 257617
 Ion Ratio Lower Upper
 43 100
 58 42.0 34.2 51.2



#52
 Toluene
 Concen: 20.98 ug/l
 RT: 10.24 min Scan# 1395
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion: 92 Resp: 170541
 Ion Ratio Lower Upper
 92 100
 91 175.0 138.5 207.7





#53

t-1,3-Dichloropropene

Concen: 21.42 ug/l

RT: 10.47 min Scan# 1432

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :





VY0604SBSD01

Tgt Ion: 75 Resp: 97604

Ion Ratio Lower Upper

75 100

77 32.5 25.3 37.9



#54

cis-1,3-Dichloropropene

Concen: 21.42 ug/l

RT: 9.93 min Scan# 1344

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29




Tgt Ion: 75 Resp: 110607


Ion Ratio Lower Upper

75 100

77 32.3 25.6 38.4

39 40.9 31.3 46.9









#55
 1,1,2-Trichloroethane
 Concen: 21.47 ug/l
 RT: 10.64 min Scan# 1461
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion:	97	Resp:	58174
Ion	Ratio	Lower	Upper
97	100		
83	86.1	62.7	94.1
85	53.6	40.6	60.8
99	62.4	48.2	72.4



#56
 Ethyl methacrylate
 Concen: 21.69 ug/l
 RT: 10.51 min Scan# 1439
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion:	69	Resp:	78726
Ion	Ratio	Lower	Upper
69	100		
41	59.7	47.0	70.4
39	26.9	22.0	33.0





#57

1,3-Dichloropropane

Concen: 21.65 ug/l

RT: 10.79 min Scan# 1485

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBS01

Tgt Ion: 76 Resp: 96504

Ion Ratio Lower Upper




76 100

78 32.6 26.1 39.1



Abundance Ion 75.90 (75.60 to 76.60): VY0

Ion 77.90 (77.60 to 78.60): VY0



#58

2-Chloroethyl Vinyl ether

Concen: 106.63 ug/l

RT: 9.78 min Scan# 1320

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 63 Resp: 189102

Ion Ratio Lower Upper



63 100


106 31.2 25.4 38.2



Abundance Ion 62.90 (62.60 to 63.60): VY0

Ion 105.90 (105.60 to 106.60): V









#59
2-Hexanone
Concen: 111.70 ug/l
RT: 10.83 min Scan# 1492
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBS01


Tgt Ion: 43 Resp: 181979
Ion Ratio Lower Upper
43 100
58 59.3 29.5 88.5



#60
Dibromochloromethane
Concen: 20.94 ug/l
RT: 10.99 min Scan# 1517
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion: 129 Resp: 71928
Ion Ratio Lower Upper
129 100
127 77.0 38.5 115.3





#61

1,2-Dibromoethane

Concen: 21.77 ug/l

RT: 11.09 min Scan# 1534

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBS01

Tgt Ion: 107 Resp: 58182

Ion Ratio Lower Upper




107 100

109 95.1 75.6 113.4



Abundance Ion 106.90 (106.60 to 107.60): V

Ion 108.80 (108.50 to 109.50): V



#62

4-Bromofluorobenzene

Concen: 50.44 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion: 95 Resp: 203956

Ion Ratio Lower Upper

95 100

174 95.5 0.0 191.2



176 92.9 0.0 188.8




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01

Tgt Ion:117 Resp: 460223
Ion Ratio Lower Upper
117 100
82 49.2 40.2 60.4
119 32.3 25.8 38.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V






#64
Tetrachloroethene
Concen: 20.24 ug/l
RT: 10.72 min Scan# 1473
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion:164 Resp: 84647
Ion Ratio Lower Upper
164 100
166 129.9 102.3 153.5
129 89.3 69.4 104.2
131 83.2 67.8 101.6



Abundance Ion 163.80 (163.50 to 164.50): V
Ion 165.80 (165.50 to 166.50): V
Ion 128.80 (128.50 to 129.50): V
Ion 130.80 (130.50 to 131.50): V









#65
Chlorobenzene
Concen: 21.35 ug/l
RT: 11.52 min Scan# 1604
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01


Tgt Ion:112 Resp: 194198
Ion Ratio Lower Upper
112 100
114 33.3 25.7 38.5



#66
1,1,1,2-Tetrachloroethane
Concen: 21.34 ug/l
RT: 11.59 min Scan# 1616
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion:131 Resp: 73100
Ion Ratio Lower Upper
131 100
133 94.9 47.6 142.8
119 64.6 31.7 95.1





#67

Ethyl Benzene

Concen: 21.21 ug/l

RT: 11.59 min Scan# 1616

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :





VY0604SBSD01

Tgt Ion: 91 Resp: 334440

Ion Ratio Lower Upper

91 100

106 33.0 25.7 38.5



#68

m/p-Xylenes

Concen: 42.27 ug/l

RT: 11.70 min Scan# 1634

Delta R.T. -0.00 min

Lab File: VY002838.D




Acq: 04 Jun 2020 13:29


Tgt Ion: 106 Resp: 258466

Ion Ratio Lower Upper

106 100

91 194.0 156.0 234.0









#69
o-Xylene
Concen: 21.45 ug/l
RT: 12.03 min Scan# 1688
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29




Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBS01


Tgt Ion:106 Resp: 123818
Ion Ratio Lower Upper
106 100
91 202.4 102.4 307.1



#70
Styrene
Concen: 21.32 ug/l
RT: 12.04 min Scan# 1690
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion:104 Resp: 213297
Ion Ratio Lower Upper
104 100
78 44.8 36.2 54.4
103 54.2 43.6 65.4









#71
Bromoform
Concen: 21.66 ug/l
RT: 12.20 min Scan# 1717
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Instrument :
MSVOA_Y
ClientSampleId :
VY0604SBSD01

Tgt Ion:173 Resp: 49644
Ion Ratio Lower Upper
173 100
175 48.0 24.3 72.8
254 0.0 0.1 0.1#




Abundance Ion 172.70 (172.40 to 173.40): V
Ion 174.70 (174.40 to 175.40): V
Ion 254.40 (254.10 to 255.10): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY002838.D
Acq: 04 Jun 2020 13:29

Tgt Ion:152 Resp: 246659
Ion Ratio Lower Upper
152 100
115 54.0 27.0 81.0
150 164.2 0.0 344.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#73

Isopropylbenzene

Concen: 21.06 ug/l

RT: 12.33 min Scan# 1737

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion:105 Resp: 332899

Ion Ratio Lower Upper




105 100

120 27.4 13.7 41.1



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V



#74

N-ethyl acetate

Concen: 22.11 ug/l

RT: 12.14 min Scan# 1707

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Tgt Ion: 43 Resp: 89667


Ion Ratio Lower Upper

43 100

70 47.8 37.7 56.5

55 25.4 19.8 29.6

61 26.5 21.7 32.5






Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 70.00 (69.70 to 70.70): VY0

Ion 55.00 (54.70 to 55.70): VY0

Ion 61.00 (60.70 to 61.70): VY0





#75

1,1,2,2-Tetrachloroethane

Concen: 23.00 ug/l

RT: 12.58 min Scan# 1779

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 83 Resp: 63787

Ion Ratio Lower Upper

83 100

131 11.1 5.8 17.4




85 64.3 32.6 98.0



Abundance Ion 82.90 (82.60 to 83.60): VY0

Ion 130.80 (130.50 to 131.50): VY0

Ion 84.90 (84.60 to 85.60): VY0



#76

1,2,3-Trichloropropane

Concen: 40.92 ug/l

RT: 12.63 min Scan# 1787

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 75 Resp: 90950

Ion Ratio Lower Upper



75 100


77 0.0 0.0 0.0



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 77.00 (76.70 to 77.70): VY0





#77

Bromobenzene

Concen: 20.77 ug/l

RT: 12.61 min Scan# 1783

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion:156 Resp: 85503

Ion Ratio Lower Upper

156 100

77 167.1 81.4 244.2




158 98.5 48.5 145.6



Abundance Ion 155.80 (155.50 to 156.50): V

Ion 77.00 (76.70 to 77.70): VY0

Ion 157.80 (157.50 to 158.50): V



#78

n-propylbenzene

Concen: 21.49 ug/l

RT: 12.67 min Scan# 1793

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 91 Resp: 392412

Ion Ratio Lower Upper



91 100


120 24.0 12.3 36.9



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 120.00 (119.70 to 120.70): V





#79

2-Chlorotoluene

Concen: 21.36 ug/l

RT: 12.75 min Scan# 1807

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion: 91 Resp: 218732

Ion Ratio Lower Upper




91 100

126 36.0 18.4 55.4



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 125.90 (125.60 to 126.60): V



#80

1,3,5-Trimethylbenzene

Concen: 21.31 ug/l

RT: 12.81 min Scan# 1816

Delta R.T. -0.01 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 105 Resp: 281295

Ion Ratio Lower Upper



105 100


120 50.8 25.3 75.8



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V





#81

trans-1,4-Dichloro-2-butene

Concen: 21.78 ug/l

RT: 12.38 min Scan# 1745

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBS01


Tgt Ion: 75 Resp: 25699

Ion Ratio Lower Upper

75 100

53 79.9 64.0 96.0




89 49.7 37.4 56.2



Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 53.00 (52.70 to 53.70): VY0

Ion 88.90 (88.60 to 89.60): VY0



#82

4-Chlorotoluene

Concen: 21.41 ug/l

RT: 12.85 min Scan# 1823

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 91 Resp: 229789

Ion Ratio Lower Upper



91 100


126 36.5 18.5 55.5



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 125.90 (125.60 to 126.60): V





#83

tert-Butylbenzene

Concen: 21.23 ug/l

RT: 13.07 min Scan# 1859

Delta R.T. -0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion:119 Resp: 249907

Ion Ratio Lower Upper

119 100

91 59.6 29.8 89.4




134 26.6 13.3 39.8



Abundance Ion 119.00 (118.70 to 119.70): V

Ion 91.00 (90.70 to 91.70): VY0

Ion 134.00 (133.70 to 134.70): V



#84

1,2,4-Trimethylbenzene

Concen: 21.45 ug/l

RT: 13.12 min Scan# 1867

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion:105 Resp: 284603

Ion Ratio Lower Upper



105 100


120 47.5 23.6 70.8



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V





#85

sec-Butylbenzene

Concen: 21.49 ug/l

RT: 13.25 min Scan# 1889

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :


VY0604SBSD01

Tgt Ion:105 Resp: 345868

Ion Ratio Lower Upper

105 100

134 21.8 10.8 32.4



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 134.00 (133.70 to 134.70): V

13.25

200000



150000

100000

50000

0

Time--> 13.15 13.20 13.25 13.30



#86

p-Isopropyltoluene

Concen: 21.47 ug/l

RT: 13.37 min Scan# 1908

Delta R.T. -0.00 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29


Tgt Ion:119 Resp: 321571

Ion Ratio Lower Upper

119 100

134 27.4 13.7 41.0

91 21.4 10.8 32.4



Abundance Ion 119.00 (118.70 to 119.70): V

Ion 134.00 (133.70 to 134.70): V

Ion 91.00 (90.70 to 91.70): VY0

13.37

300000

250000

200000


150000


100000

50000

0

Time--> 13.30 13.35 13.40









#87
 1,3-Dichlorobenzene
 Concen: 21.41 ug/l
 RT: 13.36 min Scan# 1907
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0604SBSD01


Tgt Ion	Ratio	Lower	Upper
146	100		
111	37.2	18.4	55.0
148	63.5	31.9	95.7



#88
 1,4-Dichlorobenzene
 Concen: 21.08 ug/l
 RT: 13.44 min Scan# 1920
 Delta R.T. -0.00 min
 Lab File: VY002838.D
 Acq: 04 Jun 2020 13:29

Tgt Ion	Ratio	Lower	Upper
146	100		
111	37.4	18.1	54.3
148	64.5	32.1	96.3





#89

n-Butylbenzene

Concen: 21.77 ug/l

RT: 13.70 min Scan# 1962

Delta R.T. 0.01 min

Lab File: VY002838.D

Acq: 04 Jun 2020 13:29

Instrument :

MSVOA_Y

ClientSampleId :

VY0604SBSD01


Tgt Ion: 91 Resp: 296104

Ion Ratio Lower Upper

91 100

92 53.5 27.1 81.2




134 28.4 14.3 42.9



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 92.00 (91.70 to 92.70): VY0

Ion 134.00 (133.70 to 134.70): VY0



#90

Hexachloroethane

Concen: 21.14 ug/l

RT: 13.96 min Scan# 2005

Delta R.T. -0.00 min

Lab File: VY002838.D


Acq: 04 Jun 2020 13:29

Tgt Ion: 117 Resp: 59266

Ion Ratio Lower Upper

117 100

201 88.1 43.9 131.6



Abundance Ion 116.80 (116.50 to 117.50): V

Ion 200.70 (200.40 to 201.40): V

